Comme

CATALOGUE OF PLANTS

IN THE

BOTANICAL GARDEN, BANGALORE,

AND ITS VICINITY.

SECOND EDITION.

JOHN CAMERON, F. L. S.,

Superintendent.





PREFACE.

THE first edition of this Catalogue, published eleven years ago, has in the Second Edition now offered to the public been largely augmented in genera, species, and descriptive detail. Though not exhaustive of ornamental exotics in cultivation, or of weeds in the field, the Catalogue may in other respects be considered tolerably complete up to date. It contains 3,222 named species and varieties against 2,020 published in the original list of 1880. The work maintains its former character generally, and with the additional indexes appended, it is hoped that those who are not conversant with scientific terms may be able to discover a fair proportion of the proper names of plants; and hence a knowledge of their affinities and uses, as described by many authors. To facilitute the determination of local species, nearly 800 Kanarese numes have been entered, and type specimens of Natural Orders have mostly been preferred from plants with vernacular appel-Many of these local names are published for the first time, and as the subject is one of some obscurity, the Compiler trusts that errors will be leniently dealt with. The credit attaching to the vernacular work falls to Siddapur Davannah, the plant collector who reported the greater part of the names, and to M. Krishnaswamy Chetty, the writer who revised and tabulated the same.

The diagnostic characters attached to each Natural Order, and other abridged details, such as the approximate color of the flower, are only intended to guide the student to a fuller description in standard works of Systematic Botany. Of the latter, Sir Joseph Hooker's great work "The Flora of British India" will, when completed, be the standard text.

Bangalore is situated in 12°57'37" North latitude and 77° 36'56" East longitude, at an undulating elevation of 3,000 to 3,100 feet. The average rainfall for the year is 35 inches, but there is a long dry season extending from December till May when a great variety of trees, shrubs, and herbs are ripened into a condition of fertility and subsequent seed-bearing. The three principal gardens of Southern India, Madras, Bangalore, and Ootacamund, are properly situated to represent, respectively, the tropical, sub-tropical, and alpine conditions of the South Indian climate, and plants from any part of the peninsula will usually succeed in one or other of them.

The early history of the Lal-Bagh—Red Garden—is wrapped in some obscurity, but it is known to have been a prolific fruit garden during the time of Hyder Ali, and seems to have maintained the same function until long after the fall of Tippu Sultan. The tankbund was originally constructed by forced labor, but was afterwards greatly improved during the incumbency of Mr. William New, the first professional Superintendent of the gardens. During the latter part of Tippu's rule, and for nearly half the present century. the Lal-Bagh was supervised by two Muhammadan Darogahs, father and son. The former, Mahomed Ali, seems to have been invested with considerable powers, and was able to do a great deal for his charge; but Abdul Khader, the son, had limited action and the garden became an ill-kept jungle of fruit trees. Of the latter, some unique specimens of Mangifera indica still adorn the grounds. 1836, the Chief Commissioner of Mysore, Sir Mark Cubbon, made over the Lal-Bagh to an Agri-Horticultural Society, which was then formed for the first time at Bangalore. But on the dissolution of the Society in 1842, or six years later, the property was restored to Government, and has remained in its possession up to the present time. Dr. Hugh Cleghorn, and Mr. Jaffray (Superintendent of the Gardens at Madras) visited the Lal-Bagh in July 1856, and on the recommendation of these officers, it was established, in the following year, as the Government Horticultural Gardens. Mr. New arrived from Kew, and took charge of the gardens in April 1858. In December, 1863, he resigned the office and was succeeded by another Kew man, Mr. A. A. Black. He, unfortunately, was in poor health, and on his resignation in October 1865, Mr. New was re-appointed, and held office until his death in August 1873. Since the Rendition of the Province in 1881, the Institution has been maintained by the Mysore State. His Highness' Government have shown much solicitude for the improvement of the gardens, which now cover an area of about 100 acres.

A large conservatory, the foundation stone of which was laid by His Royal Highness Prince Albert Victor of Wales, on the 30th November 1889, has recently been constructed at a cost of

Rs. 75.000.

The following is a list of the officials who have had executive charge of the Lal-Bagh from the time of Tippu:—

Mahomed Ali. Darogah. For more than half a cen-Abdul Khader. do. turv. Serieant Tomkins? Overseer. About six years. Maistry Heera Lall. l year. Mr. William New, Superintendent. 5 years. Mr. A. A. Black. 1 year and 10 months. Mr. William New. Nearly 8 years. Mr. M. W. Walker, assisted by Acting Superintendent for Maistry Ramannah. 6 months.

The present Superintendent took over charge in March 1874.

Glossary of the principal terms used in the following text.

Accrssment.—Mostly applied to the enlargement of the calyx when the other parts of the flower have decayed.

Achlamydeous.—Without an envelope, when the sexes have no covering.

Anisom rous.—Want of symmetry in the flower.

Anther.—The terminal part of a stamen containing the pollen grains.

Berry.—A succulent and indehiscent fruit such as the grape.

Bract.—A minute leaf at the base of a flower-bud.

Calyx.—The outer whorl (envelope) of a flower, usually colored green.

Capitate.—Having a rounded head.

Carpel.—The modified leaf which forms the pistil, or contributes to its formation.

Carpophore.—The stalk of a fruit.

Catkin.—A slender drooping inflorescence, somewhat resembling a cats tail.

Clavate.-Formed like a club.

Coccus.—A dehiscent (free) carpel containing one seed.

Compound.—Of more than one piece, applied to divided leaves having pinnate, digitate, or pedate leaflets.

Cone.—The scaly fruit of a pine or fir tree.

Coriaceous.—Leathery.

Corolla.—The inner envelope of a flower, usually the most attractive part.

Corona.—A rayed or cup-like whorl situated within the co-

3.— A form of inflorescence, being a flattened and centrifugal panicle.

Deciduous.—Falling off, applied to such plants as shed their leaves annually.

Dehiscent.—Splitting open, as in the case of many hard fruits.

Dicotyledon.—A great division of plants having two cotyledons in the seed, as in the pea.

Did ynamous.—Having two long and two short stamens.

Dicecious.—Having male flowers exclusively on one plant and female flowers exclusively upon another.

Discoid.—In the form of a disc, a circular cushion with a thin, flat, or convex surface.

Drupe —A stoned fruit like the mango, and peach.

Entire.—When the margin of a leaf is uniformly rounded and nowhere indented.

Epiphyte.—A plant growing upon another plant but deriving its nourishment independently; many orchids are epiphytes.

Filament.—The stalk of a stamen.

Follicle.—A capsular form of fruit deliscing by the ventral suture.

Free.—Solitary, not united.

Fruit.—The seed-vessel of a plant.

Fusiform.—Spindle-shaped and tapering at both ends.

Jamopetalous.—Having the petals wholly or partially united.

Jeminate.—Produced in pairs.

Fland.—A wart-like swelling found on some plants.

Flume.—The dry scaly leaves that subsequently become the husk of corn and other grains.

Jymnosperm.—Applied to such plants as produce naked ovules and seeds.

Lynandrous.—Having the stamens and pistil on the same axis, (column) as in the Orchideæ.

Jynophore.—The stalk of an ovary.

Hermaphrodite.—Having both sexes within a single flower.

Iypogynous.—Having the stamens inserted upon the receptacle below the pistil.

mbricate.—Having the parts overlaying each other like the scales of a cone.

ncompletæ.—Denoting the absence of a floral envelope.

.ndefinite.—Unlimited and irregular in number.

ntrorse.—Anther opening towards the pistil.

nferior.—When one organ is placed under another, but has special reference to the relative position of calyx and pistil; the opposite of superior.

Involuce: A whorl of small leaves at the base of an inflorescence, as under the 'flower head' in Compositor.

Irragular.—Parts of the flower being unequal in form and size.

Isomerous.—When each whorl of the flower is composed of an equal number of parts.

Legume.—A fruit of the Leguminosæ, a pea pod.

Membranous.—Thin, and more or less transparent.

Monadelphous.—Having the filaments united into a staminal tupe around the style, as in Malvaceæ.

Monochlamydeous.—When the perianth is single.

Monocotyledon.—A great division of plants having but one seed-lobe, (cotyle lon) as in the grasses.

Monecious.—When unisexual flowers are borne together on the same individual.

Node.—The point on a short where the leaf is given off, the intervening spaces being called internodes.

Opposite.... Applied mostly to leaves when two are given off from a single node, and opposite to each other.

O 7ary.—The lower part of the pistil containing the ovules.

Oval 3.—The embryo seed.

Panduriform.—Shaped like a fiddle.

Fanicle.—A brunching inflorescence resembling that of corn, and the mango tree.

Parasita. -A plant that grows and lives upon another plant.

Parietal.—Has reference to the position of the placenta within the overy.

Padicel.—The final stalk of an inflorescence which supports a single flower.

Peduncle.—The primary stalk of an inflorescence, or the stalk of a solitary flower.

Persistent.—Usually applied to the calyx when it adheres to the fruit.

Petal.—A part of the corolla.

Petiole.—The stalk of a leaf.

Pinnate.—A feathered leaf (compound.)

Pistil,—The female organ of the flower.

Placenta.—That part of the carpel which bears the ovule.

Polyadelphous.—Having filaments united into several bundles.

Polygamous. Bearing hermsphrodite and unisexual flowers on the same plant.

Polypetalous.—Having the petals free and distinct.

Peltate.—Sheild-like, a leaf attached to its petiole within the margin, as in the sacred lotus.

Perianth:—A general term for the floral envelopes, but correctly applied when the latter are the same in size and texture, or when one is wanting.

Raceme.—A form of influrescence where the flowers are borne on pedicels along a single peduncle.

Radical.—Applied to leaves growing from the root-stock.

Receptacle.—The end of the peduncle, or pedicel, on which the flower is seated.

Regular.—Having all the parts equal in size and form.

Sepal.—A part of the calyx.

Sessile.-Without a stalk.

Siliqua.—The capsular fruit of Crucifers.

Simple.—In one piece, undivided.

Spathe.—A large membranous leaf forming a sheath to the inflorescence in Aroideæ.

Stamen.—The male organ of the flower.

Stigma.—The point of the pistil, usually rounded or flattened.

Stipule.—A small leaf at the base of proper leaves.

Style.—The axis which connects the ovary with the stigma.

Superior.—A term denoting the position of the ovary in respect to the calyx, the opposite of inferior.

Symmetrical.—Uniformity in the number of parts, the latter being equal to, or some multiple of, each other.

Syngenesious.—When the anthers unite and form a ring around the style.

Terminal.—At the very end.

Tetradynamous.—Having four long stamens and two short ones, as in the Cruciferæ.

Trimerous.—Having the parts of the flower in three's, or some multiple of that number.

Unisexual.—Sexes separated.

Umbel.—The kind of inflorescence prevailing in Umbellifera, which see.

Utricle.—A membranous one-seeded fruit.

Verticillate.—Arranged in a circle like the rays of a wheel.

Whorl—Usually applied to the parts forming the successive circles of the flower.

ABBREVIATIONS AND SIGNS.

The abbreviated names of botanical authorities are attached to genera and species. Linn. (Linneus.) D. C. (Decandolle.) Hook. (Hooker) are examples of such.

- Climbing or creeping plants.
- Herbaceous plants --usually perennial.
- Plants of annual duration.
- Aquatic plants.
- s Shrubby plants—usually hard wooded.
- Under-shrubs.
- FL Flower.

When two signs are used together they imply the double meaning, as ① A, annual aquatic.

CATALOGUE.

CLASS I.-DICOTYLEDONS.

ORDER I.

RANUNCULACEÆ.

THE CROWFOOT FAMILY.

This Order is represented in Mysore by the tribe Clematideæ, of which several species are found wild. Typical specimens of the family are rare in the south of India, but may be occasionally found in gardens at hill stations. Larkspur is not uncommon in local cultivation. Properties tending to narcotico—acrid, and often poisonous.

- 1 Clematis, Linn. Virgins Bower.
 - 1 Gouriana, Roxb. India. c Fl. creamy white.
 - 2 triloba, Heyne. India. c Fl. white.
 - 3 Duchess of Edinburgh. Horr. c Fl. purple
 - 4 Wightiana WALL INDIA C
 - 5 Species. Introduced. Flowers large white.
- 2 Naravelia. DC.
 - 1 zeylanica, DC. CEYLON. c Fl. yellow.
- 3 Thalictrum, Linn. Meadow Rue.
 - 1 species, foliolosum (?) DC. = Fl, creamy-white

- 4 Delphinium, Linn, Larkspur.
 - 1 Ajacis, Linn. S. Europe. O Fl. purple.
 - 2 consolida, Linn. S. EUROPE. O Fl. purple and white.
- 5 Nigella, W. Fennel Flower.
 - 1 damascena, W. S. EUROPE. Fl. blue.
 - 2 hispanica, S. Europe O Fl. blue.
- 6 Aquilegia, Linn. Columbine.
 - 1 vulgaris Linn. Europe and Asia # Fl. purple.
 - 2 , var. Fl. white.

ORDER II.

DILLENIACEÆ.

A family of trees shrubs and herbs mostly confined to the tropics. Several species of *Dillenia* are elegant trees for scenic planting. They also afford an acid fruit which may be used in tarts and jellies. No. 2 is a good type of the Order.

1 Delima, LINN.

1 sarmentosa, Linn. India. c Fl. white.

2 Dillenia, LINE.

- 1 indica, Linn. India. 🛨 Fl. white. Kan. Bettada ganagalu mara. ಪಟ್ಟದ ಗಣಗಲುವುರ.
- 2 bracteata, Wight. エ Kan Bettada kanigala mara. ಪಟ್ಟದ ಕಣೆಗಲವುರ.
- 3 pentagyna, Roxb. エ Kan. Kóltéga or kâdu kanigalu mara. ಕೋಲ್ಮೇಗ (ಕಾಡುಕಣೆಗಲ) ಮರ.

3 Candollea, LABIL.

1 cuneiformis, Labil. W. Aust. s

ORDER III.

MAGNOLIACEÆ.

THE MAGNOLIA FAMILY.

The indigenous 'Sampage' is an excellent type of this family, which is characterised by its large and highly perfumed flowers. There are no herbs in the Order. Sepals and petals trimerous. Stamens numerous.

1 Magnolia, Linn.

- 1 grandiflora, Linn. CAROLIN. T Fl. large white.
- 2 sphenocarpa, Roxb. India. T Fl. white.
- 3 pumila, W. CHINA. s Fl. white.

2 Michelia, Linn.

- 1 champaca, Linn, India. 🛨 Fl. yellow. Kan. Sampage mara. ಸಂಪಗೆ ಮರ
- 2 nilagirica, Zenk, India and Ceylon. # Fl. white.

ORDER IV.

ANONACEÆ.

CUSTARD APPLE FAMILY,

The sweet-sop and custard-apple trees are naturalised in most parts of India, and are more commonly seen than the indigenous representatives of the family. The Cherimoyer is highly esteemed as a fruit in its native habitat. Nos. 3, 4 and 6, are typical genera.

1 Uvaria, Linn.

- 1 narum, Wall. o India. Fl. dull reddish-green.
- 2 species? T India. Fl. reddish-purple.

2 Artabotrys, R. Br.

1 odoratissimus, R. Br. India. s Fl. greenishyellow. Fragrant. *Kan.* Manóranjan balli. మనులరంజు బర్బి.

3 Polyalthia, Blume.

- 1 longifolia, Benth & H. Trop. India. ∓ Fl. green-Kan. Puttrajivi mara. ಪ್ರಶ್ನಜೀವಿಮರ
- 2 cerasoides, Benth. T India. Fl. green.

4 Anona, LINN.

- 1 squamosa, Linn. Sweet-sop. W. Indies. T Kan. Duranji mara. ದುರಂಜಿ ಮರ
- 2 reticulata, Linn. Bullocks-heart. W. Indies. ± Kan. Rámaphala mara. ರಾಮಭಲ ಮರ
- 3 muricata, Linn. Sour-sop. W. Indies. エ Kan. Mullu Rámaphala mara. ಮುಳ್ಳುರುಮ ಘಲಮರ್
- 4 Cherimolia, Mill. Cherimoyer. S. AMER. T Fl. greenish-yellow.
- 5 montana, TROP. AMER. T

5 Miliusa, Lesch.

1 indica, Lesch. India. s Fl. greenish-purple.

6 Saccopetalum, Bennett.

1 tomentosem, H. F. & T. India. ಸ Kan. Kari hesare mara. ಕರ ಹೆಸರೆಮರೆ.

ORDER V.

MENISPERMACEÆ.

COCCULUS OR MOONSEED FAMILY.

A tropical Order of climbing plants having small unisexual flowers of trimerous symmetry. Seeds formed

like a crescent or horse-shoe. Many of the plants are narcotic and some are poisonous.

1 Tinospora, MIERS.

1 cordifolia, Miers. India. c Fl. yellow.

2 Anamirta, Colebrook.

1 cocculus, W. and A. India. c Fl. greenish—yellow.

3 Cocculus, D. C.

1 villosus, D. C. India. ೦ Kan. Sugadi gida.

ORDER VI.

BERBERIDEÆ.

THE BARBERRY FAMILY.

The Indian plants of this Order are almost exclusively confined to the Himalaya, and their cultivation here is next to impossible.

1 Berberis, LINN.

1 vulgaris folius atropurpureus, W. Himalaya. s

2 Nandina, Thunb.

1 domestica, Thunb. China. s Fl. white.

ORDER VII.

NYMPHÆACEÆ.

WATER LILY FAMILY.

These aquatic herbs are well known by their handsome flowers, which are red, white, rose, and blue in

colour. The Victoria Regia is the most remarkable plant of the family, but it succeeds better on the plains than at this elevation. Examine species of Nos. 1 and 2.

1 Nymphæa, Linn.

- 1 alba, Linn. White Water Lily. Asia. A Kan. Bili távare, ಬಿ೪ದಾವರೆ.
- 2 Lotus, Linn. Egyptian Lotus. India. A Kan. Kempu távare. ಕೆಂಪ್ರದಾವರೆ.
- 3 stellata, Willd. Blue Water Lily. India. A

2 Nelumbium, Juss.

1 speciosum, Willd. Sacred Lotus. India. A Fl. rose and white. Kan. Kamala. ಕಮಲ.

3 Victoria,

1 Regia, Schomb. Amazon Lily. S. AMER. A

ORDER VIII.

PAPAVERACEÆ.

THE POPPY FAMILY.

The indigenous species are confined to the north of India. But the introduced 'Mexican Poppy' is a familiar object all over the south. Other forms are cultivated.

1 Papaver, Linn.

- 1 somniferum, Linn. Opium Poppy. India. ⊙ Kan. Gasagase gida. ਜੋਜੋਜੋਨਡ
- 2 Rheas, Linn. Corn Poppy. EUROPE. O
- 3 dubium, Linn. Long-headed Poppy. Eur&India
- 4 orientale, Linn. Garden Poppy. LEVANT. H
- 5 Argemone, Linn. EUROPE. O

2 Argemone, Linn. Mexican Poppy.

1 Mexicana, Linn. Mexico. ⊙ Fl. yellow. Kan. Dattúra gida. ವರ್ತ್ತಾರಗಿತ.

ORDER IX

FUMARIACEÆ.

THE FUMITORY EAMILY.

A small Order of smooth herbs having scentless flowers. The plant named below is a weed of garden land.

1 Fumaria, Linn.

1 parviflora, Lamk. Fumitory. Europe & India.
⊙ Fl. rosy-purple. Kan. Kádu sabbasige soppu. కాడునట్టి సినిమువ్పు.

ORDER X.

GRUCIFERÆ.

THE CRUCIFER FAMILY.

In Mysore, this important and well defined Order of herbs is almost wholly represented by the European vegetables in market gardens. But some of the latter are quite naturalised and indispensable. Ex country radish. Note the tetradynamous stamens, and also the capsular fruit (siliqua) dehiscing by two valves from the base upwards. See plants with vernacular names.

l Matthiola, Br.

- 1 annua, Br. Ten-week Stock. EUROPE. O
- 2 incana, Br. Common Stock. EUROPE. © Fl. white to purple, Fragrant.

2 Cheiranthus, Linn.

1 Cheiri, Linn. Wallflower. Britain. O Fl. various. Fragrant.

3 Nasturtium, Br.

- 1 officinale, Br. Water Cress. TEMP. EUROPE, A Fl. white.
- 2 indicum, D. C. A weed. India. \odot Fl. yellow. 3 palustre, D. C. India. II Fl. yellow. Kan. Kádusásive gida. ಕಾಡುಸಾಸಿವೆಗಿಡ

4 Cardamine, Linn. Cuckoo Flower.

1 hirsuta, Linn. India. O Fl. white.

5 Malcolmia, Br. Virginian Stock.

1 maritima, Br. EUROPE. O Fl. white.

6 Coronopus, Smith.

1 didyma, Sm. England. O

7 Erysimum, Linn.

- 1 heiraciifolium, Linn. Europe. & India. H
- 2 Peroffskianum, Fch. Blistering Cress. Califor-NIA.

8 Brassica, Linn.

- 1 campestris, Linn. Swedish Turnip. N. Europe. II Fl. yellow.
- 2 Napus, Linn. Rape, or Colesced. N. Europe. ⊙ Fl. yellow.
- 3 Rapa, Linn. Common Turnip. N. Europe. # Fl. yellow.
- 4 juncea, H. F. & T. Indian Mustard. India. O Fl. yellow. Kan. Sásive. おれる.
- 5 oleracea, Linn. Cabbage. Britain.

 Kan. Mudde kósu. ಮುದ್ದೆ ಕೋಸು.
- 6 Nigra. Koch. Common Mustard. Europe. Fl. yellow. Kan. Kari Sásive gida. ಕರಿಸಾಸಿವೆಗಿಡ.

7 alba, Linn. White Mustard. ⊙ Kan. Bili sásive gida. ಬಿಳ ಸಾಸಿವೆ ಗಿಡ.

9. Capsella, McEnch.

Bursa-pastoris, Moench. Shepherds Purse. Eur.
 Fl. white.

10. Lepidium, Linn.

1_sativum, Linn, Garden Cress. E. Europe. © Fl. white. Kan. Kurtige gida. せんばったい

11 Iberis, Linn.

1 umbellata, Linn. Candytuft. EUROPE. \odot Fl. white and purple.

12. Raphanus, Linn.

1 sativus, Linn. *Radish*. Europe. 🔿 Fl. yellow white or lilac. *Kan.* Mullangi gadde. ము

ORDER XI.

CAPPARIDEÆ.

THE CAPER FAMILY.

A family closely allied to the crucifers; differing chiefly in habit, uniformity of staminal growth, (not being tetradynamous) and the stalked ovary. Herbs, climbing shrubs, and trees.

1 Cleome, LINN.

- 1 monophylla, Linn. INDIA. # Fl. dull purple.
- 2 viscosa, Linn. India. o Fl. yellow.
- 3 heptaphylla, Linn. W. Indies. = Fl. purple.
- 4 speciosa? Received under this name from POONA. \odot (Chelidonii?) Fl. rose.

- 5 tenella, Linn. India. o Fl. purple.
- 6 Burmannii W. &. A. India. o Fl. purple.

2 Gynandropsis, D. C.

1 pentaphylla, D. C. India. © Fl. whitish purple. Kan. Nárambéle soppu, ਨਾਰਹੇਕਾਵ ਨਿਰਹੇ.

3 Cratæva, Linn.

1 religiosa, Forst. Caper Tree, W. India. T Fl. yellow, changing to purple.

4 Cadaba, Forsk.

1 indica, Lamk. India. S. Fl. greenish white. Kan. Maragáde gida. ಮರಗಾತ ಗತ್ತ

5 Capparis, LINN.

- 1 sepiaria, Linn. India. cs Fl. white. Kan. Kattiri gida. ভুত্ৰ
- 2 horrida, Linn. India. c s Fl. white or purplish.
- 3 Mitchellii, Lindl. Australia. cs
- 4 zeylanica, Linn. India. cs Fl. white, changing to yellow and brown. Kan. Totla gida. อัตษ์ กัว.
- 5 Roxburghii, D. C. India. cs Fl. white.
- 6 frondosa,

ORDER XII.

RESEDACEÆ.

THE MIGNONETTE FAMILY.

This small Order has no indigenous representative in southern India.

1 Reseda, Lann.

1 odorata, Linn. Mignonette. Egypt. \odot Fl. creamy or reddish brown.

ORDER XIII.

VIOLACEÆ.

THE VIOLET FAMILY.

Violets and pansies succeed fairly well in local cultivation. *Ionidium suffruticosum* holds an important place among native drugs.

1 Viola, LINN.

- 1 odorata, Linn. Sweet Violet. Europe. H Fl. violet.
- 2 tricolor, Linn. Heartsease Europe. # Fl. various.

2 Ionidium, VENTENAT.

1 suffruticosum, GING. India. = Fl. red. Kan. Purusharatna soppu. ಪ್ರವಚಿತ್ರ ಸೂಪ್ಪು.

ORDER XIV.

BIXINEÆ.

THE ANNATTO FAMILY.

An Order of trees and shrubs mostly confined to the tropics. Numbers 1 and 2 have handsome flowers the structure of which is highly typical of the family, although more conspicuous than in most species. The leaves are always alternate and simple.

1 Cochlospermum, Kunth.

1 gossypium, DC. India. ± Fl. yellow. Kan. Arisina búruga mara. ಆರಿಸಿನಟೂರುಗ ಮರ.

2 Bixa, Linn.

1 Orellana, Linn. Annatto. S. Amer. s Fl. rose or

purple. Kan. Rangumàle gida. ರಂಗುಮಾರಗಿತ್ತ 2 Orellana var. alba. Dalz in Bombav Flora. s

3 Flacourtia, Commers.

- 1 sepiaria, Roxb. India. s Fl. pale yellow. Kan. Miridi gida, ১২২৯ মা. The fruit is much eaten.
- 2 species, From Ceylon. Unarmed. # Fl. yellow.
- 3 inermis, Roxb. India. エ Kan. Obblu mara. ಉಬ್ಬು ಮರ

4 Gynocardia, B. BR.

1 odorata, R. Br. India. Fl. yellowish. The seeds of this tree yield, by expression, the valuable chalmugra oil.

5 Hydnocarpus, Gærtner.

1 Wightiana, Blume. W. India. Fl. white.

ORDER XV.

PITTOSPOREÆ.

THE PITTOSPORUM FAMILY.

An Australian Order of trees and woody climking shrubs. The genus *Pittisporum* is represented in the cooler parts of India. *Leaves* alternate or subverticillate, exstipulate, simple, and usually entire. *Flower* in parts of five. *Ovary* superior, one-celled. *Stigmas* 2—5 or equal to the placentas, *Seeds* numerous.

1 Pittosporum, Banks.

- 1 Tobira, fol. variegata. s
- 2 revolutum, Ait. E. Austr. s
- 3 undulatum, Vent. E. Austr. s
- 4 floribundum, W. & A. Hills of India = Fl. yellow,

- 2 Billardiera, Sm.
 - 1 species. From Australia. c
- 3 Bursaria, CAV.
 - 1 spinosa, Cav. Austr. # Fl. white. Fragrant.
- 4 Hymenosporum, F. Muell.

1 flavum, F. Muell. E. Austr. # Fl. white.

5 Sollya, Lindl.

1 salicifolia, Lindl. W. Austr. s

ORDER XVI.

POLYGALEÆ.

THE MILKWORT FAMILY.

Excluding New-Zealand, this is a cosmopolitan Order of herbs, shrubs, and trees. The flowers, in the herbaceous section especially, are irregular, and at first sight may be mistaken for *Papilionaceæ*. The roots often contain a milky juice.

- 1 Polygala, LINN.
 - 1 chinensis. Linn. India and China. O
 - 2 elongata, Klein. India. ⊙ Fl. yellow.
 - 3 telephioides, Willd. India. O

ORDER XVII.

CARYOPHYLLE Æ

THE PINK FAMILY.

Although a large cosmopolitan order of herbs, a glance at the annexed list will show that it has few native

ORDER XX.

HYPERICINEÆ.

THE ST. JOHNS-WORT FAMILY.

The typical species given under this family is common at Nundidroog, where it will be readily observed by a profuse display of very bright yellow flowers.

1 Hypericum, Linn.

1 mysorense, Heyne. India. s Kan. Chinnadávare gida. ಚಿನ್ನ ದಾವರೆ ಗಿಡ್ಡ.

ORDER XXI.

GUTTIFERÆ.

THE GAMBOGE FAMILY.

A well defined tropical family of trees and shrubs. It is represented in Mysore, as in other parts of India, by six genera. Leaves opposite, simple, and often leathery in texture. Flowers regular, unisexual or polygamous, often sweetly fragrant. Paciloneuron indicum is the 'Ballagi mara' from which the celebrated walking sticks are made. Dissect specimens of 1, 3 and 4.

1 Garcinia, LINN.

- 1 Livingstonii. From CALCUTTA. TFl. white.
- 2 Morella, Desrouss. India. ± Kan. Kankutgal mara. ಕಣ್ಣುಟಗಲಿ ಮರ
- 3 Xanthochymus Hook. f. India. 🛨 Kan. Dévagarige mara. ದೇವಗಂಗೆ ಮಠ್ತ
- 4 Mangostana, Linn. Malay Arch. Mangosteen.
 _T Fl. yellow-red.

2 Ochrocarpus, Thouass.

1 longifolius, Benth and Hook. India. エ Fl. rosypurple. Kan. Surgi mara. ಸುಂ ವರ.

3 Calophyllum, LINN.

- 1 inophyllum Linn. India. *Pinnay Oil Tree*. **x** Fl. white, anthers yellow. *Kan*. Surahonne mara. ಸುರಹೊನ್ನೆ ಮರ
- 2 tomentosum, Wight. India. The Poon Tree. Kan. Kúve or bobbi mara. ಕೂವೆ(ಮೊಬ್ಬ) ವರು.

4 Mesua, Linn.

1 ferrea, Linn. India. エ Fl. white, anthers yellow. Kan. Nágasampige mara. ನಾಗಸಂಬಗೆ ಮರ

5 Peciloneuron, Beddome.

1 indicum, Bedd. India. エ Fl. yellowish-white. Kan. Ballagi mara. ಬಲ್ಲಿಗೆ ವರ.

6 Clusia, W.

1 rosea, W. Carolina. Balsam Tree. T Fl. rose.

ORDER XXII.

TERNSTRŒMIACEÆ.

THE TEA FAMILY.

Indigenous representatives of the family are wholly confined to the cooler parts of India. The tea plant and the *Camellia japonica*, are profitably cultivated at Ootacamund.

l Camellia. Linn.

1 japonica, Linn. s JAPAN. Fl. white and pink.

2 theifera, Griff. Assam. Tea Shrub. Fl. white.

٠.

ORDER XXIII.

DIPTEROCARPEÆ.

THE MALAY-CAMPHOR FAMILY.

A tropical family of resinous trees, or rarely climbing shrubs. The persistent calyx with two or more segments much enlarged in fruit is characteristic of the Order.

1 Shorea, Roxb.

- 1 talura, Roxb. The Lac Tree. Mysorf. T Fl. white. Kan. Jálári mara. ಜಾಲುರ ವುರ.
- 2 robusta, Gaertn. The Sal Tree. India. # Fl. pale yellow.

2 Hopea, Roxb.

- 1 parviflora, Bedd. India. 🛨 Kan. Bóghi or Kiral Bóghi mara. ಬೋಗಿ (ಕೆರಲ್ಲೋಗಿ) ಮರ.
- 2 Wightiana, Wall. India. = Kan. Oonni mara. ಉನ್ನಿ ಮರ
- **3 Vateria indica**, Lann. *Indian Copal Tree*. Fl. white. *Kan.* Dúpada mara. ಧೂಪದ ಮರ.

ORDER XXIV.

MALVACEÆ.

THE MALLOW FAMILY.

This well marked Order of herbs, shrubs, and trees is abundantly represented in India, both in cultivation and habitat. Showy flowers, monadelphous stamens, and one-celled anthers make up the chief characters of the family. The well known shoe flower, the various cotton plants, and the popular vegetable "Bendekayi" are good types for botanical students. But with the above, species of Malva and Bombax should be compared.

1 Althæa, LINN.

- 1 rosea, Linn. Holly-hock. H Fl. rose. Kan. Dodda bindige. చేంద్ర బిందిగి గౌవ.
- 2 officinalis, Linn. Marsh Mallow. EUROPE. # Fl. rose.

2 Lavatera, LINN. Tree Mallow.

1 thuringiaca, Linn. GERMANY, # Fl. rosy-pink.
4 ft.

3 Malva, Linn. Mallow.

- 1 sylvestris, Linn. Europe. H Fl. white. Kan. Sanna bindige gida. నంగ్లామిందిగి గేవే.
- 2 rotundifolia, Linn. Europe, W. Asia. =
- 3 parviflora, Linn India. #

4 Malvastrum, A. Gray.

- 1 tricuspidatum, A. GRAY. Tropics. # Fl. yellow.
- 2 spicatum, A. GRAY. Tropics. # Fl. yellow.

5 Sida, LINN.

- 1 mysorensis, W. and A. Native weed. = Fl. pale yellow.
- 2 rhombifolia, Linn. do H. Fl. yellow.
- 3 cordifolia, Linn. do Fl. yellow. = Kan. Hettu tutti gida. జేత్తు తెక్కిగిత.
- 4 humilis, Willd do # Fl. straw—coloured.
- 5 carpinifolia, L. India. s Fl. yellow. " var. acuta, " s *Kan*. Bhimana kaddi. భೀಮನ ಕಡ್ಡಿ.
- 6 grewioides, Guill. India. s Fl. yellow.
- 7 species? India. s Fl. white. Kan. Bekkina tale gida. బిక్తి నేతలి గివే.

6 Abutilon, GAERTN.

- 1 asiaticum, G. Don. Asia. s Fl. yellow.
- 2 indicum, G. Don. India. s Kan. Tutti gida. පාමු බස්. Fl. yellow.
- 3 graveolens, W. and A. India. s Fl. orange with dark centre.
- 4 muticum, G. Don. India. s Fl. orange.
- 5 polyandrum, Schlecht. India. s Fl. orange. Kan. Bettada bendu gida. ಪಟ್ಟದ ಪೆಂಡು ಗಿಡ.
- 6 striatum, var. Thomsonii. Fl. yellow. s

Garden vurieties.—Amrantina. Fl. purple—amaranth.

Elephanta. Fl. chamois-yellow shaded rose.
Brilliant. Fl. bright red.

M. Ed. Pynært Vangeert. Fl. purplish-carmine.
M. Viviand-Morel. Fl. violet-amaranth.
Louise Deloux, Fl. white.

Aurelia, Fl. golden-yellow.

Blandii. Fl. deep yellow, veined crimson.

Albert Deloux, Fl. rosy-mauve.

Clochette Tleuric. Fl. violet-amaranth. Eveline. Fl. blush, shaded pink. Couquete. Fl. whitish-rose.

7 Malachra, Linn.

1 capitata, Linn. W. Trop Africa. S Fl. yellow. This undershrub appears to be an escape from cultivation in some parts of India.

8 Urena, Linn.

- 1 lobata. Linn. Yields good fibre. India. s Fl. pink.
- 2 sinuata, Linn. India. s Fl. pink.

9 Pavonia, Cav.

- 1 odorata, Willd. INDIA. # Fl. pink.
- 2 zeylanica, Cav. India. s Kan. Antu togari gida.

10 Decaschistia W. & A.

- 1 trilobata Wight. India: s
- 2 crotonifolia, W. and A. India. s Fl. pink.

11 Hibiscus, Medik.

- 1 canescens, Heyne in Wall. India. s Fl. yellow, with pink centre.
- 2 cannabinus, Linn. *Hibiscus Hemp.* India. s Fl. yellow with crimson centre. *Kan.* Holada pundrike gida. మోజలో భారిత్రానికి.
- 3 surattensis, Linn. Prickly stemmed. Asia. # Fl. yellow with dark centre.
- 4 Sabdariffa, Linn. The Rozelle. India. ⊙ Fl. yellow. Kan. Kempu pundrike gida. ಕೆಂಪ ಪಂಡ್ರಿಕೆ ಗಿಡ.
- 5 ficulneus, Linn, Yields good fibre. India. ⊙ Fl. white with rosy centre. Kan. Kadu bende gida. ಕಾಡು ಪೆಂಡೇಗಿತೆ.
- 6 rugosus, Mast. India. © Fl. yellow with red centre.
- 7 esculentus, Linn. Ohra. W. Indies. ⊙ Kan. Bende gida. బెండోగడ. Fl. yellow with crimson centre.
- 8 tricuspis, Banks in Cav. Society isles, TFI. yellow with purple base.
- 9 rosa-sinensis, Linn. Shoe-flower, s Kan. Dasala gida. ದಾಸಾಳದ ಗಡ.
- 10 do. var. alba plenus s
 11 do "rubro—plenus. s
 12 do "flavo—plenus. s
 13 do "carneo—plenus. s
 14 do "lilliflorus hybridus. s
- 15 do "Cooperii. s
- 16 mutabilis, Linn. CHINA. s Fl. white, changing to red.

do var. fl. pleno. s do. do.

18 syriacus, Linn. Syrian Hibiscus. s

19 tiliaceus, Linn. SEA SHORES OF TROPICS. TFl. yellow with crimson centre.

20 panduræformis, Burm. India. ⊙ Fl. yellow with purple centre. Kan. Kadu gandu tutti gida. ಕಾಡು ಗಂಡು ತುತ್ತಿಗಿತ್ತ.

21 Schizopetalus, E. Africa. s Fl. red.

22 species. An annual or biennial shrub. s Fl. pale yellow.

23 furcatus, Roxb. India. s Fl. yellow with purple eye and crimson centre.

12 Paritium, Adr. Juss.

1 elatum, W. Indies. \pm Fl. orange-crimson. Affords the material called Cuba bast.

13 Thespesia, Corr.

- 1 Lampas, Dalz. and Gibs. India. T Fl. yellow with crimson centre.
- 2 populnea. Corr. *Portia tree*. Society Isles. # Fl. yellow. *Kan*. Huvarasi mara. ಹೂವರಸಿವುರ

14 Gossypium, Linn.

1 herbaceum, Linn. *Indian Cotton*. s Fl. mostly yellow with purple centre. *Kan*. Arale or anji gida. ఆరళ (ఆంజి) గివ.

2 ,, var. religiosum, Nankeen Cotton. s Fl. yellow, cotton tawny.

The cottons known as Hinginghaut, Dacca, Berar, Upland Georgian and China, are produced from varieties of the species herbaceum.

3 Barbadense, Linn. American Cotton. s Flyellow with crimson centre.

4 ,, var. acuminatum, Roxb. Peruvian Cotton. s Fl. yellow with crimson centre.

- G. Barbadense affords the cottons known as Barbadoes, Bourbon, New Orleans and Sea-Island, etc.
 - 5 arboreum, Linn. Tree Cotton. India. Fl. dark crimson or purple. Kan. Kari arale or anji gida. কচভাগে (ভালা) মন্ত্ৰ.
- 15 Kydia, Roxb.
 - 1 calycina, Roxb. India. エ Fl. white or pink, Kan. Bende naru mara. ಬೆಂಡೆ ನಾರು ಮರ
- 16 Adansonia, Linn.

 1 digitata, Linn. The Baobab. Africa. T
- 17 Bombax, LINN.
 - 1 malabaricum, DC. Yields silk cotton, エ Fl. red. Kan. Kempu Buruga mara. ಕೆಂಪು ಬೂರುಗ ಮರ
- 18 Eriodendron, DC.
 - 1 anfractuosum, DC. India. = Fl. white. Yields silk cotton. *Kan.* Bili buruga mara. ಬಿಳೀ ಬೂರು
- 19 Lagunaria, G. Don.

1 Pattersonii, G. Don. E. AUSTR. T

20 Durio, Linn.

1 zibethinus, DC. Malay Islands. The Durian Tree.

ORDER XXV.

STERCULIACEÆ.

THE CHOCOLATE TREE FAMILY.

The structural arrangement of this large family of trees, shrubs and herbs, is closely allied to that of Malvaceæ. It is clearly separated, however, by its 2-celled anthers, The flowers are often unisexual by abortion,

and occasionally irregular as in the screw tree, *Helicteres Isora*. Students should compare the latter with any *Sterculia*, and also with the indigenous weeds *Pentapetes* and *Waltheria*.

- 1 Sterculia, Linn. The roasted seeds are edible.
 - 1 foetida, Linn. Asia. エ Fl. orange red. Kan. Bhatala or penari mara. ಭಾತಾಳ (ವೇನಾರಿ) ವುಶ್ವ
 - 2 urens, Roxb. India. 🛨 Fl. yellowish, Kan. Kempu dale mara. ಕೆಂಪು ದಾಳ ಮರ.
 - 3 villosa, Roxb. India. = Fl. rusty pink, Kan. Bili dale mara.
 - 4 heterophylla, G. Don. E. Austr. =
 - 5 Balanghas, Linn. India. # Fl. rusty brown.
 - 6 alata, Roxb. India. = Fl. reddish.
 - 7 populifolia, Roxb. India. T
 - 8 guttata, Roxb. India. = Fl. reddish purple.
- 2 Cola,

1 acuminata, W. Africa. Kola Nut Tree.

- 3 Heritiera, AITON.
 - 1 littoralis, Dryand. Looking Glass Tree. Asia. Fl. silvery white.
 - 2 Fomes, Buch, Borneo. T Fl. orange.
- 4 Kleinhovia, Linn.

1 Hospita, Linn, MALACCA. T Fl. rose to pink.

- 5 Helicteres, Linn.
 - 1 Isora, Linn. *Indian Screw Tree*. Fl. red, changing to plumbago. *Kan*. Yedamuri gida. ລສສນວ ຄສ.
- 6 Pterospermum, Schreb.
 1 acerifolium, Willd. N. India. = Fl. white.
- 7 Eriolæna, DC.
 1 Candollei, Wall. BIRMA. = Fl. yellow.

8 Pentapetes, Linn.

1 phœnicea, Linn. Plains of India. O Fl. red.

9 Melhania, Forsk.

- 1 incana, Heyne, Mysore. s Fl. yellow.
- 2 cannabina, Wight. Mysore. s Fl. yellow.

10 Dombeya, CAV.

. 1 angulata, Cav. Bourbon. s Fl. rosy-pink shaded salmon.

11 Melochia, LINN.

1 velutina, Beddome. India. 🛨 Fl. pink. Kan. Bettada tutti mara. ಪಟ್ಟದ ತುತ್ತಿ ಮರ.

12 Waltheria, Linn.

1 indica, Linn. Native weed. # Fl. yellow.

13 Abroma, JACQ.

1 augusta, Linn. Yields good fibre. Moluccas. s Fl. purplish.

14 Gauzuma, PLUM.

1 tomentosa, Kunth. Bastard Cedar. Trop. America. = Fl. creamy-yellow. Kan. Rudrákshi mara. ರುದ್ರಾಹ್ಲಿ ಮರ.

15 Theobroma, Linn.

1 cacao, Linn. Chocolate Tree. S. AMERICA. Fl. whitish.

ORDER XXVIII.

MALPICHIAGEÆ.

THE MALPIGHIA FAMILY.

This large American family of trees and climbing shrubs is represented in India by only three genera and twelve species. The latter are characterised by their climbing habit, opposite simple leaves, and regular flowers having fringed and clawed petals. The large gland or glands at the base of calyx is also a peculiar condition of the family. The plants named at foot are all highly ornamental, and it is not difficult to procure specimens in local gardens.

1 Malpighia, Plum.

- 1 glabra, S. AMER. s Fl. bright yellow.
- 2 punicifolia, DC. Barbadoes Cherry. S. AMER. s Fl. rose.
- 3 coccifera, Linn. S. AMER. s Fl. rosy-white.

2 Hiptage, Gærtner.

- 1 Madablota, Gærtn. India. c Fl. white. Kan. Adaraganchi hambu. ಅವರಗಂಚಿಹಂಬು.
- 2 parvifolia, W. & A. India. c Fl. whitish.

3 Aspidopterys, A. Juss.

1 canarensis, Dalz. Mysore. c Fl. yellow.

4 Banisteria, LINN.

1 laurifolia, Linn. S. AMERICA. c Fl. yellow.

5 Stigmatophyllum, Juss.

1 aristatum, LINN. BRAZIL. c Fl. yellow.

ORDER XXIX.

ZYGOPHYLLEÆ.

THE BEAN-CAPER FAMILY.

The Indian species of this family are all herbs or small shrubs. The indigenous herb, Sanna neggilu gida, so well known for its medicinal properties, is an excellent type of the Order. It is usually found in damp soil under tank-bunds. The introduced tree, Guaiacum officinale, affords the valuable wood known as lignum-vitæ. Compare it with the weed referred to above.

1 Tribulus, Linn.

- 1 cistoides, Linn. Native weed # Fl. yellow.
- 2 terrestris, Linn. Do H Fl. yellow. Kan. Sanna neggilu gida. నుణ నిగ్గాలు గడ
- 2 Guaiacum, Linn.

1 officinale, Linn. Guaiac Tree. W. Indies.

3 Melianthus, LINN.

1 major, Linn. Honcy Shrub. C. G. Hope.

ORDER XXX.

GERANIACEÆ.

GERANIUM AND SORREL FAMILY.

Herbs, undershrubs, and rarely trees. The morphology of this large Order can only be determined by studying one or two good type specimens of each tribe. The latter being treated by some botanists as distinct Orders.

Tribe I Geranieæ. Herbs or undershrubs with, frequently, swollen nodes and membranous stipules.

Examine all the parts of any garden geranium. In doing so, note the peculiar formation of the fruit, which is not unlike a crane's bill.

Tribe II Oxalidex. Herbs or small trees with compound sensitive leaves. Compare the Bilimbi tree with the perenninal herb Pullampurasi soppu.

Tribe III Balsamineæ. Herbs with succulent stems, simple leaves and irregular showy flowers. See the garden Balsam, which has run wild about Bangalore.

Tribe IV Tropeolacee. Trailing herbaceous plants with alternate, simple, smooth, and often peltate leaves. Flowers irregular and showy. Fruit acrid. The introduced bedding plants popularly called Nasturtium really belong to the genus Tropeolum, and are good types of the tribe.

1 Pelargonium, (GARDEN GERANIUM.)

1 erianthum, DC. Crane's Bill. N. AMER. # \$\frac{1}{2}\$ sanguineum, Linn. Europe. # \$\frac{1}{2}\$ species. #

2 Oxalis, LINN. Wood Sorrel.

- 1 corniculata, Linn. Indila. # Fl. yellow. Kan. Pullampurasi soppu. స్ట్రుంతరస్ నుంచ్చు.
- 2 Bowieana, Lodd. = Fl. dark rose.
- 3 tetraphylla violacea, Hort. & Europe. Fl. violetpurple.

4 acetosella, Linn. # Britian. Fl. pale rose.

3 Biophytum, DC.

1 sensitivum, DC. Native weed. # Fl. yellow, rarely purple.

2 Reinwardtii, Walp. dø # Fl. yellow.

4 Averrhoa, Linn. Fruit trees.

- 1 carambola, Linn. India (Cultd.) 🛨 Fl. whitish purple. Kan. Komarak mara, ಕೊವುರಕ ಮರ
- 2 Bilimbi, Linn. India. (Cultd.) = Kan. Bilimbi mara. සීච්චාස් ස්ථාව.

5 Impatiens, Linn.

1	Balsamina, Linn	. Garden	Balsam.	India.	0	χå
	do 1 var	. vulgaris	s. O			on
	do 2 var	. coccinea	. O			ari
	do 3 var	. arcuata.	0			-
	do 4 var	rosea. (囯

- 2 mysorensis, Roth. Mysore. ⊙ Fl. red. Kan, Kádu Karnakundala gida.ಕಾಡು ಕರ್ಣಕುಂಡಲ ಗಡ.
- 3 Jerdoniæ, Wight. MALABAR. # Fl. yellow and red.
- 4 parasitica, Beddome, Malabar. ## Fl. green and yellow.
- 5 Hookeriana, Arnott. Ceylon. s. н. Fl. white streaked with red.
- 6 Hawkeri, Hort. # Fl. red.
- 7 Sultani, Hort. # Fl. bright red.

6 Tropæolum, Linn. Garden Nasturtium.

1 majus, Linn. Peru. © c 2 tricolorum, Sweet. Chili. == 3 Lobbianum, Hook. Venzul. © c low.

7 Hydrocera, Blume.

1 triflora, W. & A. India. Fl. variegated, red, white, and yellow. Aquatic herb.

ORDER XXXI

RUTACEÆ.

THE RUE AND ORANGE BAMILY.

A large tropical and sub-tropical Order of trees and shrubs; the tribe Rutex being almost exclusively herbs. The feetid herb, Rutex graveolens, is said to be obnoxious to snakes, and it is often cultivated near habitations on that account. The orange tribe, Aurantiex, is well marked by its white fragrant flowers, glandular leaves, and handsome fruit. With types of the above, compare specimens of Zanthoxylon and Toddalia, genera representing two additional tribes of the family.

1 Ruta, LINN.

1 graveolens, Linn. Common Rue. S. Europe. Ħ Fl. yellow. Kan. Hávunanjina gida. තාම ත්රෙක්ව වන්

2 Zanthoxylum, Link.

- 1 ovalifolium, Wight. India. C. S. Fl. whitish.
- 2 species. India. s Purgent and aromatic. Possibly alatum, Roxb.

3 Toddalia, Juss.

1 aculeata, Pers. India. c Fl. white. Kan. Kádu menasu gida. ಕಾಡುವುಣನು ಗಡ

4 Glycosmis, Correa.

1 pentaphylla, Correa, India. s Fl. white.

5 Murraya, Linn.

1 exotica. Linn. China Box. China. s Fl. white. Kan. Angárakana gida. ಅಂಗಾರಕನ ಗಡ. 2 Koenigii, Spreng. Curry Leaf Tree. India. ಸ Fl. white. Kan. Kari beyu mara. ಕಲವೇತು ಮರ

6 Clausena, BURM.

- 1 Wampi, Blanco. Yields Wampee Fruit. CHINA. # Fl. white.
- 2 Willdenovii, W. and A. India. s Fl. creamywhite. Kan. Kádu karabe gida. ซาสมช่อส์ กิส.

7 Triphasia, Lour.

1 trifoliata, DC. CHINA. s Fl. white.

8 Limonia, Linn.

- 1 acidissima (?) Linn, India. s Fl. white.
- 2 spectabilis. Received from Madras under this name. A shrub with slightly irregular flowers of a delicate rose colour.

9 Atalantia, CORREA.

- 1 monophylla, Correa. India. \pm Fl. white. Kan. Kádu nimbe or nayi byalada mara. ಕಾಡು ನಿಂದೇ (ನಾಯಿಬ್ಬ್ಯಾಲದ) ಮರ
- 2 racemosa, W. and A. India. ± Fl. white. Kan. Hutsu nimbe mara. ಹುಚ್ಚು ನಿಂಸೀಮರ.

10 Citrus, Linn.

- 1 medica, Linn. The Citron. Asia. s Flowers white. Kan. Mádavála gida. ಮಾದವಾಳಗಿತ.
 - do. 1 var. Limonum, The Lemon. ASIA. s Kan. Hérile gida. జాలాగుడ
 - do. 2 var. acida, The Sour Lime. India. s Kan. Nimbe gida. බස්බස්.
 - do. 3 var. Limetta. The Sweet Lime. India. s Kan. Gajanimbe gida. ಗಜನಿಂದ ಗಡ,

- 2 Aurantium, Linn. The Orange. Asia. 🛨 Kan. Kittale mara. ಕಿತ್ತಳ ಮರ.
- do. 1 var. Bigaradia, The Seville Orange. ± 3 decumana, Linn. The Pummelo. MALAYAN ISLES. ± Kan. Sakotti mara. ಸಕ್ಕೂತ್ರಿ ಪಪ್

11 Feronia, GAERTN.

- 1 Elephantum. Correa. Elephant or Wood Apple. India. エ Fl. white. Kan. Belada mara. ಪೇ ಆದ ಮರ
- 12 Ægle, Correa. The Bael Tree. Asia. Fl. white. Kan. Bilvapatre mara. ಬಿಲ್ಲವತ್ರ ಮರ
- 13 Calodendrum, W. CAPE OF GOOD HOPE.

 1 capense, W. T

ORDER XXXII.

SIMARUBEÆ.

THE QUASSIA FAMILY.

A bitter principle of the bark is the chief characteristic of this tropical family of trees and shrubs. The formation of the two indigenous trees should be carefully compared with that of the introduced shrub, Quassia.

1 Ailantus, Desf.

1 excelsa, Roxb. India. The A fine clump of this handsome tree may be seen at Closepet.

2 Balanites, Delile.

1 Roxburghii, Planch. India. エ Kan. Ingalika mara. ಇಂಗರೀಕ ಮರ.

3 Quassia, Linn.

1 amara, Linn. The Quassia Shrub. Amer.

ORDER XXXIII.

OCHNACEÆ.

THE OCHNA FAMILY.

A tropical Order of shrubs and trees mostly confined to America. The deeply lobed ovary, eventually changing into three or more distinct drupes, is a good characteristic. The family is represented in India by four genera.

1 Ochna, LINN.

- 1 squarrosa, Linn. India and Pegu. 🛨 Fl. yellow. Kan. Múda mara. ಮೂಡವರ.
- 2 pumila, Ham. India. s Kan. Hennu gorivi gida. ස්හෝ රාවට වන්

ORDER XXXIV.

BURSERACEÆ.

THE MYRRH FAMILY.

A tropical family of balsamiferous trees and shrubs. The resinous products known as Sambrani, Elemi, Myrrh, Olibanum and the so-called Balm of Gilead, are all obtained from different species of this Order.

1 Boswellia, Roxb.

- 1 serrata, Roxb. India. = Fl. whitish. Kan. Madi mara. ಮಾದಿ ಮರ
- 2. do. var. glabra, India. 🛨 Fl. white. Kan. Sámbráni mara. ಸಾಂಬ್ರಾಣಿಮರ.

2 Garuga, Roxb.

1 pinnata, Roxb. India. T

3 Balsamodendron, Kunth.

- 1 Mukul, Hook. India. TFl. dull red.
- 2 Berryi, ARN. s

4 Protium, w. AND A.

1 caudatum, W. and A. India. ± Tel. Konda mamadi mánu. ಕೊಂಡಮಾನುತಿ ಮಾನು.

5 Bursera, Linn.

1 serrata, Colebar. India. # Fl. whitish.

6 Filicium, THWAITES.

1 decipiens, Thwaites. Western Ghauts and Ceylon. # A handsome evergreen tree of compact and globular form. Fl. whitish.

ORDER XXXV.

MELIACEÆ.

THE MAHOGANY FAMILY.

Trees and shrubs. Leaves alternate, compound, exstipulate. Observe the markedly dimidiate condition of the leaflets in Mclia, Swietenia and Cipadessa; and in some degree all through the family. Flowers in loose panicles, often whitish and fragrant. Stamens monadelphous except in Cedrela and Chloroxylon, where they are distinct. Ovary entire.

1 Naregamia, W. AND A.

1 alata, W. and A. India. s Fl. white, style yellow.

2 Melia, Linn.

- 1 Azadirachta, Linn. The Neem Tree. India. Fl. white. Kan. Olle bévina mara. ఒళ్ళబ్బిన వుర
- 2 Azedarach, Linn. *The Bead Tree*. Persia. Fl. lilac. *Kan*. Hutchu bévina mara. దుత్వ బోడన బెన
- 3 dubia, Cav. India. ± Fl. greenish white. Kan. Hebévina mara. ಹೈಳಿನಿನ ಮರ.

3 Cipadessa, Blume.

1 fruticosa, Blume. India. s Fl. white. Kan. Chittundi gida. ১২৬১,০৯০খ্ৰ.

4 Walsura, Roxb.

1 piscidia, Roxb. India. T dull-yellowish.

5 Soymida, Adr. Juss.

1 febrifuga, Adr. Juss. India. দ Fl. greenishwhite. Kan. Swami mara. స్వామిమేర

6 Chickrassia, Adr. Juss.

1 tabularis, Adr. Juss. The Chittagong-Wood Tree. Fl. yellowish or red.

7 Cedrela, Linn.

1 Toona, Roxb. White Cedar. India and Aust. The Fl. white. Called Noge and Belandi in Coorg.

8 Chloroxylon, DC.

1 Swietenia DC. Satin-Wood Tree. India. T Fl. creamy-white. Kan. Huragalu mara.

9 Swietenia, Linn.

1 Mahagoni, Linn. Mahogany Tree. S. AMER.

2 macrophylla. Received from Bot. Gardens, Calcutta. The large leaved mahogany.

ORDER XXXVI.

OLACINEÆ.

THE OLAX FAMILY

A widely distributed Order of trees and shrubs, often climbing and occasionally spinose. The type specimen in this collection is a robust climber with alternate, simple, ovate leaves, and short axillary racemes of small whitish flowers.

1 Ximenia, Linn.

- 1 americana, Willd. India. 's Fl. white. Kan. Nagare gida. จากชกฮ.
- 2 Olax, Linn.
 - 1 scandens, Roxb. India. c Type specimen.
- 3 Opilia, Roxb.
 - 1 amentacea Roxb. India. s

ORDER XXXVII.

ILICINEÆ.

THE HOLLY FAMILY.

Shrubs and trees. Represented in the alpine parts of India by several species of *Ilex. Leaves* coriaceous, simple, and often shining. *Flowers* inconspicuous, (often greenish) in axillary fascicles or cymes. The Europe holly, *Ilex Aquifolium*, does not succeed at Bangalore; but the Chinese species named below is not a bad substitute.

1 Ilex, Linn.

- 1 cornuta, Lindl. CHINA. s Fl. green.
- 2 Paraguayensis, Lamb. Paraguay Tea Plant. s Fl. green.

ORDER XXXVIII.

CELASTRINEÆ.

THE SPINDLE TREE FAMILY.

An Order of trees and shrubs. Many of the latter being woody climbers. Flowers in axillary cymes, small regular, usually 4—5 merous with a conspicuous disk. Indian distribution chiefly confined to the hill tracts.

1 Euonymus, Linn.

1 japonicus, Thumb. Japan. s Fl. whitish. do. 1 var. aurea variegata, Japan. s

do. 2 var. variegata. JAPAN. s

2 Celastrus. LINN.

1 paniculata, Willd. India. c Fl. yellowish-green. Kan. Kangondi balli. ਚਨੀਕਰਲ,

3 Gymnosporia, W. and A.

1 emarginata, Roth. CEYLON. s

2 montana, Roxb. India. 🛨 Fl. white. Kan. Tandrasi gida. తయెస్ట్రి గిడ్.

4 Elæodendron, Jacq. f.

1 glaucum, Pers. Ceylon. 🛨 Fl. greenish-white. Kan. Mukarive mara. ಮುಕ್ಕ ರಿವೆ ಮರ

ORDER XXXIX.

RHAMNEÆ.

THE BUCK THORN FAMILY.

An Order of trees and shrubs chiefly confined to the tropical and sub-tropical regions of the world. Note the small, regular, often greenish flowers usually arranged in axillary cymes. Note also that the stamens are opposite to the petals, while in *Celastrine* they are alternate. The species with vernacular names are all good types of the family.

1 Ventilago, Gærtn.

1 madraspatana, Gærtn. India. s Kan. Pópli gida. ಪಾಪೂ ಗಡ. The root-bark of this plant affords a good orange dye.

2 Zizyphus,, Juss.

1 Jujuba, Lamk. The Bhere Fruit Tree. India. Fl. whitish. Kan. Yelachi mara, ఎలటి మర

- 2 nummularia, W. and A. India. cs Fl. whitish.
- 3 xylopyrus, Willd. India. c s Fl. whitish. Kan. Párpuli gida. ಸಾರ್ಪ್ರಂಗಡ. The fruit is commonly eaten by children.
- 4 rugosa, Lamk. India. c s Fl. greenish-white.

3 Rhamnus, Linn. Buckthorn.

- 1 dahuricus, Pall Asıa. s Fl. green.
- 2 species. Probably a var. of the former. Fl. green.

4 Scutia, Comm.

I indica, Brongn. India. a s Fl. greenish-white. Kan. Kurudi gida. శారుత గడ.

Fruit popular with all classes.

5 Colubrina, Rich.

1 asiatica, Brongn. Asia. s Fl. yellowish-green.

ORDER XL.

AMPELIDEÆ.

THE VINE FAMILY.

True vines are easily determined by their climbin habit, conspicuous leaf-opposed tendrils, small greenis flowers in various cymes, and cluster-berried fru Examine all the parts of the common grape-vine, ar then turn to the succulent plant *Mangaruvalli Balli*.

1 Vitis, Linn. (Cissus.)

1 quadrangularis, Wall. India. с. н. Kc Mangaruvalli balli. ಮಂಗರುವಳ್ಳ ಬಳ್ಳ.

2 discolor, Dalz. Asia. c. H. Fl. yellowish.

3 velutinus, Lind. Asia. c. H.

4 glauca, W. and A. Concan. c

5 vinifera, Linn. The Grape Vine. W. Asia. Fl. whitish. Kan. Drakshi gida. ప్రాషేగిత. The following varieties of this useful species are found in local cultivation.—

Aurangabad.
Muscat of Alexandria.
Fosters Seedling.
Black Hambro.
Gros Colman.
White Frontignac.
Madersfield Court.
Bowood Muscat.

Mrs. Prince's Muscat.
Black Prince.
Buckland Sweetwater.
Royal Muscadine.
Black Alicante
Lady Downes.
Country White.
,, Purple.

6	indica, Linn. Asia. c	Ę	>
7	Rheedei, W. and A. Asia. c	ii.	to yellow.
8	setosa, Wall. Asia. c	త్ర	ye
	carnosa, Wall. India. c		
10	auriculata, Roxb. India. c	륲	ē
11	auriculata, Roxb. India. c argentea (?) Received under this name	\mathbf{from}	Ę
	Calcutta.		
12	species. India. c Kan. Kádu kumbala	balli.	₹)
	್ ಡುಕುಂಬಳ ಒಳ್ಳಿ.		

A coarse species with fruit the size of a large cherry.

2 Leea, LINN.

1 sambucina, Willd. Asia. s Fl. greenish-white.

3 Ampelopsis, Mich. Virginian Creeper. 1 tricuspidata.

ORDER XLI.

SAPINDACEÆ.

THE SOAPWORT FAMILY.

A large Order of trees, (which are most abundant) shrubs, and rarely wiry herbs. Chiefly confined to the tropics of S. America and Asia. The leaves are commonly pinnate, exstipulate, and alternate. There are,

however, many exceptions in the technical characters of both the leaf and flower. The latter is usually inconspicuous and unsymmetrical, the stamens being an odd number to the corresponding parts. A careful examination of Nos. 1, 3 and 5 will enlighten the student as to the anomalous character of this family.

1 Cardiospermum, LINN.

1 Halicacabum, Linn. Heart Seed. Asia. ⊙ ఆ Fl. white. Tel. Buddakákaratíge. బుజ్ఞ కాంకర తిగి.

2 Allophylus, Linn.

1 cobbe, Blume. India. # Fl. yellowish or white.

3 Sapindus, Plum.

1 trifoliatus, Linn. Soapnut Tree. India. Fl. mealy-white. Kun. Kugati mara. ಕೂಗಟ ವುರ.

4 Nephelium, Linn.

- 1 Lit-chi, Camb. The Litchi Tree. CHINA. Fl. greenish-white.
- 2 Logana, Camb. Pegu. The Logan Tree. TFl. yellowish-white.
- 3 species from Java, Beddome. =

5 Dodonæa, Linn.

1 viscosa, Linn. ASIA & AUST. s Fl. green. Kan. Bandare gida. ಖಂದರೆ ಗಿಡ.

6 Melianthus, Tourner. The Honey Shrub.

1 major, Linn, South Africa. s

7 Paullinià.

1 oceaniea.

ORDER XLII.

ANACARDIACEÆ.

THE MANGO FAMILY.

An important tropical Order of trees and shrubs. There is no special characteristic in the leaf arrangement beyond the fact that a peculiar gum-resin is often discharged by the tender foliage and bark, as in the genus Anacardium. The flowers are small, uniexual, bisexual, or polygamous; also unsymmetrical, by the frequent abortion of stamens. Ovary generally one-celled. Nos. 3, 5 and 7 are good types of the family.

1 Rhus, LINN.

1 mysorensis, Heyne. Native Sumach. s

2 Pistacia, Linn.

1 chinensis, CHINA.

3 Mangifera, LINN.

- 1 indica, Linn. The Mango Tree. India. Fl. yellowish. Kan. Mávina mara. ಮಾವಿನ ಮರ.
- 2 sylvatica, Roxb. Northern India. T

4 Anacardium, ROTTB.

1 occidentale, Linn. The Cashew-Nut Tree. Amer. Fl. yellowish with pink stripes. Kan. Turuka géru mara. ತುರುಕಗೇರು ಮರ್

5 Buchanania, Roxb.

1 latifolia, Roxb. India. 🛨 Fl. greenish-white. Kan. Murkali mara. ಮುರ್ಲ್ಗಳಿಮರ

6 Odina, Roxb.

1 Wodier, Roxb. India. = Fl. greenish-yellow-Kan. Udi or sinti mara. లుది (సింట) మర

7 Semecarpus, Linn.

1 Anacardium, Linn. Marking-Nut Tree. India. Fl. greenish-white. Kan. Géru mara. గోరుమర ,, var. cuneifolia, DC. India. т Kan. Goddu géru mara. గిండు గోరువుర.

8 Spondias, Linn.

- 1 mangifera, Willd. Hog Plum. India. Fl. greenish-white. Kan. Amate mara. ಅವುಟೆ ಮರ
- 2 acuminata, Roxb. India. T Fl. whitish.
- 3 pleyogena (?) =

9 Schinus, LINN.

1 Molle, Linn. Bastard Pepper Tree. Brazil. Fl. yellowish-white. A graceful weeping tree.

ORDER XLIII.

MORINGEÆ.

HORSE RADISH TREE FAMILY.

This small Order consists of only three species. The one entered here is universally known in Indian gardens as the "drum stick" and "horse radish tree" Oil of Ben is expressed from the seed.

1 Moringa, LAMK.

1 pterygosperma, Gærtn. Horse Radish Tree. India. Kan. Nugge mara. ನುಗ್ಗೇ ಮರ.

A small soft wooded tree. Profusely covered, in March, with creamy white flowers.

ORDER XLIV.

LEGUMINOSÆ.

SUB-ORDER I.

PAPILIONACEÆ.

THE PEA FAMILY.

It should be noted that this Order of herbs, shrubs, and trees, the largest but one of flowering plants, is arranged under three well defined Sub-Orders—I Papilionaceæ, II Cæsalpinicæ, and III Mimoseæ. The first of these is cosmopolitan, and possesses the typical, irregular, butterfly pea-flower. Representatives are found in all countries, mostly in the form of herbs, shrubs, and twiners; the trees being largely confined to the tropics. See the garden pea, or the field bean, Avare, est.

Cæsalpinieæ is confined to the tropical, sub-tropical, and warm temperate parts of the world. It is largely made up of trees and shrubs with finely pinnate leaves and handsome irregular flowers. Examine Nos. 65, 73 and 77, all of which are good types.

Mimoseæ is also restricted to the warmer parts of the globe. The small regular flowers are usually arranged in dense globular heads (puff-balls) or cylindrical spikes. See the indigenous genera. The progressive transition from the irregular to the regular form of flower can be distinctly traced through these Sub-Orders. Leguminosæ contains nearly 7000 known species.

1 Genista, LINN.

1 spartium (?) Spanish Broom. (?) EUROPE.

2 Rothia, Pers.

1 trifoliata, Pers. Annual weed. India. Fl. pale yellow. Kan. Belekalu soppu. ಪೇಳಲಾಳುವಾರು.

3 Heylandia, DC.

1 latebrosa, DC. Common weed. India. Fl. yellow.

4 Crotalaria, LINN.

- 1 juncea, Linn. Yields Sunn Fibre. Asia. s Fl. yellow. Kan. Sanabu gida. నాణు గివ
- 2 verrucosa, Linn. = Fl. yellow, white and blue.

3 sericea, Retz. India. s Fl. purplish.

4 retusa, Linn. ASIA & TROP. AMER. s Fl. yellow tinged with purple,

5 mysorensis, Roth. India. s Fl. yellow.

- 6 bifaria, Linn. WESTERN INDIA. s Fl yellow.
- 7 speciosa, Heyne. South India. s Fl. yellow.
- 8 semperflorens, Vent. India. s Fl. bright yellow.
- 9 incana, Linn, Trop. Africa and Asia. s Fl. yellow.
- 10 Grahamiana W. and A. India. s Fl. pellow.
- 11 striata, DC. India. s Fl. yellow striped with red.
- 12 floribunda, ? India. s Fl. yellow.

13 tecta, Roth. Mysore. s Fl. pale yellow.

- 14 orixensis, Rottl. do. s Fl. yellow. Kan. Kadu budde gida. ಕಾಡುಖತ್ತೇ ಗಡ.
- 15 albida, Heyne. do. s Fl. pale yellow.
- 16 ferruginea, Grah. India. s Fl. yellowish-brown.
- 17 nana, Burm. India. ⊙ Fl. pale or creamy yellow.
- 18 calycina, Schrank. India. ⊙ Fl. pale yellow. Kan. Bekkina tarudu gida. బి** నే తరుడు గడ
- 19 species, Fl. orange-yellow. (Near Leschenaultii, DC.) India. s

5 Trifolium, Linn.

- 1 pratense, Linn. Clover. # EUROPE. Fl. reddish.
- 2 repens, Linn. EUROPE. # Fl. pinkish-white.

6 Trigonella, Linn.

1 Fænum-græcum, Linn. Fenugreek. N. India. S. France. # Fl. Kan. Mentyada soppu. ಮಂತ್ರದ ಸೂಪ್ರು.

7 Medicago, Linn.

- 1 sativa, Linn. Lucerne. S. Europe. H Fl. purple. Kun. Kudure masale soppu. ಕುದುರ ಮಸೇಲೆ ಸೂಪ್ಪು.
- 2 lupulina, Linn. Europe. and N. India. Fl. yellow. The Black Medic. H
- 3 arborea, Linn. Greece. s Fl. yellow.
- 4 orbicularis, All. Kashmir. ⊙ Fl. yellow.

8 Cyamopsis, DC.

1 psoralioides, DC. India, cultd. # Fl. purple. Kan. Gori kayi. ਨਕਰਨੈਡ.

9 Lupinus, Linn. Lupin.

- 1 Hartwegii, Lindl. MEXICO. > Fl. blue, purple,
- 2 mutabilis, Sweet do. O reddish and white.
- 3 luteus, Linn. Sicily.

 Fl. yellow.

4 pubescens, Benth. California.

O

5. polyphyllus, Dougl. Columbia. # Fl. purple to white.

10 Indigofera, Linn.

- 1 tinctoria, Linn. Indigo. Asia. s Fl. reddishyellow. Kan. Nili gida. స్టోంగ్ నే.
- 2 enneaphylla, Linn. India. # Fl. reddish-purple.

3 hirsuta, Linn. India. = Fl. red.

4 atropurpurea, Hamilt. India. s Fl. dark red.

5 pulchella, Roxb. India. s Fl. bright red.

- 6 trita, Linn. India. s Fl. purplish-red. Kan. Kadu nili balli. පාසා බැවන
- 7 pentaphylla, Linn. India. 💿 Fl. bright red. Kan. Nili balli. నుల బక్క
- 8 Wightii, Grah. India and Ceylon. s Fl. yellowish red.
- 9 mysorensis, Rottl. India. s Fl. red.

11 Mundulea, DC.

1 subcross, Benth. TROP. AFRICA. s Fl. silvery-red.

12 Tephrosia, Pers.

- 1 candida, DC. India. s Fl reddish or white.
- 2 senticosa, Pers. India. s
- 3 purpurea, Pers. Trop. Asia. H. s. Fl. red. Kan. Wajarada nili gida. వజ్మడ నిలి గిడ Tel. Yempali chettu. యిండలి జిట్టు.
- 4 tenuis, Wall. INDIA. H
- 5 tinctoria, Pers. W. and S. Peninsula. s Fl. pale red. *Kan*. Batte harikina gida. బట్టులు కిన గిడ
- 6 toxicaria, S. Amer. s The herbage is used for poisoning fish.

13 Sesbania, Pers.

- 1 ægyptiaca. Pers. Yields charcoal and pith. Egypt. I Fl. pale yellow. *Kan*. Arisina jinangi mara. පර්ධි නිද්ධීංග කාර.
 - do. var. picta, Pers. India. s Fl. reddish. Kan. Kari jinangi mara. ಕರೀ ಜೀನಂಗಿ ಮರ
- 2 aculeata, Pers. Tropics of Old World. s Fl. yellow, dotted with red. Kan. Mullu jinangi gida. ಮುಚ್ಛು ಜೀನಾಗಿ ಗಿಡ.
- 3 procumbens, W. and A. do. ⊙ Kan. Bendu gida. ಬೆಂಡುಗಡ
- 4 grandiflora, Pers. India = Fl. white. Kan. Agase mara. ಆಗಸ ವುರ
- 5 var. coccinea. India. The red flowered variety.

14 Hedysarum, LINN.

1 coronarium, Linn. French Honey Suckle. ITALY. Fl. red. ## A good fodder herb commonly known as the Soola Clover.

15 Zornia, GMEL.

1 diphylla, Pers. India. ⊙ Fl. reddish-yellow. Kan. Nellu jellu soppu. నట్ల జిళ్లునుంపు.

16 Stylosanthes, Sw.

1 mucronata, Willd. A common weed. Asia.

17 Æschvnomene, Linn.

1 indica, Linn. Tropics of Old World. ⊙ 2 aspera, Linn. Do ⊙

18 Ormocarpum, Beauv.

1 sennoides, DC. A native weed. s Fl. yellow.

19 Eleiotis, DC.

1 sororia, DC. India.

A common weed.

20 Pseudarthria, W and A.

1 viscida, W and A. India and Ceylon. s

21 Uraria, Desv.

1 picta, Desv. Trop Asia and Africa. Fl. purple.

22 Lourea, Neck.

1 vespertilionis, Desv India ==

23 Alysicarpus, Neck.

1 bupleurifolius, DC. India. ©

2 rugosus, DC. India. o or biennial.

24 Desmodium, Desv.

1 umbellatum, DC. Asia. s Fl. red.

2 latifolium, DC. Asia. s Fl. red

3 polycarpum, DC. Asia. s Fl. reddish.

4 triflorum, DC. Asia. H Kan. Kadu pullampursi soppu. ಕಾಡು ಪುಳ್ಳಂಪುರಸಿ ಸೂಪ್ಪು.

5 gyrans, DC. India. s This sensitive plant is very common about Bangalore. Fl. rosy red.

- 6 pulchellum, Benth. s India. Students should observe the peculiar leaf-arrangement of this shrub. Kan. Sigiti gida. ਅਪੋਲ ਪੜ
- 7 Rottleri, Baker. Mysore. #
- 8 parvifolium, DC. India. H

25 Abrus. Linn.

1 precatorius, Linn. Wild Liquorice. India. c s Fl. reddish or white. Kan. Gurugangi balli. ಗುರುಗಂಜೆ ಬಳ್ಳಿ. The white-seeded variety is called Bili gurugangi. ಬೆಳಿ ಗರುಗಂಜೆ.

26 Cicer, Linn.

1 arietinum, Linn. Yields Bengal Gram. India.

⊙ Fl. purple. Kan. Kadale gida. ಕಡಲಿಗಡೆ.

27 Vicia, Linn.

- 1 Faba Linn. The Garden Bean. Europe.

 Il. white.
- 2 sativa, Linn. Vetch or Tare. Europe. ⊙ Fl. red to blue.

28 Ervum, Link.

1 Lens, Linn. S. EUROPE. • The Lentil.

29 Arachis, Linn.

1 hypogea, Linn. Ground Nut. Trop. Amer. © Fl. yellow. Kan. Nela or beru kadale gida. ನೆಲಸೇರುಕಡಲೆ ಗಿಡ. Largely cultivated as a field crop.

30 Lathyrus, Linn.

1 odoratus, Linn. Sweet Pea. Signly. © Fl. various.

31 Pisum, Linn.

- 1 sativum, Linn. Garden Pea. S. Europe. © Fl. white.
- 2 arvense, Linn. Country Pea. India. © Fl. white Kan. Batani gida. ಬಟಾಣಿ ಗಿಡ.

32 Glycine, Linn.

I javanica; Linn. India. a Fl. reddish. Kan. Kadu avare gida. ಕಾಡವರೇ ಗಿಡ.

2 Soja, Sieb. and Zucc. N. India. East Asia. ⊙ Fl. reddish, The Soja Bean.

33 Teramnus, Siv.

1 labialis, Spreng. India. c Fl. reddish.

34 Mucuna, Adans, Cowitch.

1 atropurpurea, DC INDIA. c Fl. reddish- purple.

2 pruriens, DC. (Cultivated.) India. • Fl. purple.

3 monosperma, DC. India. c Fl. dark purple, calyx nearly black. Kan. Anipe balli. ອະຈີສີ ພາງ.

4 capitata, W and A. India. (cultd.)⊙ Fl. purple. Kan. Nasagunni balli. ನಸಸುನ್ನಿ ಬಳ್ಳ.

35 Erythrina, Linn.

1 indica, Lam. Indian Coral Tree. Fl. red. Kan. Warjipe mara. ವಾರ್ಜೀಸೆ ಪುರ.

2 do. var. alba, *Indian White-Coral Tree. Kan*. Bili warjipe mara. ಬಿ7ವಾರ್ಜಿಕ ವರ.

3 stricta, Roxb. India. # Fl. coral-red.

4 cristagalli, Linn. Brazil, s Fl. crimson.

5 Blakii, (?) s. Fl. large, pale red.

6 glauca, Willd. AMERICA. T Fl. coral-red.

7 ovalifolia, Roxb. India = Fl. scarlet-red.

8 suberosa, Roxb. India # Fl. red.

36 Galactia, P. Br.

1 tenuiflora, W. and A. India. c Fl. reddish.

37 Butea, Roxb.

1 frondosa, Roxb. *Pulas Kino Tree*. India. Fl. bright orange-red. *Kan.* Muttuga mara. ಮುತ್ತುಗೆ ಮರ

2 superba Roxb. India. c Fl. orange-red.

38 Canavalia, DC.

1 ensiformis, DC. Sword Bean. INDIA. c Fl. red or white. Kan. Tamate gida. ತಮೆ ಗಿಡ್ಡ

2 Do var. virosa, India. ం Kan. Kadu tamme balli. కాడుకెట్కుట్లు.

3 obtusifolia, DC. TROP. ASIA. c Fl. red.

39 Phaseolus, Linn.

1 lunatus, Linn. Country Haricot. # Fl. greenish-yellow.

3 vulgaris, Linn. The Kidney Bean. Ubiquitous.

⊙ Fl. white. Kan. Huralikayi gida. జురికాంయి

3 coccineus, Lam. Scarlet Runner. UBIQUITOUS © Fl. scarlet,

4 adenanthus, G. F. Meyer. Trop. Asia. c Fl. red, showy.

5 trilobus, Ait. India. c Fl. pale yellow.

6 Mungo, Linn, Green Gram. Trop. Asia. ⊙ Fl. yellow. Kan. Hesaru gida. ಹೆಸರು ಗಡ

7 do. var. glaber, Roxb. ⊙ Trop. Asia. Black Gram. ⊂ Kan. Vuddu gida. వుద్దాని ని.

8 do. var. Wightianus, Grah. Trop. Asia. ఆ Kan. Kadu yuddu gida. శాజు వుద్దుగితే.

40 Vigna, Savi.

1 Catiang, Endl. Alsandi Bean. Trop, Asia. \odot Fl. yellow or reddish. Kan. Alasandi balli. అల నంది బక్కి.

41 Pachyrhizus, Rich.

1 augulatus, Rich. TROP. ASIA. o Fl. red.

42 Olitoria, Linn.

1 Ternatea, Linn. Trop. Asia. c Fl. blue with orange centre. Kan. Gida karnike balli. గావ

2 Ternatea, var. plenus. c Fl. blue.

3 do. pilosula, Wall. o Fl. white and orange.

4 biflora, Dalz. c s Fl. white and orange.

43 Dolichos, Linn.

- 1 Lablab. Linn. Cow Gram. Trop Asia. c Fl. white. Kan. Avare gida. ಆವರಗಡ.
- 2 biflorus, Linn. *Horse Gram*. Trop. Asia. ⊙ Fl. yellow. *Kan*. Hurali gida. ಹುರ೪ಗಳ.
- 3 species near falcatus, Klein. Trop. Asia. c Kan-Kadu hurali gida, ಕಾಡು ಹುರ೪ಗಿತ್ತ

Note two varieties of the first named, known respectively as *Gennu chikadee balli*, having white flowers, and *Chikadee balli* with reddish flowers.

44 Psophocarpus, Neck.

1 tetragonolobus, DC. Goa Bean. India.

Fl. lilac.

45 Atylosia, W. AND A.

1 lineata, W. and A. India. s Kan. Kadu kadale gida. ಕಾಡು ಕಡಲೆಗಿತ್ತ

2 albicans, Benth. India c Kan. Nellavare, Gennu nellavare. ಸೆಲ್ಲವರೆ. ಗಿಣ್ಣು ನೆಲ್ಲವರೆಗಿತ.

3 scarabæoides, Benth. India. = c Fl. yellow.

46 Cajanus, DC.

1 indicus, Spreng. Pigeon Pea or Dholl. s Fl. yellow, or veined with red. Kan. Turuku togari gida. ತುರುಕು ತೊಗರಿಗಿತ.

The smaller field variety is called Holada togari gida. ಹೊಲವತೊನರಗಿತ

47 Cylista, AIT.

1 scariosa, Ait. India. c Fl. yellowish red.

48 Rhynchosia, Lour.

- 1 minima, DC. EVERYWHERE IN TROPICS.

 FI. yellow.
- 2 viscosa, DC TROP. OLD WORLD. C.
- 3 rufescens, DC. India. c s Kan. Kadu to gari gida. තෘත්ත්ර වන්.
- 4 Heynei, W. and A. S. India, cs
- 5 nummularia, DC. WESTERN INDIA & CEYLON. ①
- 6 cyanosperma, Benth India c This is a striking jungle climber, Fl. bright red, or pure white.

49 Flemingia, Roxb.

- 1 strobilifera, R. Br Trop. Asia. s Fl. purple.
- 2 congesta, Roxb. Trop. Asia. s

50 Dalbergia, Linn. fil. Cabinet Rosewood.

- 1 sissoo, Roxb. India. 🛨 Fl. yellowish. Kan. Biridi mara. ಬಿರಡಿವುರ.
- 2 latifolia, Roxb. India 🛨 Fl. whitish. Kan. Biti mara. ಬೀಟವಾರ
- 3 rimosa, Roxb. Fl. whitish. c
- 4 melanoxylon, Beddome? From Java. Fl. white.
- 5 sympathetica, Nimmu. Western India. c Fl. white.
- 6 lanceolaria, Linn. India. 🛨 Kan. Hasuruganni mara. ಹಸುರುಗನ್ನಿ ಮರ
- 7 paniculata, Roxb. India. 🛨 Fl. yellowish. Kan. Pacheri mara. සෑදී ව බාව.
- 8 monosperma, Dalz. India and China. c

51 Pterocarpus, Linn.

- 1 Marsupium, Roxb. *Kino Tree*. India. Fl. yellowish. *Kan*. Honne mara. **మం**న్నే మెర.
- 2 santalinus, Linn. India. エ Fl. yellowish. エ Kan. Raktachandana mara. ರಕ್ತ ಚಂದನ ಮರ.

52 Pongamia, VENT.

1 glabra, Vent. *Indian Beech.* ± Fl. white or purple. *Kan.* Honge mara. ಹೊಂಗೆ ಮರ

53 Derris, Lour.

- 1 scandens, Benth. Trop Asia. c Fl. pale rose.
- 2 Heyneana, Benth. Mysorf. c Fl. rosy-red.

54 Sophora, LINN.

- 1 tomentosa, Linn. TROP. ASIA. s Fl. yellow.
- 2 interrupta, Bedd. India. s Fl. bright yellow.

55 Virgilia, Lam.

1 capensis, Lam. C. G. Hope.

56 Goodia, Salisb.

1 latifolia, Salisb. Austr. s

57 Templetonia, R. Br.

1 retusa, R. Br. S. Austr. s

58 Swainsonia, Salisb.

1 galegifolia, R. Br. Austr.

59 Myrospermum, Jacq. Myroxylon.

- 1 toluiferum. Balsam of Tolu Tree. S. AMER. Florese.
- 2 peruiferum, Ecuador and Peru. This tree yields a fragrant balsam called "Olea Vermelho."

60 Viminaria, Smith.

1 denudata, Smith. S. Austr. s

61 Clianthus, Soland.

- 1 Dampieri, A. Cunn. Sturt's Pea. S. Aust. o Fl. scarlet.
- 2 punicens, Soland. Glory Pea. N. Zeal. c Fl. crimson.

62 Robinia, Linn.

- 1 pseudo-acacia, Linn. N. AMER. T
- 63 Castanospermum, A. Cunn. Moreton Bay Chesnut.
 - 1 australe, A. Cunn. # Fl. orange-crimson.

64 Brownea, W.

- 1 grandiceps, Jacq, Caraccas. # Fl. red.
- 2 rosea. W. Indies. Shrub or small tree. Fl. rose

SUB-ORDER JI.

CÆSALPINIEÆ.

THE SENNA FAMILY.

65 Cæsalpinia, Linn.

- 1 Bonducella, Fleming. Nicker Plant. TROP. ASIA. c Fl. yellow. Kan. Sanna gajjiga gida. ಸಂಕಾ ಗಜ್ಜೆ ಗೆಗಿತ್ತ.
- 2 Nuga, Ait. Trop. Asia. c Fl. yellow.
- 3 sappan, Linn. Sappan Wood Tree. India. Kan. Patangada mara. ಪತಂಗದ ಮರ.
- 4 pulcherrima, Swartz. Flower Fence. ± Fl. red tinged with yellow. Kan. Kenjige mara ಕಂಜಿಗೆಮನ
- 5 do. var. lutea. ± Fl. orange-yellow.
- 6 sepiaria, Roxb. *Mysore Thorn.* TROP. ASIA. c Fl. yellow. *Kan*. Kurudu gajjige gida. ಕುರುಡು ಗಜ್ಜಿಗೆ ಗಿಡ್ಡ
- 7 mimosoides, Lam. India. c Fl. yellow.
- 8 coriaria, Wild. American Sumach. = Also called 'Divi Divi.' Fl. pale yellow.
- 9 Bonduc, Roxb. India. c Fl. yellow. Kan. Gajjiga gida. ಗಜ್ಜೆಗೆ ಗಿಡ.

10 tinctoria (?) S. AMER. = Fl. reddish.

36 Peltophorum, Vogel.

1 ferrugineum, Benth. TROP. ASIA. TFl. yellow.

37 Mezoneurum, Desf.

1 Cucullatum, W. and A. Hills of India. c The garden plant is probably the var. grandis, Heyne. It is very fine. Fl. yellow, slightly streaked red.

68 Pterolobium, R. Br.

- 1 indicum, A. Rich. India. c Fl. dull white. Kan. Báda bakka balli. బాడబశ్ఞ బక్క
- 2 do. var. microphyllum, Miq. c

69 Poinciana, Linn.

- 1 elata, Linn. Affords manure for indigo. India. ਜ Fl. pale yellow. *Kan.* Sunkatti mara. ನುಂ ಕತ್ತಿವುರ
- 2 Regia, Bojer. Goldmohur Trec. MADAGASCAR. Fl. crimson-yellow or gold streaked with scarlet and crimson. very fine.

70 Parkinsonia, LINN.

1 aculeata, Linn. Jerusalem Thorn. TROP AMER. Fl. yellow. Shrub or small tree.

71 Wagatea, DALZ.

1 spicata, Dalz. India. c Fl. orange.

72 Gleditschia, LINN. Honey Locust Tree.

1 ferox. From Java.

73 Cassia, Linn.

- 1 Fistula, Linn. 🛨 Fl. yellow. Kan. Kakke mara. The Indian Laburnum. కార్తమం
- 2 marginata, Rexb. Fragrant Cassia. India. T. Fl. reddish. A fine tree.
- 3 Sophera, Linn. India. s Fl. lilac or purple.
- 4 Tora, Linn. Foetid Cassia. TROP ASIA ① Fl. yellow. Kan. Gundu tagaci gida. ಗುಂಡುತಗಸಿ
- 5 auriculata, Linn. Tanner's Cassia. India. s Fl. yellow. Kan. Olle tangadi gida. బగ్గేతంగడిగిత
- 6 alata, Linn. *Ring-worm Shrub*. TROP. ASIA. Fl. orange-yellow. *Kan*. Sime agase gida. ಸೀಮೆ ಆಗಸೆಗಡ.
- 7 lanceolata, Wall. Senna Plant. AFRICA. O
- 8 glauca, Lam. Sulphur Flowered. India. T
- 9 siamea, Lam. MALAY ISDS. ∓ Fl. yellow. (C. florida, Vahl.) *Kan.* Sime tangadi mara. ಸೀಮತಂಗಡಿ ಮರ
- 10 pumila, Lam. India. s Kan. Nela tagaci gida. ลือฮสมกส. An abundant weed in mixed pasture land. Fl. yellow.
- 11 occidentalis, Linn. India. s Fl. pale lilac. Kan. Koltagaci gida. ಕೋళ కగసిగడే.
- 12 tomentosa, Linn. TROP. AMER. s Fl. brightyellow. *Kan.* Sogadu tagaci gida. ಸೂಗಮ ਵਜ ਮਨਕ.
- 13 pubescens?
- 14 bicapsularis, Linn. TROP. AMER. Fl. bright-yellow.
- 15 Absus, Linn. India.

 Fl. reddish-yellow.
- 16 obovata, Collad. India. s Fl. pale-yellow. *Kan.* Nelavarike gida. ನೆಲಾವರಿಕೆ ಗಿಡ.
- 17 montana, Heyne. India. s Fl. yellow. Kan. Betta tangadi gida ? ස්වූලාඛ විය.

74 Hardwickia, RoxB.

1 binata, Roxb. India. T Kan. Karachi mara. ಕಾರಾಚಿ ವುರ. Timber dark coloured and good.

75 Saraca, Linn.

1 indica, Linn. Asoca Tree. India. Fl. orange-red. Kan. Asokada mæra. ಆಕೋಕದ ವಸ್ತ

76 Amherstia, WALL.

1 nobilis, Wall. BURMAH AND MALACCA. TFl. red and yellow. This is a splendid tree, but requires the moist heat of the tropics.

77 Tamarindus, LINN.

- 1 indica, Linn Tamarind Tree. TROP. ASIA. Fl. yellow, striped red. Kan. Hunise mara. ಹುಣಿಸೆ ವುಶ
- 2 occidentalis, Gært, West Indian Tamarind ± Fl. yellow, striped red.

78 Hymenæa, Linn.

1 courbaril, Linn. Locust Tree. W. Indies. Fl. whitish.

79 Humboldtia, VAHL.

1 laurifolia, Vahl, India. T

80 Bauhinia, LINN. Mountain Ebony.

- 1 tomentosa, Linn. Trop. Asia and Africa. s Fl. yellow. *Kan*. Vana sampage gida. ವನಸಂಪಗೆ ಗಿಡ
- 2 acuminata, Linn. Trop. Asia. TFl. whitish. Kan. Bili kanchiyalada mara. ಬಿಳಿಕಂಚಿ ಮಾಳದೆಮರೆ.
- 3 Vahlii, W. & A. Gigantic Camel's-Foot. India. c Fl. yellowish.

- 4 purpurea, Linn. India and China. 🛨 Fl. purplereddish. Kan. Kanchivalada mara. ಕಂಚನಾಳದ ವುರ
- 5 variegata, Linn. India and China. \pm Fl. white or variegated with red rose and yellow. Kan. Bili Kanchivalada mara. ಬಿನ್ ಕಂಟಿವಾಳದವುರ.
- 6 Hookerii, F. Muell. N. Austr. = Fl. variegated.
- 7 racemosa, Lam. Trop. Asia. # Fl. yellow.
- 10 macrophylla. (?) From CALCUTTA. Fl. variegated. c
- 11 anguina, Roxb. MALABAR. c Fl. white.
- 12 malabarica ? Roxb. India. ± *Kan*. Basawana-padda mara ? ಬಸವನಸುವದವರು.
- 13 species, т Kan. Achalu mara. ಆಚಲುವುರ, The Bauhinias are trees and shrubs with strikingly handsome flowers, many of which are also fragrant.

81 Hæmatoxylon, Linn.

1 campechianum, Linn. Logwood. S. Amer. = Fl. yellowish.

82 Colvillea, Boj (?)

1 racemosa, (?) = Fl. orange tinged with red.

83 Ceratonia, Linn.

1 siliqua, Linn. Carob Bean. LEVANT. # Fl. reddish brown to pale yellow.

84 Louchocarpus,

1 latifolius.

SUB-ORDER III.

MIMOSEÆ.

THE WATTLE FAMILY.

The Australian wattles have not succeeded well at Bangalore. But the indigenous *Jalis* are promenent, and oft repeated in the arborescent Flora of the maidan.

85 Neptunia, Lour.

1 oleracea, Lour. Trop. Asia. O

86 Adenanthera, LINN.

1 pavonina, Linn. Red-Wood Tree. India. Kan. Manjatti or manjadi mara. వుంజప్తి (మండడి) మర

87 Prosopis.

- 1 glandulosa. Mesquit Bean. Texas. # Fl. yellow-
- 2 juliflora, DC. S. AMER. # Fl. yellowish.

88 Dichrostachys, DC.

1 cinerea, W and A. India. s *Kan.* Wadu warada mara. ವಜುವಾರದ ಮರ್

89 Parkia, R. Br.

1 biglandulosa, W. and A. Africa. ד Fl. whit^e Kan. Sivalinga mara. ಸಿವ**ಲ**ಂಗಮರ

90 Desmanthus, WILLD.

1 virgatus, Willd. India. s

91 Leucæna, Benth.

1 glauca, Benth. TROP. AMER. T Fl. white.

92 Mimosa, Linn.

- 1 pudica, Linn, *Humble Plant*. Brazil. s Fl. purple. *Kan*. Mudugudavare gida. ಮುಡುಗು ದಾವರೆಗಿತ
- 2 rubicaulis, Lam. Bramble Stalk. = Fl. purplish.

93 Acrocarpus, W. & A.

1 fraxinifolius, Wight. Shingle Tree. India. Fl. scarlet. Coorg. Howlige mara. ಹೌಲಿಗೆವಾರ. This is now considered, by many planters, to be one of the best trees for coffee-shade.

94 Acacia, WILLD. Wattle.

- 1 Farnesiana, Willd. Fragrant Acacia. India. హ Fl. yellow. Kan. Kasturijali mara. శాస్త్రం
- 2 arabica, Willd. *Babool*. Trop. Asia. ± Fl. yellow. *Kan*. Karijali or gobli mara. ూరుజుల
- 3 leucophlæa, Willd. *Panicled Acacia*. India. \pm Fl. pale yellow. *Kun*. Bilijali mara. නෑකට සාජ
- 4 suma, Kurz. White-barked Acacia. India. エ Fl. white. Kan. Mugali mara. ಮುಗಳವುರ.
- 5 catechu, Willd. Brown-barked Acacia. エ Fl. yellow. Kan. Kaggali mara. ಕಗ್ಗಲಿ ಮರ.
- 6 sundra, DC. India. T Fl. yellow.
- 7 dealbata, Link. Austr. T Silver Wattle.
- 8 decurrens, Willd. Austr. = Black Wattle.
- 9 longifolia. Willd. Austr. =
- 10 melanoxylon, R. Br. Austr. = Austr. Black-wood.
- 11 pycnantha, Benth. S. Austr. = Golden or Green Wattle.
- 12 saligna, Wendl. W. Austr =
- 13 cultriformis, A. Cunn. Austr. =
- 14 neriifolia, A. Cunn. Austr. =
- 15 concinna, DC. Soap-nut Acacia. India. c Fl. pale yellow. Kan. Cige gida. artha.
- 16 Intsia, Willd, ? India. c Fl. yellow. Kan. Kempu cige gida ? ಕಂಪ್ರೇಳಗಿನ
- 17 ferruginea, DC. India. 🛨 Fl. yellowish. Kan. Banni mara. బస్సివేటి.

18 homalophylla, Cunn. N. S. Wales. # The Victorian Myall

95 Albizzia, Durazz.

1 Lebbek, Benth. Trop. Asia. 🛨 Fl. greenish yellow. Kan. Bage mara. ಬಾಗೆಮರ.

2 Julibrissin, Durazz. TROP. ASIA. # Fl. red-

yellow.

3 stipulata, Bow. Trop. Asia. エ Fl. straw. Kan. Hotte bage mara. ಹೊಟ್ಟೇಬಾಗೆಮರ.

4 amara, Bow. India. = Kan. Sujjalu mara.

ಸುಜ್ಜ್ ಲುಮರ್

olobium, Mart.

an, Rain Tree. S. AMER. Fl. reddish purple ce, Benth.. Corkapooli. Philipp. Isds. ಸ Kan. Sime hunise. ಸೀಮಹುಣಸೆ ವುರ

bigeminum? Benth. A large soft-wooded tree. Not unlike the rain tree. I'l. reddish-purple.

ORDER XLV.

ROSACEÆ.

THE ROSE FAMILY.

An important Order of herbs, shrubs, and trees; mostly confined to cool temperate regions. Owing to considerable diversity in structure the family is arranged into tribes, and by some botanists into sub-orders. Its general characters are defined as follows:—Leaves alternate, rarely opposite, stipulate. Flowers regular, (except in Chrysobalaneæ) usually showy, and often fragrant. Corolla polypetalous. Stamens indefinite and perigynous. Ovary of one or more free or connate carpels. Fruit variable, but often conspicuous and

handsome as in the apple, peach, and loquat. Nos. 1, 3, 4, 6 and 7 afford good types of the principle tribes. Compare them carefully with each other.

1 Prunus, LINN.

- 1 Persica, Benth. The Peach Tree. Persia.
- 2 do. var. The Nectarine Tree.
- 3 armeniaca, Linn, The Apricot Tree. Armenia.
- 4 communis, Huds. The Plum Tree. EUROPE.
- 2 Spiræa, Linn.

1 astilboides.

3 Rubus, Linn.

- 4 ar
- 1 idæus, Linn. Raspberry. Europe.

NDIA.

- 2 rosaefolius, Smith. Blackberry ithec.
- 3 lasiocarpus, Smith. Alpine Indi samar^{DIA. T} plish red. The Indian Raspberr² dulce
- 4 Fragaria, LINN.
 - 1 vesca, Linn. Strawberry. Europe. # Fl. white.
- 5 Poterium, Linn.
 - 1 saguisorba, Linn. Burnet. Europe. s
- 6 Rosa, Linn. The Rose. Kan. Gulabi gida. ಗುಲಾಬ ಗಡ.
 - 1 centifolia, Linn. Provence Rose. CAUCASUS.
 - 2 Damascena, Linn. Damask Rose.
 - 3 Gallica, Linn. French Rcse. Europe.
 - 4 bracteata, Wendl. Macartney Rose. CHINA.
 - 5 sulphurea, Ait. Double Yellow Rose. ASIA MINOR.
 - 6 indica, Linn. India, China, and Tea Roses. China.
 - 7 microphylla, Lindl. Small-leaved Rose.
 - 8 alba, Linn. White or Belgic Rose. CAUCASUS.
 - 9 Eglanteria, Linn. Austrian Rose. ASIA MINOR.

- 10 Banksiæ, Br. Banksian Rose. CHINA.
- 11 microcarpa, Lindl. CHINA.
- 12 longicuspis, Bertol. Evergreen Rose. CAUCASUS.
- 13 moschafa, Mill. Musk and Noisette Rose.
- 14 multiflora, Thunb. JAPAN AND CHINA.
- 15 arvensis, Huds. Ayrshire Rose.
- 16 spinosissima, Linn. Scotch Rose.
- 17 rubiginosa, Linn. Sweet Brier. EUROPE.

Note.—A descriptive list of the varieties in local cultivation will be found at the end of the Catalogue.

7 Eriobotrya, Lindi.

1 japonica, Lindl. The Loquat. Japan. エ Fl. white Kan. Lakkote mara. ಲಕ್ಕೋಟೆ ಮರ

8 Pyrus, Linn.

- 1 Malus, Linn. Apple Tree. Persia. Fl. Kan. Sevugida. స్ట్రానికి.
- 2 communis, Linn. Pear Tree. Persia. Fl. white.

ORDER XLVI.

SAXIFRAGACEÆ.

THE SAXIFRAGE FAMILY.

An Order of herbs, shrubs, and a few tropical trees. Excepting the latter, its species are scattered throughout the cold and temperate regions of the world, or at high elevations in tropical and snb-tropical countries. Leaves alternate, simple, and usually entire; or merely lobed. Flowers less conspicuous than in Rosacee and usually irregular. Styles corresponding to the number of carpels. This family is closely allied to the preceeding one, although, comparatively, of little economic value. It consists largely of alpine weeds.

1 Saxifraga, LINN.

1 sarmentosa, Linn. fil. CHINA. # Fl. whitish.

2 Vahlia, THUMB.

1 viscosa, Roxb. A weed. India. Fl. whitish.

3 Hydrangea, Linn.

1 hortensis, DC. CHINA. s Fl. white and blue.

ORDER XLVII

CRASSULACEÆ.

THE STONECROP FAMILY.

An Order of fleshy herbs represented in India by eight genera. Very similar in structure to the preceeding family, from which species are distinguished by their succulent habit, terminal cymose inflorescence, and follicular fruit. The local herb *Nununni gida* exhibits the general character of the Order.

1 Tillæa, Linn.

1 pentandra, Royle. India. # Fl. white.

2 Bryophyllum, Salisb.

1 calycinum, Salisb. # Fl. greenish-red with a dash of purple.

3 Kalanchoe, Adans.

1 spathulata, DC. (?) India. # Kan. Nununni gida. ನುನ್ನು ಸ್ಥಿಗಿತ.

2 floribunda, W. and A. India. # Kan, Nununni gida. ನುನ್ನು ಸ್ಥಿ ಗಿಷ.

- 3 grandiflora, W. and A. India. # Kan. Fl. yellow of different shades.
- 4 crenata, Haw. Trop. Africa. H Kan. Fl. yellow of different shades.

4 Cotyledon, Linn. Introduced herbs.

1 agavoides. These succulents do well

2 clavifolia cristata.

3 gibbiflora are pretty rock-work

in a dry situation, and

4 Peacockii. plants.

5 Sedum, LINN.

1 species .A prostrate herb with bright yellow flowers. Much used for bordering.

6 Echeveria, DC.

1 secunda, Booth. Mexico. #

ORDER XLVIII.

DROSERACEÆ.

THE SUNDEW FAMILY.

A family of herbs represented in India by only two genera. The type species in this collection is well known to botanical students as being closely allied to one of the carnivorous plants of text books.

It is a small, reddish, starlike plant with glandular hairs; found in the moist beds of nullahs. Abundant in Mysore.

1 Drosera, Linn.

1 Burmanni, Vahl. India. # The Indian Sundew. Fl. rose.

ORDER XLIX.

HALORAGEÆ.

A small Order of weak aquatic herbs or diminutive land weeds. India has five genera, of which three are aquatic and two terrestrial.

1 Myriophyllum, Linn.

1 intermedium, DC. Aquatic herb. INDIA.

ORDER L.

COMBRETACEÆ.

THE MYROBALAN FAMILY.

Trees or shrubs; the latter often climbing. The leaf arrangement is variable, excepting that the leaves are extipulate and usually entire. Flowers with or without a corolla, in small crowded racemes, often creamy-white and occasionally feetid as in Terminalia belerica. The most constant character is found in the inferior one-celled ovary, in which there are 2—7 ovules suspended by a funicle. The genus Terminalia affords some of our commonest forest trees. See the glandular leaf-stalk and winged fruit of some of the latter.

Genera 4 and 5 are much cultivated for their handsome flowers.

1 Terminalia, LINN.

- 1 catappa, Linn. Country Almond Tree. T_{ROP}. ASIA. Fl. pale yellow. Kan. Badami mara. ಬಾದಾವಿವರ
- 2 belerica, Roxb. *Beleric Myrobalan*. India. **T** Fl. pale yellow. *Kan*. Tare mara **ತಾರೆ**ಮರ
- 3 paniculata, Roth. India. 🛨 Kan. Huluye mara. ಹುಲುವೆಮರ

- 4 chebula, Retz. India т Kan. Arale kayi mara.
- 5 citrina, Roxb. India. T Fl. creamy-yellow.
- 6 arjuna, Bedd. India and Ceylon. \pm Kan.

 Toramatti or bili matti mara. ತೋರವುತ್ತಿ
 ಬಿಳವುತ್ತಿ ಮರ
- 7 tomentosa, Bedd. *Kan.* Heb huluve mara, ಹೆಬ ಹುಲುವೆಮರ.
- 8 , var. typica?
- 9 myriocarpa, Heurck and Muell. India. The names "Permatti" and "Chittu huluve" are also applied to species of Terminalia
- 2 Anogeissus, Wall.
 - Tlatifolia, Wall. India. ± Kan. Dindiga mara ออลิกสวร
- 3 Combretum, Linn.
 - 1 acuminatum, Roxb. India. c s
 - 2 densiflorum, Sierra Leone c s
 - 3 comosum? Sierra Leone. c s
 - 4 ovalifolium, Roxb. India. c s
 - 5 extensum, Roxb. India. c s
- 4 Poivrea, Comm.

1 coccinea, DC. MADAGASCAR. c Fl. scarlet.

5 Quisqualis, LINN.

1 indica, Linn. Rangoon Creeper. India. Fl. white and red.

ORDER LI.

MYRTACEÆ.

THE MYRTLE FAMILY.

A large and well defined Order of shrubs and trees. Chiefly tropical and sub-tropical in both hemispheres.

Leaves opposite, rarely alternate, simple, entire and usually marked by an intra-marginal vein. The greater part of them are also marked with glandular dots. Flowers axillary or terminal, regular, and usually showy on account of the indefinite number and large growth of the stamens. The genus Eugenia, of which the local tree Nerale mara is a type, is represented in the hill forests of India by over 100 species. But the great Australian genus Eucalyptus contains about 300 species. Examine specimens of Nos. 2, 4, 6 and 7.

1 Melaleuca, Linn.

- 1 hypericifolia, Sm. Austr. s
- 2 Preissiana, Schaw. Austr. s

2 Tristania, R. Br.

- 1 conferta, R. Br. E. Austr. T Fl. yellow.
- 2 neriifolia, R. Br. E. Austr. #

3 Callistemon, R. Br.

- 1 rugulosum, s. Austr.
- 2 rigidus, R. Br. AUSTR. s

4 Eucalyptus, L'HERIT. Gum Tree.

- 1 globulus, Labill, Blue Gum. TASMANIA. T
- 2 marginata, Sm. W. Austr. The Jarrah.
- 3 citriodora, Hook. E. Austr. ± Lemon-scented. Gum.
- 4 cornuta, Labill. W. Austr. = The Yate Tree-
- 5 corynocalyx, F. Muell. Austr. T
- 6 Stuartiana, F. Muell. Austr. -
- 7 paniculata. Austr. -
- 8 rostrata. do. TRed Gum of S. Australia
- 9 hemiphloia. do. = Australian Box Tree.
- 10 saligna. do. T
- 11 calophylla, R. Br. W. Austr. = Red Gum Tree.
- 12 viminalis, Labill. Austr. T

- 13 polyanthemos. do. TRed Box Tree-
- 14 robusta, Sm. E. Austr. T
- 15 corymbosa, Sm. Austr. # The Bloodwood Tree.

5 Myrtus, Linn.

1 communis, Linn. The Myrtle. S. Europe. s Fl. white.

6 Psidium, LINN.

- 1 guyava, Linn. The Guava. Trop. Asia. 🛨 Fl. white. Kan, Chépe mara. ಆೇವೆಮರ.
- 2 ,, var. pyriferum, White pear-shaped. T
- 3 ,, var. pomiferum. Red apple-shaped. T
- 4 ,, var. variegata s

7 Eugenia, LINN.

- 1 jambos, Linn. The Rose Apple. N. India. 🛨 Fl. white. Kan. Pannérale mara. ಪನ್ಮೇರಳ ಮರ
- 2 jambolana, Lam. The Jamoon. India. エ Fl. white. Kan. Nayi nerale mara. ನಾಯಿನೇರಳವುರ,
- 3 , var. caryophyllifolia, Fl. whitish.
- 4 .. var. obtusifolia. Fl. whitish.
- 5 malaccensis, Linn. Fl. red.
- 6 myrtifolia, Roxb. s Fl. white.
- 7 speices. A tree

8 Barringtonia, Forst.

1 speciosa, Forst. CEYLON. # Fl. red.

9 Careya, Roxb.

1 arborea, Roxb. India. 🛨 Fl. white and red. Kan. Gouju mara. ಗೌಜುವುರ

10 Couroupita, Aubl.

1 guianensis, Aubl. Cannon Ball Tree. GUIANA. Fl. red and orange.

ORDER LII.

MELASTOMACEÆ.

THE MELASTOMA FAMILY.

This is a large tropical family of herbs and shrubs, rarely climbers and trees. Leaves opposite, simple, entire, and prominently marked by three to five nerves running from base to apex. Flowers regular and usually showy. Petals twisted or contorted in astivation. Stamens never exceeding ten, but often a smaller number. The peculiar structure of the latter is a ready guide to plants of this Order. But Indian representatives are mostly confined to the hills.

1 Osbeckia, Linn.

- 1 zeylanica, Willd. India. ⊙ Fl. purple-mæuve. A marsh herb. Kan. Akka jogi gida. ఆక్రై జింగి గోడ
- 2 hispidissima, Wight. India. s Fl. dark crimson.

2 Melastoma, Linn.

1 malabathricum, Linn. *Indian Rhododendron*. s Fl. mauve-purple.

3 Sonerila, Roxb.

1 elegans, Wight. W. India. s Fl. red or light mauve.

4 Heterotrichum,

1 niveum.

SUB-ORDER.

MEMECYLEÆ.

These are glabrous shrubs or small trees, with dense clusters of small 4—merous flowers growing on

the stems under the leaves. The flowers are bright blue and white. Berry one-seeded.

1 Memecylon, Linn.

- 1 Heyneanum, Benth. India. s
- 2 edule, Roxb. India. s Fl blue.
- 3 do. var. ramificra. s Fl. blue.

ORDER LIII

LYTHRACE Æ.

THE LOOSESTRIFE FAMILY.

So named in allusion to the prevailing purple colour of its flowers. An Order of trees, shrubs and herbs confined chiefly to the equatorial zone, but most abundant in tropical America. Leaves entire, extipulate, and generally opposite. Flowers regular and usually showy; grand in Lagerstramia Flos-Regina. Petals crumpled and occasionally clawed. Ovary free. Compare the weed 'Kolijuttu soppu' with known species of the other genera named at foot.

1 Ammannia, Linn.

- 1 pentandra, Roxb. India. \odot
- 2 baccifera, Linn. India. © Blister Weed. Bubaquatic.
 3 peploides, Spreng. India. ©

4 rotundifolia, Ham. INDIA.

5 Rotala, F. Muell. India.

Kan. Koli juttu soppu. ಕೋಳಿ ಜಟ್ಟು ಸೊಪ್ಪು.

2 Lawsonia, Linn.

1 alba, Lamk. Henna Shrub. Persia. Fl. white to rose, Kan. Goranti gida. ಗೋರಂಟ ಗಡ.

3 Lagerstræmia, Linn.

- 1 indica, Linn. India. s Fl. showy, rosy to reddish pink.
- 2 lanceolata, Wall. India. 🛨 Kan. Nandi mara.
- 3 Flos-Reginæ, Retz. *Pride of India.* ∓ Fl. mauve to rosy purple. *Coorg.* Maruvachala mara. ಮರುವಾಚಲ ಮರ
- 4 parviflora, Roxb. Fl. whitish. *Kan.* Channangi mara. ಚನ್ನ ೧೧ ಮರ.

4 Punica, Linn.

- 1 granatum, Linn. The Pomegranate. Pfrsia. హ Fl. red. Kan. Dalimbare gida. దాంశంబర్య గావే.
- 2 ,, var, fl. pl. т
- 3 , var. alba. x Fl. white.

5 Lafœnsia, Vandell.

1 Vandelliana (?) TFl. whitish.

6 Heimia, Link.

1 salicifolia, Link. Spain. s Fl. yellow.

7 Cuphea, JACQ.

- 1 eminens, S. AMER, s Fl. red and yellow.
- 2 species. S. AMER. s Fl. vermilion to yellow.

ORDER LIV.

ONAGRACEÆ.

THE EVENING PRIMROSE FAMILY.

A cosmopolitan family of herbs, or rarely shrubs, as in the genus Fuchsia. Represented in India by 5

genera, two being aquatic or sub aquatic. Flowers often showy, with their parts usually in fours. (tetramerous) Ovary 2—4 celled with numerous small seeds, or rarely with only one in each cell. Dissect and study Nos. 1, 2, 5 and 7:

1 Jussiæa, Linn.

- 1 repens, Linn. India. Aquatic. # Fl. pale yellow.
- 2 suffruticosa, Linn. India, in nullahs and marshes. s Fl. yellow. Kan. Kavakula gida ಕಾವಕೂಲ ಗಿಡ

2 Ludwigia, Linn.

1 parviflora, Roxb. India. 💿 Fl. yellow Kan-Kere bendu gida. ಕರೆಎಂಡುಗಿಡ.

3 Clarkia, Pursh.

- 1 pulchella, Pursh. Califor. ⊙ Fl. magenta, to purple and white.
- 2 elegans, Dougl. Califor. ⊙ Fl. purple to pale red.

4 Godetia,

- 1 Lindleyana, Spach. N. AMER. ⊙ Fl. rose-purple with crimson spots.
- 2 rubicunda, Lindl. Califor. . Fl. reddish.
- 3 Whitneyi, Hort. ⊙ Fl. rosy-red with crimson spots.
- 4 Lady Albemarle, Hort. ⊙ Fl. crimson.

5 Enothera, Linn. Evening Primrose.

- 1 rosea, Ait. Mexico. # Fl. rose. Kan. Kadu garugalu gida. ಕಾಡು ಗರುಗಲು ಗಿಡ.
- 2 biennis, AMERICA. B. H. Fl. large, yellow.

6 Fuchsia, LINN.

1 coccinea, Ait. CHILL S

- 2 corymbiflora, Ruiz. and Pav. Peru. s Fl. various. 3 serratifolia. Hook. Mexico. s
- 7 Trapa, LINN.
 - 1 bispinosa, Roxb. Water Chesnut, or Zinghara Nut. Trop. Asia. Fl. whitish.

ORDER LV.

PASSIFLOREÆ.

THE PASSION FLOWER FAMILY

A remarkable group of twining herbs and shrubs, confined largely to tropical South America. The passion flowers possess well-marked characters in the *corona* and *gynophore*. Although many species are cultivated in Indian Botanical Gardens, there are but two indigenous to the country.

1 Passiflora, Linn. Passion Flower.

- 1 Leschenaultii, DC. India. c Fl. white.
- 2 caerulea, Linn. Brazil. c Fl. purple.
- 3 minima, Linn. S. AMER. o
- 4 trifasciata. (?) BBAZIL. C
- 5 Middletoniana, Pax. S. AMER. c
- 6 laurifolia, Linn. W. Indies. c Fl. blue.
- 7 edulis, Sims. W. Indies. c Fl. white.
- 8 Kermesina, L. K. Otto. Buenos Ayres. c Fl. crimson.
- 9 quadrangularis, Linn. Brazil. c Granadilla.
- 10 macrophylla c
- 11 Constance Eliott. Hort. c Fl. white.
- 12 species. c

2 Tacsonia,

- 1 tubiflora, S. AMER. c
- 2 alba S. Amer. c Fl. white.
- 3 species. Fl. scarlet.

3 Modecca, Lam.

1 palmata, Lam. India and Ceylon. Fl. yellowish-white.

- SUB-ORDER PAPAYACEA.

1 Carica, Linn.

Papaya, Linn. The Papaw Tree. S. Amer. Fl. yellowish- white. Kan. Parangi mara. ಪರಂಗ ವುರ.

ORDER LVI.

CUCURBITACEÆ.

THE CUCUMBER FAMILY.

This is a well defined Order of climbing herbs or shrubs. Chiefly tropical, and much seen in cultivation. Leaves large, rough, simple, alternate and usually long peticled. Flowers unisexual, solitary or in short racemes; white and yellow. Ovary inferior, with parietal placentas. Fruit usually conspicuous as in the pumkin, gourd, melon and cucumber. Dissect plants bearing either of these fruits. The family is largely represented in India.

1 Trichosanthes, Linn.

1 palmata, Roxb. India. c. н. Fl. white. Kan. Káge máre balli. ಕಾಗೆಮಾರ ಬ[್]ಲ.

2 auguina, Linn. Snake Gourd. TROP. ASIA. ⊙ ರ Fl. white. Kan. Padavalu balli. ಪಡವಲು ಖೈ.

3 cucumerina, Linn. India. c. H. Fl. white.

2 Lagenaria, Seringe.

1 vulgaris, Seringe. Bottle Gourd. TROP. ASIA. a Fl. white. Kan. Soré balli. నూలులు. The wild form is called 'Hutchu sore balli.' Fl. white.

3 Luffa, CAV.

1 ægyptiaca, Mill. Peer kunkayi. Egypt. o Fl. yellow.

2 acutangula, Roxb. Hirekayi Trop. Asia. c

Fl. yellow Kan. Hire balli. మండలుక్క

3 " var. Kádu kahi hire balli. కాణు కాద ఉంటే బ్యా.

🗜 " var. Tuppada hire balli. ತುಪ್ಪದ ಹೀರ ಬಳ್ಳಿ.

4 Benincasa, Savi.

1 cerifera, Savi. India. (cultd.) o Fl. yellow.

5 Momordica, Linn.

1 Charantia, Linn. *Pavakayi*. India. (cultd.) с. н. Fl. yellow. *Kan*. Hágala balli. మాగల బర్గి.

2 dioica, Roxb. India. c Fl. yellow.

3 Balsamina, Linn. India. a Fl. yellowish. Kan Hutchu tonde balli. ముజ్జు తుండే బక్కి.

Note—There is another plant, probably a wild form of M. Charantia, called 'Kadu hagala balli.'

6 Cucumis, Linn.

1 trigonus, Roxb. Wild Melon. India. 💿 c F yellow. Kan. Halmekki balli. వాల్లే ప్లి

2 Melo, Linn. The Melon. India. (cultd.) ⊙ Fl. yellow. Kan. Kekkarike balli. ే రైంకట్ల

3 sativus, Linn. The Cucumber. India. (CULTD.) c Fl. yellow. Kan. Savute balli. ಸವತ ಬಳ್ಳಿ.

No. 1, and 'Kallangadi balli' a wild form of the meleplant.

7 Citrullus, Schrader.

1 colocynthis, Schrad, Colocynth Plant. Ind (Cultd.) = Fl. light yellow. Kan. Dodda h mekki balli. దూడ దాల్లేక్లులో. 2 vulgaris, Schrad. The Water-Melon, India. (Cultd.) Fl. yellow. Kan. Karbuj balli. శర్మంలో ప్రస్తి

8 Cephalandra, SCHRADER,

1 indica, Naud, Kayi donda. India. c Fl. white. Kan. Tonde balli. కేండే బక్క.

9 Cucurbita Linn.

- 1 maxima, Duchesne. *The Common Gourd*. India. (Cultd.) Fl. yellow. *Kan*. Kumbala balli. శుం బళబర్హి,
- 2 moschata, Duchesne. The Musk Melon. do. Fl. yellow.
- 3 Pepo, DC. The Pumpkin. do. Fl. yellow. Kan, Budu kumbala balli. ಬೂದು ಕುಂಬಳ ಬಳ್ಳ.

10 Bryonia, LINN.

1 laciniosa, Linn. India. a Fl. yellowish. Kan. Linga tonde balli. లింగతుండే బళ్ళి.

11 Mukia, ARN.

1 scabrella, Arn. India. c Fl. small, yellow.

12 Zehneria, Endl.,

1 umbellata, Thwaites Enum. Trop Asia. c Fl. small, yellowish.

13 Rhynchocarpa, Schrader.

1 fœtida, Schrad, India. с. н.

14 Zanonia, Linn.

1 indica, Linn. India. c. H.

ORDER LVII.

BEGONIACEÆ.

THE BEGONIA FAMILY.

The genus Begonia, of which there are about 400 species, forms the bulk of this family. Succulent herbs or undershrubs with markedly oblique (dimidiate) leaves, and showy pink, rose, yellow and white flowers. There are about 65 species scattered over the moist hill regions of India and Burmah. For special structural characters see the peculiar leaf formation, the unisexual (monæcious) flowers, and the usually 3—celled inferior ovary containing numerous small seeds.

1 Begonia, Linn.

These ornamental herbs are extensively used in India, both for pot culture and bedding out under partial shade.

- 1 Rex. Putzeys, India. # Fl. rose.
- 2 malabarica (?) Lamk. India. # Fl. rose.
- 3 do var. dipetala (?) Fl. pale rose
- 4 argentea, V. Houtte. S. AMER. # 1. pink..
- 5 argyrostigma, Fisch. Brazil. # Fl. rosy-white.
- 6 discolor, R. Br. S. AMERICA. # Fl. rose.
- 7 fuchsioides, Hook. N. Granada. Fl. scarlet.
- 8 hydrocotylifolia, Hook. Mexico. # Fl. rose.
- 9 longipes, Hook. Mexico. ==
- 10 nitida, Dryand. JAMAICA. #
- 11 ricinifolia, A. DIETR. = Fl. white.
- 12 zebrina, Hort. # Fl. rose-pink.
- 13 manicata, Cels. BRAZIL. # Fl. pink or white.
- 14 ulmifolia, Haw. S. AMER. # Fl. rosy white.
- 15 tomentosa, Schott. # Fl. whitish.
- 16 hybrida, Hort. # Fl. pink.
- 17 macrephylla,
- 18 cordifolia, Thwaites. S. India. #
- 19 integrifolia, Dalz. India. # Fl. white.
- 20 albo coccinea, Hook, India. # Fl. rose.

- 21 species No. 1. India. # Fl. rose and crimson.
- 22 do. , 2. do. # Fl. pinkish-yellow.
- 23 do. 3. do. = Fl. pale rose or whitish.
- 24 do. , 4. do. ==
- 25 do. ", 5. do. ==
- 26 boliviensis. # S. AMER.
- 27 Veitchii # HORT.

The tuberous rooted vars. have mostly sprung from 26 and 27. Ficrimson, yellow, and white. Very fine.

ORDER LVIII.

CACTEÆ.

THE PRICKLY PEAR FAMILY.

A large American Order of succulents. The prickly pear and a few of its congeners are naturalised in India. *Rhipsolis Cassytha*, is the only native plant. The Cacteæ are easily recognised by their peculiar habit, of which there are three distinct forms, viz., the columnar, the globular, and the lobed or jointed. The prickly pear of hedge-rows is a good type of the latter and also of the family generally.

1 Opuntia, Tour.

- 1 Dillenii, Haw. *Prickly Pear*. S. Amer. म Fl. sulphur-yellow. *Kan*. Papas kattali. మామాన్ శారాంగ్
- 2 coccinillifera, Mill. Cochineal Plant. S. AMER. ## Fl. crimson.
- 3 nigricans, Haw. AMER. # Fl. yellow, tinged with red.
- 4 monacantha, Haw. AMER. # (Cactus indicus, Roxb.)
- 5 Ficus-indica, Mill. AMER. Indian-fig Cactus. Fl. yellow. Buds red.

2 Melocactus, DC.

- 1 communis, DC. Turks Cap. Antilles =
- 2 species (?) Mateer. Probably communis, #

3 Cereus, Haw.

- 1 grandiflorus, Mill. Night-flowering Cactus. W. Indies. # Fl. yellow.
- 2 pentagonus, Haw. S. AMER. H
- 3 trigonus, Haw. # AMER.
- 4 erectus, Karw. MEXICO. # Fl. white.
- 5 crenatus, Hook. # AMER. Fl. whitish.
- 6 species. AMER, H

4 Echinocactus, SALM.

1 cornigerus, DC. Hedgehog Cactus. MEXICO. 14

5 Epiphyllum, SALM.

- 1 truncatum, Haw. Brazil. # Fl. red.
- 2 ,, var. rosea. Fl. rose.

6 Pereskia, HAW.

1 Bleo, DC. Barbadoes Gooseberry. Mexico. s Fl. rose.

ORDER LIX

FICOIDEÆ.

THE FIG MARIGOLD FAMILY.

An Order of small fleshy herbs largely represented in Africa. A few of the Indian species are commonly used in food and medicine. See Nos. 1, 3, and 5. Structural characters are not very clearly defined. Sepals 4 -5, usually persistent. Petals numerous or obsolete. Stamens perigynous. Styles distinct, and equal in number with the carpels. Fruit capsular.

1 Trianthema, LINN.

- 1 monogyna, Linn. Trop. Asia & Africa. ##

 Kan. (gandu) Tal. Moga ataku mamidi aku.

 ವೊಗ ಆಟಕುವಸಮಿಡಿಆಕು
- 2 pentandra, Linn. India. # Kan. Komme soppu. ಕೂಪ್ಕುಸೂಪ್ಪು. There are two varieties distinguished in Kanerese as the bili and kempu, the white and red.
- 3 decandra, Linn India. #

2 Orygia, Forsk.

1 decumbers, Forsk. Trop. Asia & Africa. # Fl. greenish-purple.

3 Mollugo, Linn.

- 1 hirta, Thunb. TROP. ASIA. # Fl. green.
- 2 stricta, Linn. Trop. Asia. 🛱 Kan. Parpataka soppu. ಪರ್ವಾಟಕ ಸೂಪ್ಪ
- 3 spergula, Linn, Trop Asia. # Fl. greenish.
- 4 Cerviana, Seringo, India. # Fl. greenish. Kan. Kage purale gida. శాగిభరాగాడ.

4 Tetragonia, Air.

1 expansa, Ait. Spinach of New Zealand. # Fl. whitish-green Kan. Mullu basale soppu. ಮು ಳುಬಸಲೆ ಸೂಪ್ಪು

5 Mesembryanthemum, LINN.

1 crystallmum, Linn. Ice Plant. Greece. •

ORDER LX

UMBE LLIFERÆ.

THE UMBELLATE FAMILY.

This is a large Order of herbs, or rarely shrubs, with hollow stems, much divided leaves, and small white

allied to those of the preceeding Order. The flowers are less numerous, more regular, and often of a greenish-yellow colour. The fruit possesses no carpophore, and is usually 3 or more celled. Species and varieties of the genus *Panax* are much cultivated in Indian gardens on account of their graceful forms and variegated foliage.

1 Aralia, LINN.

- 1 Guilfoylii, F. Muell. S. S. Islands. s
- 2 Seiboldii, Hort. s
- 3 papyrifera, Hook. s Rice Paper Plant. FORMOSA.
- 4 Bonerppi. B
- 5 filicifolia. S. S. Islands. s
- 6 Chabrierii. s
- 7 elegantissima, Bull. S. S. ISLANDS. s
- 8 species. s

2 Panax, Linn.

- 1 fruticosum Linn. India. (Cultd.) s
- 2 cochleatum, DC. CHINA. s
- 3 Victoriæ, Bull. S. Pacific Islands. s
- 4 rotundus. s
- 5 Veitchii. s
- 6 plumatum, Bull. S, S. ISLANDS.
- 7 species. s
- 8 species. s
- 9 species. s

3 Heptapleurum, Gærtn.

1 venulosum, Seem. India. エ Kan. Bili bhuthala mara. ಬಿ೪ ಭೂತಾಳ ಮರ

4 Brassaia, ENDL.

- 1 actinophylla, Endl. Umbrella Tree. E. Austr.
- 2 species? T

5 Hedera, Linn.

1 Helix, Linn, Common Ivy. EUROPE. c

ORDER LXII.

CORNAGE Æ.

THE DOGWOOD FAMILY.

This small Order of trees and shrubs is mostly confined to the temperate regions of Europe, Asia, and North America. Leaves opposite or alternate, simple, and exstipulate. Flowers hermaphrodite or unisexual, the whorls generally tetramerous, but occasionally otherwise. Ovary inferior. Style single. Fruit usually succulent. Seeds 1—4.

1 Alangium, LAM.

1 Lamarckii, Thw. India. ± Fl. white. Kan. Ankole mara. ಅಂಕೋರ್ಲೆ ಸ್ತ

2 Cornus, Linn.

1 macrophylla, Wall. India. ∓ Fl. whitish. Kan. Hadaga mara. ಹಡೆಗವು.

3 Benthamia, Lindl.

1 fragifera Lindl. NEPAL. # (See Cornus capitata Wall.)

ORDER LXIII.

CAPRIFOLIACE Æ.

THE HONEY-SUCKLE FAMILY.

Shrubs and small trees, often of a straggling or climbing habit as in the honey-suckle. Indian species are mostly confined to the temperate Himalaya or to hill regions in the interior. The Order is distinguished from Rubiaceæ, to which it is closely allied, by its geographical position, habit, and the frequent irregularity of its flowers.

1 Lonicera, Linn.

1 Leschenaultii, Wall. Nilgiri Honeysuckle.
Fl. white and yellow.

2 caprifolium, Linn. Woodbine. EUROPE. # Fl. white fading to yellow.

ORDER LXIV.

RUBIACE AF.

THE PERUVIAN BARK AND COFFEE FAMILY.

A large Order of trees, shrubs and herbs. Tropical and sub-tropical. Leaves opposite, simple, and usually entire, with interpetiolar stipules, or whorled and exstipulate, with angular stems as in the Madder plant. Flowers conspicuous in garden types, and usually tetramerous in their arrangement. Ovary inferior, 2—10—celled with one or more ovules in each cell. Nos. 1, 6, 14 and 20 are extreme types of the family.

1 Sarcocephalus, AFZEL.

1 cordatus, Miq. India. T Fl. yellow.

2 Anthocephalus, A. Rich.

1 cadamba, Miq. India. # Fl. orange with white stigma.

3 Adina, Salisb.

1 cordifolia, Hook. India. = Fl. yellow. Kan. Bachanige or hettega mara. ಬಾಚನಿಗೆ ಹತ್ತೇಗ ಮರ

4 Stephegyne, Korth.

i parvifolia, Korth. India. # Kan. Kadagada mara.

5 Nauclea, Linn.

1 species ? 🛨 Kan. Yettacada mara. ಎತ್ತಕದ ಮರ.

6 Wendlandia, BARTL,

- 1 Notoniana, Wall. India. ± Fl. reddish-white. Kan. Bettada Kammagaggare mara. ಪಟ್ಟದ ಕಮ್ಮಗಗ್ಗರ ಗಿಡ.
- 2 glabrata, DC. India. Shrub or small tree.

7 Hedyotis, LINN.

1 Auricularia, Linn. India and Ceylon. ⊙ Fl. lilac.

8 Oldenlandia, Linn.

- 1 corymbosa, Linn. India. O Fl. white.
- 2 diffusa, Roxb. India. ⊙ Fl. white.
- 3 umbellata, Linn. India. ⊙ Kan. Cheriveru gida. ಚಿಂದೇರು ಗಡ.

9 Mussænda, Linn.

1 frondosa, Linn. CEYLON. s FL orange. Bract white.

10 Webera, Schreb.

1 corymbosa, Willd. India. I Fl. white. Kan. Papati gida, ಸಾಪಟ ಗಡ.

11 Randia, LINN.

- 1 dumetorum, Lamk. India. \pm Fl. greenish yellow to white. Kan. Mangare mara, ಮಂಗಾರ ವರಿಗ
- 2 species? India, s Kan. Nagare gida. ਨਜੋਰੀ ਨੈਡ.

12 Gardenia, Ellis.

1 Florida, Linn. CHINA. s Fl. white.

- 2 gummifera, Linn. India. s Fl. white. Kan. Bikke gida. బిళ్ళేవ
- 3 latifolia, Ait. India. TFl. white changing to yellow.
- 4 species. India. Small deciduous tree. Large. white, companulate flowers; solitary or in pairs.

13 Knoxia, Linn.

1 coryinbosa, Willd. O Fl. pale-purple.

14 Canthium, LAM.

- 1 parviflorum, Lam. Carray Cheddie. India. s Fl. yellowish. Kan. Kare gida. ಕಪಗಿತೆ.
- 2 didymum, Roxb, India. s Fl. whitish. Kan. Yeddaranike gida. ಎದ್ದರಾನಿಕಗಿತ.

15 Vangueria, Juss.

1 spinosa? Roxb. India. s Fl. pale green. Labelled edulis.

16 Ixora, Linn.

- 1 coccinea, Linn. Scarlet Ixora. China. s Fl. scarlet.
- 2 parviflora, Vahl. *Torch Tree*. India. ∓ Fl. white. *Kan*. Gorivi mara. ಸೊರವಿವುರ.
- 3 Bandhuca, Roxb. Jungle Geranium. India. s Fl. scarlet.
- 4 alba, Roxb, s China, (See I. stricta, Roxb.) Fl. white.
- 5 acuminata, Roxb. India. s Fl. white.
- 6 cuneifolia? Roxb. India. s Fl. rose-coloured.
- 7 species. s Fl. white. Probably polyantha, W.

17 Pavetta, LINN.

1 indica, Linn. Pavutty Kayi. India. s Fl. white. Kan. Pavate mara. ಮಾಟ ಮರ.

18 Coffea, Linn.

1 arabica, Linn. Arabian Coffee. s Fl. white. Kan. Kapi gida. కాటగాల్.

2 Liberica, Hiern (?) Liberian Coffee. T Fl.

white.

19 Morinda, Linn.

- 1 citrifolia var. bracteata, Trop Asia. # Fl. white.
- 2 umbellata, Linn. India and Ceylon. s Fl. white. *Tamil.* Nunamaram. ನುಣಾವುರಂ.

20 Psychotria, Linn.

1 species. Shrub with large, simple, glossy leaves. terminal, paniculate inflorecence, and berried fruit.

21 Spermacoce, Linn.

1 hispida, Linn. A weed. Indra. Fl. blue or whitish.

22 Rubia, Tourner.

- 1 cordifolia, Linn. Indian Madder, or Munjeet.
- 2 tinctorum, Linn, Madder. Europe. # Fl. greenish yellow.

23 Pentas, Benth.

1 carnea, Benth. S. Africa. s Fl. rosy-flesh.

24 Hamelia, JACQ.

1 patens. Jacq. Hispaniola. s or TFl. orangered.

25 Cinchona, LINN.

- 1 succirubra, Wedd. Peruvian Red Bark. S. AMER. T
- 2 calisaya, Wedd. Yellow Bark of Bolivia. S. Amer. =

3 condaminea, Rusty Crown Bark. S. AMER. T 4 species. S. AMER. T

26 Rondeletia, LINN.

1 speciosa Lodd. Mexico. s Fl. red.

27 Manettia, Mutis.

1 cordifolia, Mart. BRAZIL. C

28 Catesbæa, Linn.

1 spinosa, Willd. S. Amer. s Fl. green to pale lemon.

29 Hoffmania, SWARTZ-

1 robusta. H

ORDER LXV

DIPSACEÆ

THE TEAZEL FAMILY

A small Order of herbs or rarely shrubs, mostly confined to the Old World. It possesses the general characters of Compositæ, but the anthers are distinct, and not syngenesious.

1 Dipsacus, Linn.

1 fullonum, Linn. Europe. Fullers Teazel. # Fl. purple.

2 Scabiosa, Linn.

- 1 atropurpurea, Linn. EUROPE, Scabious, F. Fl. dark purple.
- 2 ,, var. nana. H Fl. maroon-crimson to white.

3 atropurpurea, var. striata. # Fl. streaked and spotted.

4 ,, var. foliis aureis. H Yellow foliage.

ORDER LXVI.

COMPOSITÆ.

THE COMPOSITE FAMILY.

Herbs, shrubs, or rarely trees; the latter being soft wooded, and mostly indigenous to South America. This is the largest Order of flowering plants, comprising about 8,000 known species from all parts of the world. It is also very clearly defined by the following characters:—

- 1. The usually herbaceous nature of species.
- 2. The capitate inflorescence, *i.e.*, the gathering into a single dense head of many individual florets, so that the whole might be mistaken for a single large flower. The daisy, for example, is often looked upon as a simple flower.
- 3. The united or syngenesious anthers.
- 4. The inferior ovary containing one erect ovule.

Being a very large family, Composite is divided into several tribes and numerous sub-tribes. The modifications of structure found under the headings *Tubulifloræ*, and *Ligulifloræ* should be carefully noted by the Indian student. Nos. 41 and 46 represent these two Sub-Orders.

1 Centratherum, Cass.

1 courtallense, Benth. India. # Fl. yellow.

2 Vernonia, Schreb. Speedwell.

- 1 cinerea, Less. *Fleabane*. Europf. ⊙ Fl. whitish. Kan. Kari hindi soppu. కారియిన నుంపు.
- 2 divergens, Benth. India. # Fl. reddish brown to dirty white.
- 3 arborea, Ham. NILGIRIS. = Fl. whitish-yellow.
- 4 anthelmentica, Willd. India. ⊙ Fl. reddishpurple.
- 5 elæagnifolia, DC. India. c Fl. white.

3 Elephantopus, Linn.

1 scaber, Linn. TROP. ASIA. #

4 Adenostemma, Forst.

1 viscosum, Forst. India and Ceylon. O

5 Ageratum, Linn.

- 1 mexicanum, DC. Mexico. ⊙ Fl. blue, lavender, and white.
- 2 conyzoides, Linn. India. ⊙ Fl. pale-blue to white.

6 Solidago, Linn. Golden Rod.

1 latifolia, Linn. N. AMERICA. # Fl. yellow.

7 Eupatorium, Linn. Hemp-agrimony, and Thoroughwort.

- 1 Reevesii, Wall. NORTH INDIA. c Fl. whitish.
- 2 ageratoides, L. H. N. AMERICA. Fl. white.

8 Dichrocephala, DC.

1 latifolia, DC. India. O Fl. greenish-yellow.

9 Grangea, Adanson.

1 madraspatana, Poir. India. ⊙ Fl. yellow. Kan. Muttu kárási gida. ಮುತ್ತು ಕಾರಾಸಿ ಗಡೆ.

10 Brachycome, Cass.

- 1 diversifolia, F. et. M. Swan River Daisy.

 Fl. blue.
- 2 iberidifolia, Benth. W. Austrilia.

 Fl. blue, purple or white.

11 Aster, Linn. Michaelmas Daisy.

- 1 Amellus, Linn. Europe. # Fl. bright purple.
- 2 cordifolius, Linn. CANADA. # Fl. white to mauve or purple.
- 3 punicens, Linn. Canada #

12 Callistephus, Cass.

1 chinensis, Nees. China Aster. • Fl. various.

13 Erigeron, Linn. American Fleabane.

1 linifolius, Willd. N. AMERICA.

14 Conyza, Less.

1 stricta, Willd. India. ⊙ Fl. reddish-yellow. Kan. Bettada davana gida. ಪಟ್ಟದದವನ ಗಡ.

15 Blumea, DC.

- 1 amplectens, DC. India. Fl. reddish-yellow.
- 2 do. var. tenilla? India. O
- 3 bifoliata, DC. India and Ceylon. ⊙ Fl. yellowish.
- 4 Wightiana, DC. India. © Fl. purplish. Kan. Gabbu soppu. గట్టు నూట్నే.
- 5 lacera, DC. India and Ceylon. ⊙ Fl. yellow. Kan. Gándhárí gida. ಗಾಂಧಾರೀ ಗಿಡ.
- 6 species. Possibly a variety of the last named. Fl. reddish-yellow.

16 Laggera, Sch. Bip.

1 alata, Schultz-Bip. India. # Fl. pale purple.

Kan. Bettada kuppe gida. ಪೆಟ್ಟದಕುಸ್ತೆ ಗಿಡ.

17 Pluchea, Cass.

- 1 indica, Less. India. s Fl. whitish.
- 2 tomentosa, DC. India. s Fl. reddish.

18 Sphæranthus, WILLD.

- 1 amaranthoides, Burm. India. ①
- 2 africanus, Linn. India and Africa. O
- 3 indicus, Linn. India and Ceylon. ⊙ Fl. reddish purple. Kan. Múdugattina or Bódu kadale soppu. మండు గట్టన (జ్యూడాజలి) గూడ్పు.

This weed is often mixed with stored grain to preserve the latter from the attacks of insects.

19 Filago, Linn.

1 species (?) India. A prostrate woolly herb. Flyellow.

19½ Anaphalis, DC.

1 oblonga, DC. India and Ceylon. Fl. whitishpink.

20 Gnaphalium, Linn.

- 1 luteo-album, Linn. India. ⊙ Fl. whitish yellow.
- 2 indicum, Linn. India. © Indian Cudweed. Fl. yellowish.

21 Helichrysum, Pers. Everlasting Flower

- 1 bracteatum, Willd. Gold Sunflower. S. Austr.

 Fl. yellow, crimson, and white.
- 2 orientale, The French Immortelle.

22 Vicoa, Cass.

1 auriculata, Cass. India. ⊙ Fl. yellow. Kan. Honnavarike soppu. ಹೊನ್ನ ವರಿಕೆ ಸೊಪ್ಪು.

23 Lagascea, Cav.

1 mollis. Cav. TROP. AMER.

An abundant weed in garden land. Fl. white.

24 Xanthium, Linn.

1 strumarium, Linn. India. © Fl. greenish white. Kan. Maralu ummatti gida. ವಾರಳು ಉಮ್ಮತ್ತಿ

25 Siegesbeckia, Linn.

1 orientalis, Linn. India. ⊙ Fl. yellow.

26 Eclipta, Linn.

1 alba, Hassk. India. ⊙ Fl. white. Kan. Garugalu soppu. ಗರುಗಲು ಸೂಪ್ಪು. A much prized medicinal weed.

27 Blainvillea, Cass.

1 latifolia, DC. Tropics everywhere. ⊙ Fl. yellowish.

28 Wedelia Jacq.

1 calendulacea, Less. India. H

29 Spilanthus, Linn. Button Flower.

1 Acmella, Linn.

- 2 ,, var. calva, Clarke. India. ⊙ Fl. yellow. Kan. Sanna vana mugali gida.. ಸಣ್ಣ ವನವುುಗಳ ಗಿಡ
- 3 ,, var. oleracea, Clarke. India. ⊙ Fl. yellow. *Kan.* Dodda vana mugali gida. ದೊಡ್ಡ ವನ ಮುಗಳಿ ಗಡ

30 Guizotia, Cass.

1 abyssynica, Cass. Trop. Africa. 💿 Fl. yellow. Kan. Hutchu yellu gida. ముణ్కు ఎక్టుగిడ. The foolish-oil plant. A common field crop in Mysore.

31 Bidens, Linn.

1 pilosa, Linn. India. Bur-marigold. Fl. white. to pale yellow.
,, var. bipinnata, India, ⊙

32 Achillea, LINN.

1 Millefolium, Linn. Yarrow or Miltoil. EUROPE. II Fl. pinkish purple to dull white.

33 Chrysanthemum, Linn. Ox-eye.

- 1 indicum, L. Trop. Asia.

 ## Kan. Sevantige gida. ಸೇವಂತಿಗೆ ಗಿಡ.
- 2 coronarium, Linn. S. Europe. # Crown {
 Daisy.
 3 tricolor, Linn. Europe. # (carinatum?) }
 4 frutescens. Europe. The Marguerite.

34 Cotula, Linn.

1 Australis, Hook. fil. C. G. HOPE. • Fl. yellow.

35 Artemisia, Linn.

- 1 Abrotanum, Linn. Europe. Southernwood ##
 Kan. Davana gida. ವವನ ಗಡ
- 2 vulgaris, Linn. India. # Kan. Manji patre gida. ಮಂಜಿಪತ್ರ ಗಿಡ.
- 3 Absinthium, Linn. N. India and Asia. Fl. yellow. Wormwood.

36 Gynura, Cass.

1 nepalensis, DC. N. India and Java. H Fl. orange-yellow.

37 Emilia, Cass.

1 sonchifolia, DC. India. • Fl. purple.

38 Notonia, DC.

1 grandiflora, DC. Western Peninsula. Fl. yellow.

39 Senecio, Linn.

- 1 Hokenackeri, Hook. India. s Fl. reddish-yellow. Kan. Kadu gobli gida. కాడుగొంటి, గిడ
- 2 tenuifolius, Burm. India. O Fl. yellowish.
- 3 candicans, DC. INDIA. c Fl. pale yellow.
- 4 species. India. ①

40 Calendula, Neck.

1 officinalis, Linn. Common Marigold. S. EUROPE.

• Fl. yellow.

41 Echinops, Linn.

1 echinatus, Roxb. A nativo weed. ⊙ Fl. white. Kan. Brahmadande gida. ಬ್ರಹ್ನದಂಡೆ ಗಡ

42 Tricholepis, DC.

- 1 radicans, DC. India. ⊙ Fl. lilac-brown. Kan. Kusute soppu. ಕುಸುವೆ ಗಿಡ.
- 2 amplexicaulis, Clarke. India. 💿

43 Centaurea, Linn. Knapweed.

- 1 cyanus, Linn. Cornflower or Bluebottle. EUROPE.

 The Fl. blue to purple, and white.
- 2 ciueraria, Linn. Europe. H
- 3 argentea, Linn, CRETE. = Foliage white.
- 4 calcitrapa, Linn. India. # Fl. purple.

44 Carthamus, Linn.

1 tinctorius, Linn. Safflower. Egypt. © Fl. orange-red. Kan. Kusumba gida. ಕುನುಂಬ ಗಿಡ. Cultivated in India.

45. Dicoma, Cass.

1 tomentosa, Cass. India and Trop. Africa. Fl. whitish. \odot Kan. Sanni gida. సన్ని గిజ్.

46 Cichorium, Linn.

- 1 I'ntybus, Linn. Succory. EUROPE. . Fl. blue.
- 2 Endivia. Endive. Asia. \odot Hind. Kácinipatta. තාඛ්ධයම්

47 Taraxacum, HALL.

1 officinale, Wigg. Europe. # Dandelion. Fl. yellow.

48 Lactuca, Linn.

- 1 sativa, Linn. Lettuce. S. Europe. \odot Kan. Saládi. నలుది.
- 2 Heyneana, DC. India. ⊙ Kan. Hálmulangi soppu. కాల్ములంగి నుంచ్చు.

49 Sonchus, LINN.

1 oleraceus, Linn. Sow Thistle. Europe. • Fl. yellow.

50 Farfugium, LINDL.

1 grande, Lindl. CHINA. # Fl. yellow.

- 2 Do var.

 Leaves blotched or spotted white.
- B Do. var. H Leaves blotched or spotted yellow.

51 Flauria, Benth.

1 australasica, Benth. Aust. ⊙ A naturalised weed with dense heads of small orange-yellow flowers.

52 Zinnia, Linn.

1 elegans, Jacq. America. O

2 multiflora, Linn. Mexico.

[]

3 Darwinii, Hort. 💿

4 Haagiana, Hort. OFL yellow.

Fl. various.

53 Argyranthemum. WEBB.

1 frutescens, Schultz. Teneriffe. # Fl. white.

54 Cosmos, CAV.

1 sulphureus, Cav.

Fl. rosy-purple.

55 Cacalia, Burm. (See Vernonia)

1 sempervirens, Spr. C. G. HOPE. #

- 56 Gaillardia, N. American herbs.
 - 1 grandiflora, Hort. •

2 picta coccinea, Hort. \odot Fl. various.

3 hybrida. Hort. o

57 Gazania, GAERT.

- 1 splendens? Treasure Flower. C. G. Hope. = F1. yellow.
- 58 Helenium, Link.

1 tenuifolium, Nutt. N. AMER. H. Fl. yellow.

59 Tagetes, Linn.

- 1 erecta, Linn. African Marigold. ⊙ MEXICO. Fl. orange yellow. Kan. Chendu mallige gida, ಜ್ಯಡಮೆಲ್ಲಿಗೆ ಗಡೆ.
- 2 patula, Linn. French Marigold. ⊙ Mexico. Fl. mostly bright yellow.
- 5 pumila, Fl. yellow.
- 60 Calliopsis, Reichb. Tickseed.

1 aristata, AMER. © Fl. large, golden-yellow.

2 Drummondii, Don. O AMFR. Fl. golden-yellow.

3 tinctoria. • Fl. crimson-brown tipped with orange-yellow.

4 coronata,
Fl. orange-yellow, with crimson circle.

61 Bellis, LINN.

1 perennis, Linn. The Daisy. EUROPE. # Fl. white with yellow centre.

- 2 do. fl. pl. # Fl. white to pinkish, or reddish white.
- 62 Cineraria, Linn.
 1 maritima, Linn. S. Europe. #
- 63 Sanvitalia, CAVAN.

 1 procumbens, Lam. Mexico. ⊙ Fl. yellow.
- 64 Pyrethrum, GAERTN. Feverfew.
 - 1 carneum, Bibr. Caucasus. # 2 Parthenium, Smith. Europe. #
 - 3 Parthenifolium, aureum, Willd. CAUCASUS. #
- 65 Cynara, VAILL.

 1 scolymus, Linn. Globe Artichoke. S. Europe.

 Ex Fl. purple.
- 66 Dahlia, CAV.
 1 variabilis, Desf. Mexico. # Fl. various.
- 67 Helianthus, Lann.
 - 1 annaus, Linn. Sunflower. S. Amer. ⊙ Fl. yellow. Kan. Hottutirugana, or Súryakánti gida. ಹೊತ್ತುತಿರುಗನ (ಸೂರ್ಯಕಾಂತಿ) ಗಡ.
 - 2 argyreus, Linn.
 - 3 tuberosus, Linn. Jerusalem Artichoke. Brazil.
 - 4 species.
- 68 Polymnia,
 - 1 grandis, AMERICA. Shrub or small tree. Fl. large, white with yellow centre.
- 69 Vittadenia,
 - 1 australis, Australian Daisy. # Fl. pinkish changing to white. Much cultd. at Bangalore.
- 70 Verbesina, Linn.

 1 gigantea, Linn. Jamaica. Fl. large, yellow. s

ORDER LXVII.

CAMPANULACEÆ.

THE BELL-FLOWER FAMILY.

A large family of herbaceous plants (rarely soft wooded shrubs) found in nearly all parts of the world. It includes two well marked tribes, viz. Lobelieæ with an irregular 2—lipped corolla, as in species of No. 2, and Campanuleae with its regular bell-shaped flower as in No. 6. The cohesion of anthers in Lobelieae, and rarely in Campanuleae, is another diagnostic. The flowers are not produced in heads as in Compositae.

1 Pratia, GAUD.

1 begonifolia, Lindl. India. ==

2 Lobelia, LINN.

- 1 nicotianæfolia, Heyne. India. # Fl. white.
- 2 succulenta, Blume. Neilgherry Grass. II Fl. pinkish-white.
- 3 longiflora, W. W. Indies. # Fl. white.
- 4 cardinalis, Linn. N. AMER. # Fl. scarlet.
- 5 erinus, Linn. S. Africa. ⊙ Il. blue or white.
- 6 ramosa, Benth. Austr. Fl. blue.
- 7 erinoides, Linn.

 Fl. blue.
- 8 trialata, Ham. India. O
- 9 radicans? Thunb. India. A weed of moist places.
- 10 species? Received from Madras. Fl. reddish.
- 11 fulgens, x Cardinal Flower. Fl. rich vermilion.

3 Cephalostigma, A. DC.

- 1 Schimperi, Hochst. India. # Fl. blueish.
- 2 flexuosum, H. F. and T. India. #

4 Wahlenbergia, Schrad.

1 agrestis, Alph. lndia. ⊙ (See. W. gracilis, D.C.) Fl. blue.

5 Sphenoclea, GAERTN.

1 zeylanica, Gaertn. India. O Sub-aquatic.

6 Campanula, Linn. Hairbell.

- 1 pyramidalis, Linn. Bell-flower. S. Europe. # Fl. blue or white.
- 2 Vidallii, Hook. Azores. # Fl. purple.
- 3 Rapunculus, Linn. S. Europe. # Rampion. Fl. purplish blue.
- 4 medium, Linn. S. Europe. Canterbury Bell. # Fl. various.
- 5 isophylla, **z** Ligurian Hairbell. Fl. bright blue with white centre.

7 Trachelium, IANN. Blue Throatwort.

1 cæruleum, Linn. Throatwort. SARDINIA. II Fl. blue.

ORDER LXVIII

PLUMBAGINACEÆ.

THE THRIFT FAMILY.

A small Order of herbs and undershrubs mostly confined to the sea-shores of various countries. The blue flowered shrub which lines the central walks in the Lal-Bagh (*Plumbago capensis*) is a type of the family. *Learcs* alternate, simple. *Flower* regular, and in parts of five. Ovary superior, one-celled, branching into five styles. Observe the visced hairs which cover the calyx of the type species.

1 Plumbago, Linn. Leadwort.

- 1 zeylanica, Linn. India. s Fl. white. *Kan.* Bili chitramúla gida. ພ້າ ພ້ອງລ່າລຸຍ ຄອ.
- 2 capensis, Thunb. C. G. Hope. s Fl. blue. Kan. Chitramúla gida. ಚಿತ್ರವಾಖಲ ಗಡ
- 3 rosea, Linn. Moluccas. s Fl. reddish-pink. Kan. Kempu chitramúla gida. శంభుత్వుంల ాడ. No. 1 seems to be truly wild in some parts of Mysore.

ORDER LXIX.

PRIMULACEÆ.

THE PRIMROSE FAMILY.

A small Order of herbs inhabiting the temperate and alpine regions of the northern hemisphere. No. 2 is the only wild species here, and it properly belongs to Europe and West Asia. Radical leaves, perfect, showy flowers and small capsular fruits, are general features of the group. Note also the free central placentation.

l Primula, Linn.

1 vulgaris, Huds. Common Primrose. Europe. Fl. yellow and various.

2 Anagallis, LINN.

1 arvensis, Linn. *Pimpernel*. Europe. ⊙ *Kan.* Súryakánti soppu. నూర్వాకాంకి నూల్పు.

3 Cyclamen, Linn.

1 persicum, Mill. Cyprus. Sow Bread. # Fl. purplish red, to violet-white and rose.

ORDER LXX.

MYRSINEÆ.

THE ARDISIA FAMILY.

Tropical shrubs and trees. Closely allied to the preceeding family, from which, however, they are clearly separated by position, size, and texture, Leaves simple, alternate, gland-dotted and exstipulate. Flowers hermaphrodite or more rarely unisexual. Placentation free central. Fruit commonly a small berry with one or more seeds.

1 Mæsa, Forsk.

1 indica, Wall. India. T

2 Embelia, BURM.

1 robusta, Roxb. India. s

- 3 Ardisia, SWARTZ.
 - 1 involucrata, Kurz. From B. G. CALCUTTA, Fl. pink.
 - 2 polycephala. Wall. W. Indies. s Fl. pale rose to pink.
 - 3 humilis, Vahl. India s Fl. pink. Kan. Bódina gida. සමෑවන් වස්,
 - 4 species from Java, by Beddome, s Fl. reddish pink.
- 4 Jacquinia, LINN.
 - 1 ruscifolia, Jacq. S. AMER. s Fl. white.
 - 2 armillaris W. W. Indies. s
 - 3 aristata, Fl. dull red.

ORDER LXXI.

SAPOTACEÆ.

THE SAPODILLA FAMILY.

This tropical Order of trees and shrubs is generally marked by its milky juice, and strongly scented flowers;

the latter mostly affecting a creamy-white colour. Leaves alternate, leathery, entire, and usually exstipulate. Flowers regular in axillary clusters. Stamens epipetalous, and 5, 10, or 15 in number. But additional rudimentary stamens (staminodes) are frequently present. Ovary superior. Fruit a 1—8 seeded berry.

1 Chrysophyllum, Linn.

1 cainito, Linn. W. Indies. Fl whitish. The Star Apple.

2 Sideroxylon, Linn,

1 inerme, Linn. Iron Wood. C. G. HOPE. T Fl. greenish.

3 Bassia, Linn.

1 latifolia, Willd. Mahwa Tree. India. Fl. whitishyellow or creamy. Kan. Ippe mara. ಇತ್ಸವನ

2 longifolia, Linn. Wild Sapota Tree. India. Kan. Kádu ippe mara. ಕಾಡು ಇವುವುರ.

4 Mimusops, Linn.

- 1 elengi, Linn. India. 🛨 Fl. white. Kan. Pagade mara. ವಗಚಿಮರ.
- 2 hexandra, Roxb. India. ±

5 Achras, Linn.

1 sapota, Linn. Sapodilla Tree. W. Indies. Fl. whitish.

ORDER LXXII.

EBENACEÆ.

THE EBONY FAMILY.

Tropical shrubs and trees. Represented in India by two genera, *Maba* and *Diospyros. Leaves* as in *Sapotace* generally. *Flowers* diœcious, subsessile or

shortly pedicellate, with an articulation near the apex of each pedicel, commonly bracteate. Calyx inferior and often accrescent in the fruit. Stamens equal to, or 2—3 times as many as the corolla lobes. With or without staminodes. Ovary superior, with 2—8 styles. Fruit conspicuous and usually berried.

1 Diospyros, Linn.

1 sapota, Roxb. MAURITIUS. T

2 embryopteris. Pers. Gaub Tree. India. Fl. white. Kan. Olle túpra mara. ಒಳ್ಳ ತೂಪ್ರಮರ.

3 montana, Roxb. Mountain Ebony. INDIA. \pm Fl. green. Kan. Jagalaganti mara. ಜಗಳಗಂಟ ಮರ.

4 Kaki, Linn. India. T

5 Ebenum, Koenig. Ceylon and India. The Ebony Tree. Kan. Balé mara. ಬಾಳವರ.

6 Tupru? Buch-Ham. India. A small tree with the foliage of the Jamoon. Fruit the size of a crab apple and turning bright yellow. Kan. Túpra mara. கூதுவர்.

ORDER LXXIII.

OLEACEÆ.

THE OLIVE AND JASMINE FAMILY.

An Old World family of trees and shrubs, characterised by long domestic use and a few technical points of interest. Of the latter note the want of symmetry in the flower, the stamens being only two in number while the sepals and petals are usually in fours and fives. Again, the ovary is 2—celled, hence we have the reproductive organs made up of two stamens and the same number of carpels. The tribe Jasmineæ has many species affording deliciously fragrant white and yellow flowers.

(TRIBE JASMINEÆ.)

1 Jasminum, Linn. All scandent shrubs.

1 Sambac, Ait. Double Jasmine. Trop. Asia. Fl. white. Kan. Dundu (ælusuttina) mallige gida. ದುಂಡು (ಏಳುಸುತ್ತಿನ) ಮಲ್ಲಿಗೆ ಗಿಡ.

,, var. fl. pl. Trop. Asia. Kan. Katte mallige gida. ಕತ್ತೆ ಮಲ್ಲಿಗೆ ಗಿಡ. 2

- 3 grandiflorum, Linn. India. c Fl. white, slightly streaked with red. Kan. A'ne jáji mallige gida. ಆನೆ ಜಾಜಿ ಮಲ್ಲಿಗೆ ಗಿಡ.
- 4 officinale. Linn. Common Jasmine. Trop Asia. Kan. Sanna jáji mallige gida. ಸಣ್ಣ ಜಾಜಿಮಲ್ಲಿಗೆ ಗಿಡ
- 5 odoratissimum, Linn. Yellow Jasmine. MADEIRA.
- 6 latifolia, Roxb. India. Broad leaved. (See J. arborescens, Roxb.)

7 angustifolium, Vahl. India. Fl. white.

- 8 rigidum, Zenker. India. Fl. white. Kan. Kádu mallige gida. ಕಾಡು ಮಲ್ಲಿಗೆ ಗಿಡ
- 9 auriculatum, Vahl. India. Fl. white. Kan. Sanna malle gida. ಸಣ್ಣ ಮಳ್ಳೆಗಿಡ
- 10 flexile, Vahl. India. Fl. white. Kan. Bana mallige gida. ಬಾಣ ಮಲ್ಲಿಗೆ ಗಿಡ.
- 11 humile, Linn. India. Fl. yellow. Kan. Hasaru jáji mallige gida. ಹಸರು ಜಾಜಿಮಲ್ಲಿಗೆ ಗಿಡ.
- 12 species. India. Fl white. Kan. Súji mallige gida. ಸೂಜಿ ಮಲ್ಲಿಗೆ ಗಿಡ.
- 13 pubescens, Willd. India. c Fl. white. Kan. Básti mallige gida. ಬಾಸ್ತಿ ಮಲ್ಲಿಗೆ ಗಿಡ.
- 14 species. India. Kan. Eruvantige mallige gida.
 - No. 14 may be J. Sambac var. Heyneana, Wall.
- 15 species. India. Kan. Gundu mallige gida. ಗುಂಡುವುಲ್ಲಿಗೆ ಗಿಡ. This popular plant is evidently a variety of No. 1.

28

2 Nycthanthes, Linn.

1 arbor-tristis, Linn. India. s Fl. pale yellow. Kan. Párijáta gida. ಸಾರಿಚಾತ ಗಡೆ.

(TRIBE OLEINEÆ.)

3 Olea, LINN.

1 europea, Linn. The Olive. Syria and Greece. T

2 species, A small spreading tree.

4 Ligustrum, LINN.

1 robustum. Indian Privet. = Fl. white and fragrant.

5 Myxopyrum, Blume.

1 smilacifolium, Blume. India. c Fl. yellowish.

6 Noronhia, Thouars.

1 emarginata, Poir. MADAGASCAR. = Fl. white.

ORDER LXXIV

SALVADORACEÆ.

A very small Order of trees and shrubs. Closely allied to *Oleaceæ* from which it is determined by having 4 stamens.

1 Azima, Lamk.

1 tetracantha, Lamk. India. c s Kan. Bili wuppi gida. బిగ్గి అస్స్ట్ సావే.

ORDER LXXV.

APOCYNACEÆ:

THE DOGBANE FAMILY.

A tropical family of shrubs, rarely trees, usually of a climbing habit and possessing a milky juice. - Leaves opposite or whorled, exstipulate, entire, and commonly

glabrous or shining. Flowers in terminal or axillary clusters, handsome, white and yellow colours prevailing. Parts in fives, or in fours by suppression. The morphology of the pistil is unique in this Order, the carpels being often free at the base but united in the style and stigma. Observe too the hour-glass form of the latter. Nos. 1, 5, 10 and 15, are good specimens for dissection.

1 Carissa, LINN.

- 1 carandas, Linn. India. s Fl. white. Kan. Korinda gida. కూరిండ గడ. The fruit is edible and nice.
- 2 spinarum, A. DC. India. c s Fl. white. Kan. Náyi kalame gida. ನಾಯಿಕಲಮೆ ಗಿಡ.
- 3 edulis.
- 4 macrophylla, Wall. India. c s Fl. white.

The vernacular name given to No. 1 applies more or less to all the indigenous species.

2 Rauwolfia, Linn,

1 canescens, Linn. Jamaica. s Fl. whitish.

3 Cerbera, Linn.

1 Odollam, Gaertn. Sea-shore and salt swamps.
INDIA AND CEYLON. = Fl. white.

4 Kopsia, Blume.

1 fruticosa, A. DC. JAVA. s Fl. pink and red.

5 Vinca, Linn.

1 major, Linn. Periwinkle. Europe. c Fl. blue.

2 rosea Linn. India. s Fl. rosy red. Kan. Kempu kási ganugalu gida. ಕೆಂಪು ಕಾಸಿ ಗಣುಗಲು గిడ

3 " var alba. India. s Fl. white. Kan. Bili kási ganugalu gida. อิริชาม ศะเมษย

6 Plumiera, Linn.

1 acutifolia, Poiret. TROP. AMER. Naturalised in India. Pagoda Tree. Fl. yellowish-white or

- cream. Kan. Déva ganugalu mara. ದೇಶ ಗಣುಗಲು ಮರ
- 2 alba, Jacq. W. Indies. T Fl. pure white.
- 3 species. s Fl. white.

7 Alstonia, Br.

- 1 scholaris, Brown. India. 🛨 Fl. greenish-white. Kan. Jantala mara, ಜಂತಲ ಮರ
- 2 venenatus, Brown. India. s Kan. Addasarpa gida. ಅತ್ವಸರ್ವಗಿತ.

8 Holarrhena, Br.

1 antidysenterica, Wall. India. # Fl. white.

9 Tabernæmontana, Linn.

- 1 coronaria, R. Br. India. s Fl. white. Kan. Nandi batlu gida. నెందిబట్టు నిజ
- 2 ,, var. fl. pl. Fl. white.
- 3 species s Fl. large white with creamy centre.

10 Vallaris, R. Br.

1 dichotoma, Wall. India. c (See V. Heynei, Spreng.) Fl. white, fragrant. Kan. Bugadi gida. ਘਸਕ ਸਭੋ.

11 Wrightia, R. Br.

- 1 tinctoria, R. Br. *Ivory Wood*. India. **ד** Fl. white. Kan. Beppále mara. ಪೆಸ್ಟ್ರಿಕ್ ಮೆರ.
- 2 tomentosa, var. Mollissima. India. エ Fl white. Kan. Kádu ganugalu gida. ಕಾಡು ಗಣುಗಲು ಗಡ.

12 Nerium, LINN.

- 1 odorum, Solan. Oleander. India. s Fl. white, rose, or crimson, fragrant and showy. Kan. Ganagalu gida. ਸਵਾਸਦ ਨਵ.
- 2 ,, var. alba. s Fl. white.
- 3 ,, var. fl. pl. s Fl. rose or crimson.

13 Beaumontia, WALL.

- 1 grandiflora, Wall. India. c Fl. white, showy.
- 2 jerdoniana, Wight. India. c Fl. white, showy.

14 Thevetia, Juss.

1 neriifolia, Juss, The Exile Tree. W. Indies. Fl. yellow, showy.

15 Allamanda, WILLD.

- 1 neriifolia, Hook. S. AMER. s Fl. yellow.
- 3 grandiflora (?) Pohl. Brazil. s Fl. yellow.
 4 species, s Fl. yellow.

16 Ichnocarpus, Br.

1 frutescens, Br. India. c s Fl. white.

17 Roupellia, WALL.

1 grata, Wall. Seirra Leone. s Fl. rosy-white to crimson.

18 Dipladenia,

1 Brearleyana, Fl. pink changing to crimson, showy.

19 Echites, Linn.

- 1 sub-erecta. c
- 2 paniculata, Roxb. Silhet. c Fl. yellowishwhite. (See Anodendron paniculatum A. D.C.

20 Landolphia.

- AFRICA. O Fl. white. African 1 Kirkii.
- 2 Watsonii. do. rubber is extracted a
- C do. 3 species. from these plants.

21 Rhyncospermum, Lindl

1 jasminoides, Lindl. CHINA. c Fl. white, fragrant.

22 Adenum, R. AND S.

1 obesum, D.C. ARABIA. s

ORDER LXXVI.

ASCLEPIADACEÆ.

THE MILKWEED FAMILY.

As in the preceeding family, this large tropical Order is characterised by a milky juice. There are no trees, and the numerous shrubs are often of a climbing habit. The reproductive or essential organs of the flower are arranged in a manner peculiar to this Order alone. Anthers coherent, with the pollen masses resting upon the stigma, which is 5 rayed or columnar. Coronal processes angled, fleshy, and more or less columnar. When the structure of the flower is once understood, it is not difficult to determine plants of the Asclepiadaceæ. Examine species of Nos. 1, 6, 14 and 18. The flowers of Hoya viridiflora are absolutely green, while there is a strong tendency to yellowish-green in many indigenous species.

1 Hemidesmus, R. BR.

1 indicus, R. Br. Bastard Sarsaparilla. India. c Fl. greenish-purple. Kan. Sugandhi balli, నుగం ఫ ట్ఫ్.

2 Cryptolepis, Br.

- 1 Buchanani, Roem. India. c Fl. yellow.
- 2 grandiflora, Wight. India. c

3 Cryptostegia, Br.

1 grandiflora, R. Br. India. c Madagascar. Fl pinkish-purple.

4 Secamone, BR.

1 emetica, Br, India. c Kan. Síranige hambu.

5 Oxystelma, Br.

1 esculentum, Br. India. c Fl. white-rose with purple veins.

6 Calotropis, R. Br.

- 1 gigantea, R. Br. The Mudar. India. s Fl. blueish-purple. Kan. Yekkada gida. ఎక్టానిక
- 2 ,, var. alba. India. s Fl. white. Kan. Bili Yekkada gida. బిశ్రా దెగిత.
- 3 procera, Br. India. s Fl. purple.

7 Asclepias, Linn. Swallow Wort.

1 curassavica, Linn. S AMER. s Fl. scarlet and orange.

8 Dæmia, Br.

1 extensa, Br. India. o Fl. yellow, green, and dull red. Kan. Juttuve balli.

9 Cynanchum, Linn,

- 1 alatum, Wight. INDIA. c Fl. greenish-purple.
- 2 Callialata, Ham. India. c Yellowish-purple.

10 Sarcostemma, R. Br.

1 brevistigma, W. and A. India. c H Fl. white. Kan. Hambu kalli. జెంబుక్కు.

11 Gymnema, Br.

1 sylvestre, Br. India. c Kan. Sanna gerse hambu. నంణగర్శవంటు.

12 Pergularia, Linn.

1 minor, Andr. India, China, and Japan. c The Indian Cowslip Creeper, Fl. pale yellow.

13 Stephanotis, Thouars.

1 floribunda, Thouars, MADAGASCAR. = Fl. pure white.

14 Tylophora, R. Br.

- 1 asthmatica, W. and A. India. c Fl. yellowish and purple. *Kan*. A'dumuttada gida. ಆಡು ಮುಟ್ಟದಗಿತ.
- 2 pauciflora, W. and A. India c
- 3 zeylanica Done. India and Ceylon, o
- 4 tenuis, Blume. INDIA. c Fl. purple.

15 Hoya, R. Br.

- 1 carnosa, R. Br. Wax Flower. China. c Fl. fleshy-pink.
- 2 imperialis, (?) Lindl. Borneo. c Fl. reddishbrown.
- 3 viridiflora, R. Br. India. c Fl. green.
- 4 Bella, Hook. India. c Fl. white with rosycrimson centre.
- 5 ovata, (?) c Nos. 2 and 5 are entered with some hesitation. The collection includes a beautifully variegated plant which appears to be a variety of H. carnosa.

16 Leptadenia, R. Br. 1 reticulata, Wight. India. c

17 Brachystelma, Br.

1 Beddomei, Hook? India. c = Fl. purplish.

18 Ceropegia, Linn.

1 juncea, Roxb. India. c Fl. greenish, streaked with purple.

- 2 mysorensis, Wight. c India. Fl. pale greenish-straw.
- 3 tuberosa, Roxb. c India.
- 4 hirsuta, Wight. c India. Fl. greenish, blotched purple.
- 5 species. c India. Fl. yellowish,

19 Gomphocarpus, R. Br.

1 fruticosus, R. Br. AMERICA. s Fl. white.

20 Caralluma, R. Br.

- 1 adscendens, R. Br. India. s H Fl. purple.
- 2 edulis, Benth. India. s = Tender shoots eaten by children. Fl. yellowish-purple.

21 Boucerosia, R. Br.

- 1 umbellata, W. and A. India. s # Fl. purple on a golden-yellow ground.
- 2 species. India. s # Fl. purple.

ORDER LXXVII.

LOGANIACEÆ.

THE STRYCHNOS FAMILY.

This Order possesses many of the characters of Rubiacea. It is distinguished from that family, however, by its superior ovary. Herbs, shrubs and trees, of tropical and sub-tropical countries.

1 Mitrasacme, Labille.

1 alsinoides, Br. India.

Fl. small, white.

2 Buddleia, Linn.

1 asiatica, Lour. India and China. s Fl. white.

3 Fagræa, THUNB.

1 coromandeliana, R. W. India. # (See F. obevata, Wall.) Fl. white, showy.

4 Strychnos, LINN.

1 Nux-vomica, Linn. India. т Kan. Nanjina koradu, (mushti) mara. ನಂಜಿನಕೊರಡು. (ಮುಸ್ಟಿ) ಮರ

2 potatorum, Linn. 18DIA. # Kan. Chillu mara. ຜ່ຽງຄວາງ

ORDER LXXVIII.

GENTIANACEÆ.

THE GENTIAN FAMILY.

An alpine Order of herbs with opposite leaves and pretty terminal flowers. Whorls usually in fours, Corolla rotate or funnel-shaped. Ovary superior, one-celled, with numerous ovules on two parietal placentas. Stigmas 2.

1 Exacum, Linn.

- 1 tetragonum, Roxb, India, 12 Fl. blue.
- 2 pedanculatum, L'un, INDIA, #4 Fl. blue.

2 Hoppea, White.

- 1 dichotoma, Willd, INDIA, # Fl. white.
- 2 fastigiata, Clarke. India. #

3 Erythræa, L. C. Rich.

1 Roxbiurghii, G. Don. India. ম Fl. rose to reddish. Kan. Kiidu kempu jirige gida. অন্তর্ভক প্রকাশত. There is also a var. with white flowers. Is this E. saxutilis?

4 Canscora, LAMK.

- 1 diffusa, Br. India. O Fl. rose.
- 2 Wallichii, Clarke. India. . Fl. rose.

5 Limnanthemum, S. P. GMEL.

- 1 cristatum, Griseb. India and China, a II Fl. white with yellowish centre.
- 2 indicum, Thwaites, India and Australia.

ORDER LXXIX.

POLEMONIACEÆ.

THE PHLOX FAMILY.

An American Order of herbs, shrubs and trees. India has one representative in the Himalaya, *Orany* superior, 3—celled, *style* shortly 3—fid. *Ovules* numerous,

1 Phlox, Linn.

- 1 paniculata, Linn. N. AMER. s Fl. white, rose and reddish.
- 2 , var. alba. s Fl. white.
- 3 Drummondi, Hook, Trxvs. This well known bedding annual succeeds admirably in Bangalore gardens. Fl. various,

2 Cubæa,

1 scandens. Fl, light purple. c

ORDER LXXX.

HYDROPHYLLAGEÆ.

THE HYDROPHYL FAMILY.

This is another American Order of herbs, or rarely soft-wooded shrubs, and as in the preceeding family,

India possesses only one indigenous species, No. 2. Leaves alternate. Flowers 5—merous, showy, and often blue in colour. Petals imbricated.

1 Wigandia, KNTH.

1 caracassana, Knth. CARACCAS. S Fl. purple.

2 Hydrolea, Linn.

1 zeylanica, Vahl. INDIA. O Subaquatic. Fl. blue.

3 Nemophila, BART.

1 insignis, Benth. California.

Fl. blue.

ORDER LXXXI.

BORAGINE Æ.

THE BORAGE FAMILY.

A large Order of herbs, shrubs and trees. Prevailing in the north temperate zones, and scattered throughout the world. Leaves rough, alternate, exstipulate, and usually entire. Flowers mostly in scorpioid cymes, or solitary, 5—merous. Stamens alternate with the corollalobes. Ovary superior, entire, or two to four lobed, with an ovule in each lobe. Labiatæ has a somewhat similar ovary, so students should note other characters to determine between the two families.

The tribes Cordica, Ehretica, Heliotropica and Boragea are represented by Nos. 1, 2, 4 and 9 respectively.

1 Cordia. LINN.

1 Myra, Linn. India. ਦ Fl. white. Kan. Solle (Kendal) mara. ಸೂಳ್ಯ (ಕಂಪರಿ) ಮರ

- 2 monoica? Roxb. INDIA. T Fl, white.
- 3 subcordata, Lamk. Andamans, T Fl. large, orange.
- 4 species, India, 🛨 Kan. Tapasi mara. ತಪಸಿ ಮತ

2 Ehretia, LINN.

- 1 lævis, Roxb. India. 🛨 Fl. white. Kan. Halippe (kappúra) mara. మాల్ఫ్ (కాప్సర) మార్
 - 2 .. var. pubescens. India. T
- 3 , var. aspera. India. w

The vernacular name 'Kodali murka mara' possibly applies to one of these varieties.

- 4 buxifolia, Roxb. India. s Fl. white. Kan-Yennebudige gida. సాక్ష్ మమో గాష
- 5 Wightiana, Wall. Indt V. 7

3 Coldenia, Linn.

1 procumbens, Linn. A common weed. India. (9) Fl. white, small.

4 Heliotropium, Linn.

- 1 peruviamum, Linn. *Heliotrope*. Perus Fl. blue to purple.
- 2 strigosum Willd, India. (c)
- 3 indicum, Linn. INDIA. . Fl. whitish.

5 Trichodesma.

- 1 indicum, India. The lavender to pale purple.
- 2 amplexicaule, Roth. India. •
- 3 zeylanicum, Br. India and Ceylon. 5

6 Anchusa, Linn. Alkanet.

1 italica, Retz. S. Europe. # Fl. blue

7 Myosotis, Linn.

- 1 palustris, With. Forget-me-not. EUROPE. 14 Fl. blue.
- 2 sylvatica, Hoffm. HIMALAYA. 12

11 Batatas, Lamk. AMERICA. c Sweet Potato. FI. purple.

12 pes-tigridis, Linn. India and Trop. Africa.

c ⊙ Fl. pink.

13 eriocarpa, Br. India. c ⊙ Fl. pink. Kan. Mulli balli. ముర్జబక్కి.

14 angustifolia, Jacq. India. c Fl. yellow with

purple eye.

- 15 chryseides, Ker. India and China. c Fl. yellow.
- 16 reniformis, Chois. India. c Fl. small yellow.
- 17 obscura, Ker. India. c Fl. creamy or pale yellow with purple eye.
- 18 aquatica, Forsk. India. A. C. Fl. pale purple. Kan. Balle hambu. బళ్ళ జెంబు.

19 campanulata, Linn. India. c Fl. purple.

20 biloba, Forsk. India and Ceylon, near the sea. c Goats-foot Creeper. Fl. large, purple.

21 kentrocaulos, Clarke. India. c Fl. yellow. (See *I tubcrosa*.)

22 palmata, Forsk. TROP. ASIA. c Fl. pale mauve.

23 species. © c stem muricated, leaves large, cordate. Fl. purple at mouth white within.

6 Hewittia, W. and A.

1 bicolor, W. and A. India. c Fl. yellow with purple eye.

7 Convolvulus, Linn Bindweed.

- 1 parviflorus, Vahl. TROP. ASIA. Fl. pink or white.
- 2 arvensis, Linn. India. c Fl. purple Kan. Naranji balli. నెరంజు బక్క
- 3 tricolor, Linn. S. Europe.

 Fl. various.
- 4 scammonia, Linn. Scammony. LEVANT. o Fl. white.
- 5 species (?) c Fl. blue. Kan. Gouri balli ? 150 27.

- 8 Exogonium, Choisy.
 1 purga, Benth. Jalap Mexico. c
- 9 Jacquemontia, Choisy.
 1 cærulea, Choisy. Amer. c Fl. blue.
- 10 Evolvulus, Linn. 1 alsinoides, Linn. India. a Kan. Vishnukránti soppu. ఏమ్మ క్రాంతి నువ్వు.
- 11 Porana, Burm.

 1 volubilis, Burm. Trop Asia. c Fl. creamywhite.
- 12 Cuscuta, Linn.

 1 reflexa, Roxb. An Indian parasite. Branches in dense yellow masses, fleshy. Fl. small whitish.

ORDER LXXXIII.

SOLANACEÆ.

THE NIGHTSHADE FAMILY.

An extensive Order of herbs and shrubs, very rarely soft wooded trees. Confined mostly to the warm parts of the world, while useful species, such as the potato, are much scattered by cultivation. Leaves alternate or geminate, but never opposite, exstipulate. Flowers in terminal, axillary or extra-axillary cymes. Observe that the latter condition is not unusual. They are also regular, sexual, and isomerous; white and blue, with prominent yellow anthers, being the prevailing colours. Ovary 2—celled or spuriously 4—celled. Ovules indefinite, on projecting peltate placentas. Fruit various, with numerous seeds. Note, also, the frequent enlargement of the calyx as the fruit attains maturity. The Sub-Orders Solanea, Hyos-

cyameæ and Cestrineæ are represented by Nos. 1, 8 and 13 respectively. Many species are powerfully narcotic.

1 Solanum, Linn. Nightshade.

1 nigrum, Linn. India. # Fl. white. Fruit black. Kan. Kari káchi gida. 50 502 7%.

Note—the red-fruited var. is called Kempu káchi gida. ಕೆಂಪು ಕಾಟಿ ಗಿತ

- 2 verbascifolium, Linn. India and Trop. Amer. Fl. white. A large shrub. Kan. Savdangi gida. だっぱっか わる.
- 3 giganteum, Jacq. India and Ceylon. T Fl. blue.
 - 4 ferox, Linn. India. s Fl. white. Fruit yellow.
 - 5 torvum, Swartz. India, China and Trop. Amer. s Fl. white. Fruit yellow.
 - 6 indicum, Linn. India. s Fl. blue. Fruit reddish yellow. *Kan*. Kempu gulla gida. కంపు గుళ్ళ గడ.
- 7 Melongena, Linn Cultd. Bringal, Egg-plant, or Aubergine. Fl. blue. Fruit large. s Kan. Badane gida. එස් බස්.
- 8 ,, variety. Possibly the garden plant run wild. Fl. blue. Kan. Ráma gulla gida. ರಾವಣ್ಯ ಗಿಡ
- 9 xanthocarpum, Schrad. India. s (See. S. Jacquini.) Fl. blue. Fruit yellowish with green spots.
- 10 trilobatum, Linn. India. c s Fl. blue.
- 11 arboreum. H. and B. Potato Tree. S. AMER? T. Fl. blue and white
- 12 tuberosum, Linn. S. AMER. = Potato. Fl. blue and white. Kan. Urala gadde. ಉರಲ ಗಡೆ.
- 13 species, s Austr.
- 14 species. s India or S. Amer.

2 Cyphomandra, D.C.

1 betacea, D.C. TROP. AMER. s Tree Tomato. Fl. white.

3 Lycopersicum, Tourner.

1 esculentum, Mill. Tomato. S. Amer. ⊙ Fl. pale yellow. Kan. Chapparada badane gida. ಜಿಪ್ಪರದ ಬದನೆ ಗಿಡ್ಡ

4 Physalis, LINN.

1 peruviana, Linn. Cape Gooseberry. Peru. = Fl. clear yellow, with 5 purple spots within. Kan. Budde hannu gida. బుడ్డే జాబ్ల గిడ

2 minima, Linn. TROP. ASIA, ⊙ Fl. bright yellow

5 Capsicum, LINN.

- 1 frutescens, Linn. Cultd. © Common Chillee. Fl. white Kan. Holada menasina gida. ಹೊಲದ ಮೆಣಸಿನ ಗಿಡ
- 2 minimum, Roxb. Cultd. ## Birds-eye Chillee. Fl. white, Kan. Parangi menasina gida. ಪರಂಗಿ ಮೇಕಾಗಿನ ಗಿಡ
- 3 grossum, Willd. Cultd. © Kaffree and Nepaul Chillee. Fl. white.
- 4 .. var. cerasiformis. ⊙ Fl. white.
- 5 annuum, Linn. S. Amer. O Fl. white. Kan. Menasina gida. ಮೇಕಿಸಿನ ಗಿಡ.

6 Withania, PANQ.

1 somnifera, Dunal. India. s Fl. yellow. Kan. Hirimaddina gida. කළපාඩුව තත්.

7 Nicandra, Adans.

1 physaloides, Gærtn. Peru and India. © Fl. blue. Kan. Budde (bondúla) gida. වාස් (හරණාව) වස්.

8 Datura, Linn.

1 stramonium, Linn. Thorn Apple. Europe. . Fl.

white. Kan. Bili ummatti gida. బి? లువ్మెత్తి గివ do. var. Tatula, India. ⊙ Fl. purple. Kan. Kari ummatti gida. ఈ లువ్మెత్తి గివ.

3 fastuosa, Linn. S. AMER. O

4 chlorantha, fl. pl. HORT. O Fl. yellow.

5 species. ⊙

9 Brugmansia, Pers.

1 suaveolens, Pers. Trumpet Flower. W. Indies. s Fl. white.

10 Hyoscyamus, Linn.

1 niger, Linn. Henbane. Europe. ⊙ Fl. purplish within, lurid-green and purple-veined without.

11 Petunia, Juss.

1 nyctaginiflora, Juss. S. AMER. # 1

2 variatilis, Hort. o

3 violacea, Lindl. B. Ayres. • various.

12 Habrothamnus, Endl.

1 elegans, Humb. and Bonpl. S. AMER. s Fl. rosy-red to crimson.

13 Nicotiana, LINN.

1 Tabacum, Linn. Tobacco. S. Amer. # Fl. whitish. Kan. Hoge soppu. మాగ్ సుఖ్య.

2 glauca, Grah. S. AMER. s Fl. yellow.

3 species. H s

ORDER LXXXIV.

SCROPHULARINEÆ

THE FIGWORT FAMILY.

A large Order of herbs, shrubs, or exceptionally trees. Leaves opposite, or more rarely alternate and

whorled; exstipulate. Flowers irregular, and anisomerous by the suppression of one or more stamens. The latter condition should be carefully noted as it technically separates the family from Solanaceæ. Observe, too, that the perfect stamens are often didynamous. The Order is widely scattered over the globe and affords many popular garden flowers, as also a considerable proportion of the weeds of most countries. Nos. 1, 4, 10, 15 and 21 are good examples for study, as they represent the more important tribes of the group.

1 Verbascum, Linn.

1 Thapsus, Linn. Mullein. Europe. ಈ Fl. white. Kan. Kadu Hoge soppu. ಕಾಡು ಹೊಗೆ ಸೊಪ್ಪು.

2 Celsia, Linn.

- 1 coromandeliana, Vahl. India and China. ⊙ Fl. yellow.
- 3 Linaria, Tourner. Toad-flax.
 - 1 dalmatica. Europe. = Fl. sulphur-yellow.
 - 2 triornithophora. EUROPE. = Fl. purple.
- 4 Antirrhinum, LINN.
 - 1 majus, Linn. Snap-Dragon. EUROPE. # Fl. various.
- 5 Mimulus, Linn. Monkey Flower.
 - 1 cupreus, Hort. ⊙ Fl.
 - 2 luteus, DC. CHILI. = blotched
 - 3 variegatus. ⊙ various colours.
- 6 Limnophyla, Br.
 - 1 gratioloides, Br. India, in paddy-fields. ==
 - 2 do. var. intermedia?
- 7 Herpestis, Gærtn. f.
 - 1 Monniera, H. B. and K. India. A marsh herb. Fl. white and blue, *Kan*. Niru brámhi soppu. ລຸເວັນ ພາງວະ ກຳຂອງ ...

8 Torenia, Lann.

- 1 asiatica, Linn. Sispara Creeper. India. Fl. violet -blue.
- 2 species.

 Fl. violet-purple

9 Vandellia, Linn.

- 1 crustacea, Benth. India. O
- 2 scabra, Benth. India. ①
- 3 erecta, Benth. INDIA. O
- 4 pedunculata, Benth. INDIA. ⊙ Fl. pale blue with white spot, or whitish.

10 Ilysanthes, RAFIN.

- 1 hyssopioides, Benth. India and China. ⊙ Fl. pale blue. *Kan.* Níru góni soppu. సిర్మ గ్యేతి నుంచి_ఎ.
- 2 parviflora, Benth. India. ⊙ Fl. white to blue.

11 Veronica, LINN.

1 spicata, Schr. Speedwell. EUROPE. # Fl. blue.

12 Striga, Lour.

1 euphrasioides, Benth. India. # Fl. white.

13 Rhamphicarpa, Benth.

1 longiflora, Benth. India. # Fl., whitish.

14 Sopubia, Hamilt.

- 1 delphinifolia, G. Don. India (Bangalore.) # Fl. mauve or rose.
- 2 ,, var. alba. Fl. pure white.

15 Maurandia, JACQ.

- 1 Barclayana, Lindl. Mexico. c Fl. deep violet to nearly white.
- 2 ., fl. coccinea. Fl. rosy-red.
- 3 semperflorens, Jacq. Mexico. c

colour.

16 Penstemon, L'HERIT.

- 1 Hartwegii, Benth. MEXICO. E
- 2 campanulatum, Willd. Mexico.
- 3 hirsutus, W. Mexico. = varied in
- 4 Lobbianum, Hook. CHILL #
- 5 glabrum, Pursh. N. AMER. #

17 Angelonia, Humb. AND BONPL.

- 1 floribunda, Kunze. BRAZIL. # Fl. violet-purple.
- 2 do. var. grandiflora. Hort. = Fl. violetpurple.

18 Browallia, Linn.

- 1 elata, Linn. Peru. O Fl. blue.
- 2 ,, var. alba. O Fl. white.

19 Lophospermum, Don.

1 scandens, Hook. Mexico. c Fl. pink.

20 Collinsia, Nutt.

- 1 bicolor, Benth. Columbia. H
- 2 grandiflora, R. Br. Columbia. # rose-pink.

21 Calceolaria, Linn.

1 mexicana, Benth. S. Amer. © Slipperwort. This plant is not successfully cultd. at Bangalore. Fl. yellow.

22 Paulownia, Seibold.

1 species. s

23 Russellia, Linn.

- 1 juncea, Zucc. Mexico. s Fl. red.
- 2 floribunda, (?) H. B. and Kth. Mexico. s Fl.

24 Brunfelsia, LINN.

1 americana, Linn. W. Indies. s Fl. white changing to yellow.

25 Franciscea, Pohl.

1 acuminata, Pohl. BRAZIL. s

2 uniflora, Pohl. Brazil. s Fl. violet to whitish purple.

26 Sanchezia, Ruiz & Pav.

1 nobilis, Ruiz and Pav. ECUADOR. s Fl.

2 do. var. variegata. do. s yellow.

ORDER LXXXV.

OROBANCHACEÆ.

THE BROOM-RAPE FAMILY.

A small Order of leafless parasitical herbs found mostly on the roots of grasses. Excepting at the Cape of Good Hope, they are chiefly confined to the northern hemisphere. Some species are injurious to mustard, tobacco, and other field crops of this country. Search for small scaly or fleshy plants of a whitish, reddish, or yellowish colour.

1 Æginetia, Linn.

1 indica, Roxb. India. A parasite.

2 pedunculata, Wall. India and China. A parasite on the roots of grasses.

2 Orobanche, Linn.

1 nicotianæ, Wight. India. Prevalent in tobacco crops.

2 indica, Ham. India. Prevalent in mustard crops.

ORDER LXXXVI.

LENTIBULARIACEÆ.

THE BUTTER-WORT FAMILY.

A small cosmopolitan Order of aquatic or marsh herbs. Corolla 2—lipped, and spurred. Stamens 2.

1 Utricularia, LINN.

- 1 reticulata, Smith. India.

 A In paddy fields. Fl. blue.
- 2 flexuosa, Vahl. India. 💿 🔺 In paddy fields. Fl. yellow.

ORDER LXXXVII.

GESNERACEÆ.

THE GESNERA FAMILY.

Herbs or undershrubs. A large Order distributed through sub-tropical Asia and tropical America. Leaves exstipulate, simple, often wrinkled, and variously attached. In the Sub-Order Eugesnereæ the herbaceous plant is usually deciduous, life being sustained for a season by the scaly tubers. Flowers irregular, showy, bracteate, and sexual. See the cultivated garden plants Gloxinia and Achimenes. The Sub-Order Cyrtandreæ, which is alone indigenous to India, is determined by a superior ovary, exalbuminous fusiform seeds, and commonly a slender siliquiform capsule. Examine species of Nos. 1 and 4, which represent the two Sub-Orders referred to.

SUB-ORDER. CYRTANDREÆ

1 Æschynanthus, Jacq. Epiphytal under-shrubs.
1 radicans, Wall. India. s Fl. scarlet with yellow throat.

2 ceylanica, Gardn. India. s Fl. reddish purple.

2 Klugia, Schlecht.

1 Notoniana, A. DC. India. ⊙ Fl. white blue and yellow.

SUB-ORDER.

EUGESNEREÆ.

3 Gesnera, Linn.

1 tubiflora, Linn. S. AMER. #

2 longiflora, Humb and Bonpl. BRAZIL. #

3 tuberosa, Mart. BRAZIL. #

4 barbata, Nees. Brazil. #

5 splendens, Hort. H

6 zebrina Paxt S. AMER. #

4 Achimenes, R. Br.

1 coccinea, Mexico. ==

2 longiflora, Hook. GUATEM. # 3 pedunculata, Benth. GUATEM. #

Fl. various, blue and

purple prevaling.

5 Gloxinia, L'HERIT.

1 maculata, W. BRAZIL. H

2 speciosa, Ker. BRAZIL. H

Fl.

3 insignis, Hort. = various.

4 species, H

6 Streptocarpus, Lindl.

1 Rexii, Lindl. C. G. Hope. se

ORDER LXXXVIII,

BIGNONIACEÆ.

THE BIGNONIA FAMILY.

Trees and climbing shrubs, rarely herbs. Leaves opposite, compound, and exstipulate. Flowers in terminal

panicles or racemes, irregular, sexual, and usually very showy. Corolla tubular, trumpet-shaped or campanulate, usually large. Stamens rarely equal in number to corolla-lobes, often didynamous. Ovary seated upon a disc, 2—celled. Seeds numerous and winged. Fruit an elongated (often sword-shaped) capsule. The American Sub-Order Crescentiaceae comprises the calabash trees of of the West Indies, with large gourd-like fruit. These are represented at Bangalore by Nos. 11 and 12. The Indian plants of this well defined Order are, with two exceptions, trees. For good types of the latter see Nos. 1, 2, and 8.

1 Millingtonia, Linn. f.

1 hortensis, Linn. f. India and Burman. The Indian Cork Tree. Fl. white. Kan. Biratu mara. ಟಿರಟು ಮರ.

2 Oroxylum, Vent.

1 indicum, Vent. India. # Fl. purple. Much better known by the old name Bignonia indica, Linu.

3 Bignonia, Linn. Trumpet Flower.

- 1 venusta, Ker. S. AMER. c The orange-fld. climber which is commonly seen in local gardens.
- 2 gracilis Lodd. S. AMERICA. c Fl. bright yellow. or canary. Growing over the 'Darwinia.'
- 3 chamberlaynii, Sims. Brazil. c Fl. pale yellow.

4 Tecoma, Juss.

- 1 stans, Juss. S. Amer. s Fl. bright yellow.
- 2 jasminoides, G. Don. Austr. c Fl. purplishwhite.

3 velutina, Hort. s Fl. bright yellow.

4 australis, R. Br. E. Austr. c Fl. dull orange, reddish within.

- 5 australis, var. La Trobi, F. Muell. E. Austr. c
- 6 capensis, R. Br. C. G. Hope. c Fl. orange-red

7 undulata, G. Don. India. s Fl. orange.

5 Dolichandrone, SEEM.

1 falcata, Seem. India. = Fl. whitish.

6 Spathodea, Beau.

1 campanulata (?) Introduced. When in flower this fine tree is one of the handsomest objects in our Parks and Gardens. Corolla orange crimson, mouth 4—5 inches in diam. Capsule flat, slightly keeled, 11 by 2 in; acute at both ends.

7 Heterophragma, DC.

1 adenophyllum, Seem. India = Fl. brownish yellow.

8 Stereospermum,

1 chelonoides, DC. India. = Fl. rose.

The sweet-scented flowers are much prized for garlands, etc. *Kan. Pádari mara.* ಸುವರ ಮರ.

- 2 suaveolens. DC. India. T Fl. yellowish-purple.
- 3 xylocarpum, Wight. India. 🛨 Fl. white. (See Bignonia, xylocarpa.) Kan. Kónana kombu mara. ఈ ఆణన ఈంటు వహ
- 4 species. 🛨 Fl. yellow. Kan, Kádu honge mara. ಕಾಡು ಹೊಂಗೆ ಮರ

9 Amphilophium, Kunth.

1 Mustisii, Kunth. Amer. c Fl. purple.

10 Catalpa Juss.

1 speciosa, California. T

SUB-ORDER. CRESCENTIACEÆ.

11 Crescentia, LINN.

1 alata, H. B. and Kth. Calabash Tree. MEXICO. Fl. rosy-purple.

12 Kigelia, DC.

1 pinnata, DC. W. India. # Fl. reddish-purple.

ORDER LXXXIX.

PEDALIACEÆ.

THE GINGELIE OIL FAMILY.

A small Order of herbs, chiefly. It is distinguished from *Bignoniaceæ* by its herbaceous nature, spuriously 4—celled ovary, and wingless seeds. The cultivated 'Olle yellu gida' is the ordinal type.

- 1 Pedalium, Linn.
 - 1 Murex, Linn. India. ⊙ Fl. yellow.

2 Sesamum, Linn.

- 1 indicum, DC. Gingelie Oil Plant. India. ⊙ Fl. rosy-white, to yellow and purple within. Kan. Olle yellu gida. ఒళ్ళ ఎక్రం గీజ్.
- 2 laciniatum, Klein. India. = Fl. purple-yellow.
- 3 Martynia, Linn.

1 fragrans. Lindl. MEXICO.

Fl. yellow.

2 diandra, Glox. AMER. = The Devils Claw. Fl. rosy-violet.

ORDER XC.

ACANTHACEÆ.

THE ACANTHUS FAMILY.

This extensive Order of herbs and shrubs is mostly confined to warm countries, and is largely represented

in India. Leaves opposite, simple, and exstipulate. Fluvers irregular, often in terminal rigid spikes, bracteate and 2—bracteolate. Calyx inferior, 5—merous. Corolla 2—lipped or irregularly 5—merous. Stamens didynamous or diandrous. Ovary 2—celled, undivided and superior. Seeds definite and usually attached to the placenta by a hooked process. Capsule 2—valved, often panduriform and clavate. The morphology of the ovary, and subsequently the fruit and seed, afford distinctive characters. Likewise the conspicuous bracts which, in many examples, partly conceal the flowers. Species of Nos. 1, 3, 12 and 19 are good types of the family.

1 Thunbergia, LINN.

1 grandiflora, Roxb. TROP. ASIA. C Fl. blue.

do. var. alba. c Is this the var. axillaris of the Flora of British India? The flower is white. Received from Calcutta.

3 laurifolia, Lindl. India and Malay Peninsula. c Fl. blue.

4 coccinea. Wall. India. c Fl. red.

5 mysorensis, T. Anders. India. c Munzerabad Creeper. Fl. orange and red.

6 fragrans, Roxb. India. c Fl. white.

7 var. vestita. Nees. Fl. white.

8 alata, Bojer. Africa. c Fl. orange-yellow with.

9 ,, var. Fl. canary to pale yellow with claret throat.

10 Hawtayneana, Wall. India and Ceylon. so Fl. violet purple with yellow throat.

11 species. Slender creeper. Fl. primrose-yellow. Possibly a var. of No. 8.

2 Nelsonia, R. Br.

1 campestris, Br. India # A weed. Fl. rosy-white.

3 Hygrophila, R. Br.

1 spinosa. T. Anders. India. # Fl. bluishpurple. Kan. Kolavanke gida. ಕೊಳಸಂಕ ಗಿಡ. 2 salicifolia, Nees. India. # Fl. pale purple.

4 Calophanes, D. Don.

1 vagans? Wight. India. # Fl. blue.

5 Ruellia, LINN.

1 formosa, Andr. BRAZIL. s Fl. scarlet.

2 macrophylla, Vahl. s Introduced. • Fl. red.

3 prostrata, Lamk. India. = Fl. pale purple. Kan. Bhímana soppu. ಭೀಮನ ಸೂಪ್ಪು.

6 Phaylopsis, WILLD.

1 parviflora, Willd. INDIA. = A. common weed.
Fl. small whitish.

7 Dædalacanthus, T. Anders.

1 roseus, T. Anders. India. s Fl. rose. (See Eranthemum.)

2 montanus, T. Anders. India. = Fl. pale blue.

8 Hemigraphis, Nees.

1 latebrosa, Nees. India. # Fl. blue and yellow.

9 Strobilanthes, Blume.

1 consanguineus, Clarke. India. s Fl. bluish.

2 Heyneanus? Nees. India. s Fl. pale blue.

3 ixiocephalus? Benth. INDIA. s Fl. white.

4 isophyllus, T. Anders. Khasia Mts. (See Goldfussia.) Fl. lavender.

5 anisophyllus, T. Anders. Khasia Mts. s Fl. lavender.

6 Newii, Beddome. India. s Fl. purple.

7 species. Postrate herb with metallic leaves and small white flowers.

8 species. s

10 Blepharis, Juss.

1 boerhaaviæfolia, Pers. India. # Fl. pink-white. Kan. Kúdali soppu. ఈ మరి నుంట్న.

2 molluginifolia, Pers. India. = Fl. whitish.

11 Acanthus, Tournf. Bears Breech.

1 ilicifolius, Linn. India. s Fl. blue.

12 Barleria, Linn.

- 1 Gibsoni, Dalz. W. India. s Fl. large, rosy-lilac.
- 2 Prionitis, Linn. TROP. ANDIA. & Fl. yellow.
- 3 buxifolia, Linn. India. s Fl. rosy-purple.
- 4 mysorensis, Roth. India. s Fl. pale purple. Kan. Gubichi gida. ਨਾਲੋਲੇ ਨੜ.
- 5 longiflora, Linn. INDIA. s Fl. white.
- 6 cristata, Linn. India. s Fl. white.
- 7 rubra? Ham. s Fl. rosy-red. Appears to be identical with cristata, except in colour.
- 8 species. s Leaves white. Fl. long, tubular, and white.
- 9 species. s Fl. blue.

13 Crossandra, Salisb.

1 undulæfolia, Salisb. India and Ceylon, Cultd. Fl. yellow.

14 Asystasia, Blume.

- 1 coromandeliana, Nees. India. # Fl. pink or pale-purple, often turning white.
- 2 species. Small shrub with pale blue or violet flowers.

15 Eranthemum, Linn.

- 1 malabaricum, Clarke. India. s Fl. whitish.
- 2 pulchellum, Andr. Northern India. s Fl. blue. (See *Dædalacanthus nervosus*.)
- 3 album, Nees. India and Andamans. s Fl. white.
- 4 Andersoni, Masters. SINGAPORE. s Fl. white.
- 5 pallidum, s

- 6 bicolor, Schrank. Isl. Lucon. s Fl. white with reddish spots.
- 7 nobilis. s
- 8 elegans. s
- 9 species. s
- 10 species. s

16 Andrographis, WALL.

1 paniculata, Wall. Nela vembu. India. © # Fl. white, spotted rose-purple.

2 serpyllifolia, Wight. c Kan. Saradále gadde. ਸਰਹਵਾ ਜਕੂ.

17 Gymnostachyum, Nees.

1 ceylanicum, Arn. India and Ceylon. s Fl. purple.

18 Lepidagathis, WILLD.

1 cristata, Willd. Trop. India. c = Fl. palewhite, brown spotted. Kan. Gantu kálu gadde. ਨਫ਼ੀਂ ਚਾਵਾ ਨੜ੍ਹੇ.

2 fasciculata, Nees. TROP. INDIA. # Fl. whitish.

19 Justicia, Linn.

1 coccinea, Aubl. S. AMER. s Fl. scarlet.

2 Betonica, Linn. India and Ceylon. Fl.

white, rose-spotted.

3 gendarussa, Linn. India and China.s Fl. white with rose spots. Much used as a green edging plant at Bangalore. Kan. Natchu kaddi. ਨੋਲ ਰੋਕ.

4 tranquebariensis, Linn. India. s Kan. Kaddi

yerakina gida. ಕಡ್ಡಿಯರಕಿನ ಗಿಡ.

5 diffusa, var. A prostrate herb. India.

6 ,, var. Hedyotidifolia. s Kan. Búsi gida. ฌลห กฮ.

7 procumbens, Linn. India and Ceylon. H Kan. Nela bévina gida. నల జినిని గిడ. 8 species. An introduced shrub with terminal spikes of beautiful yellow flowers.

20 Adhatoda, NEES.

1 vasica, Nees. India, Ceylon, and Singapore. Fl. white. s Kan. A'dusóge gida. ఆముగుంగా

21 Rhinacanthus, NEES.

1 communis, Nees. India. s Kan. Dodda patike gida. Fl. white. ದೊಡ್ಡಪಟಕೆ ಗಿಡ.

22 Ecbolium, Kurz.

1 Linneanum, Kurz. India and Arabia. s Fl. greenish blue, peculiar.

23 Graptophyllum, Nees.

1 hortense, Nees. India (?) s
2 ,, var. picta. ,, s
3 ,, var. atropurpurea ,, s
Foliage bronze or variegated.
Flowers red to crimson.

24 Rungia, NEES.

1 repens, Nees. India. H

2 parviflora, Nees? A common weed.

25 Dicliptera, Juss.

1 Leonotis? Dalz S. India. H

2 micranthes, Nees. India. #

26 Peristrophe, Nees.

- 1 bicalyculata, Nees. India. = Kan. Sibi gida.
- 2 lanceolaria, Nees. India. H
- 3 tinctoria, Nees. India. Cultd. H

27 Cyrtanthera, NEES.

1 aurantiaca, Lindl. Mexico.

s Fl. orange. (See Aphelandra.)

2 Pohliana. S. AMER. s Fl. rosy-pink.

28 Aphelandra, R. Br.

1 cristata, H. K. W. Indies, s Fl. red.

29 Meyenia, Schlicht.

1 erecta, Arrab. Brazil. s Fl. blue. 2 , fl. alba , s Fl. white.

30 Fittonia. Cofm.

1 argyroneura, Coem. Peru. Ex Leaves beauti-2 ,, var. rubra-nerva. Ex fully marked

ORDER XCI.

VERBENACEÆ.

THE VERBENA FAMILY.

An Order of trees, shrubs and herbs; mostly tropical. Its general morphology is closely allied to that of Acanthaceæ and Labiatæ, and the strictly determinable points will be found in the structure of the ovaries and the disposition of the ovules in the three families. The one under notice has an entire, superior, and usually 4-celled ovary, with terminal style. The ovules are not attached by a hooked process, and the fruit is rarely capsular, being mostly a drupe or berry. The species are also much larger, as a rule, than we find them in the allied Orders here referred to. Examine species of Nos. 1, 5, 7 and 10.

1 Lantana, Linn.

1 indica, Roxb. India. s Kan. Kádu jóla gida. ಕಾಡು ಜೋಳ ಗಡೆ. Fruit edible, Fl. white, pink, and purple.

2 camara, Linn. S. Amer. s Kan. Náta hú gida.

This shrub forms a good hedge, for which purpose it is extensively used in Bangalore. There are many varieties, as regards the colour of the flower, varying from pure white to deep orange and purple.

2 Lippia, Linn.

1 nodiflora, Rich. India. # Fl. purple to white. Kan. Kere hippali soppu. ಕರೆ ಹಿಪ್ಪಲಿ ಸೊಪ್ಪು.

3 Stachytarpheta, VAHL. Bastard Vervain.

- 1 indica, Vahl. O H INDIA AND AMER. Fl. blue.
- 2 mutabilis, Vahl. S. Amer. H Much larger than No. 1. Fl. scarlet-rose.

4 Priva, Adans.

1 leptostachya, Juss. India and Africa. म Fl. white. Kan. Sirantu gida. సరంటు నజే.

5 Verbena, Linn. Vervain.

- 1 officinalis, Linn. Nundidroog = Fl. blue.
- 2 bonariensis, Linn. S. AMER. = Fl. bluish-purple.
- 3 hybridus, Hort. ## Garden varieties succeed well during our cold season, and are much cultivated.
- 4 Aubletia? Linn. Amer. 11

6 Callicarpa, Linn.

1 lanata, Linn. ⊙ ∓ India. Fl. bluish-purple.

7 Tectona, LINN.

- 1 grandis, Linn. Teak Tree. India. Kan. Tégada. mara. ತೇಗದ ವುರ. Fl. creamy-white. pale blue
- 2 Hamiltoniana, Wall. = BURMAH. Fl.

8 Premna, Linn.

1 tomentosa, Willd. India and Ceylon. I Fl. yellowish. *Kan.* Nárave or I'ji mara. నురవ (కాటి)కుం.

9 Gmelina, LINN.

- 1 arborea, Linn. India. エ Kan. Kúli or kásmiri mara. ಕೂಲ (ಕಾಶ್ಮೀರಿ) ವುಶ್ವ
- 2 asiatica, (?) Linn. s

10 Vitex, Linn.

- 1 trifolia, Linn. India. s or T Fl. lavender.
- 2 Negundo, Linn. E. Asia, India and Ceylon. s or ± Chaste Tree. Fl. bluish-lavender. Kan. Nekkilu gida. నే ట గావ.

Note.—There are two varieties designated the black (karı) and white, (bili) as indicated by the prevailing colour of the foliage.

- 8 altissima, Linn. India. # Fl. blue. Kan. Návladí mara. සතුරු සාජ.
- 4 pubescens, Vahl. India and Ceylon. # Fl.

11 Clerodendron, Linn. Glory Tree.

- 1 fragrans, Vent. CHINA AND JAPAN. s Fl. double rose to white.
- 2 siphonanthus, R. Br. INDIA. s Fl. white.
- 8 phlomoides, Linn. India. s Fl. creamy-white.
- 4 nutans, Wall. India. s Fl. white.
- 5 squamatum, Vahl. India and China. s Fl. scarlet.
- 6 roseum, (?) s Probably a var. of fragrans.
 - 7 heterophyllum, Ait. AFRICA. s Fl. white.
- 8 inerme, Gærtn. India and Ceylon. Fl. white, Kan. Vishmadhari gida. ವಿವರಾಧಾರ ಗಡೆ.

- 9 Thomsoniæ, Balf. Africa. c Fl. white and red.
- 10 serratum, Spreng. India and Ceylon. s Fl. pale blue.
- 11 infortunatum, Gærtn. India.s Fl. white-pink.
- 12 species? A small tree having triangular fœtid leaves and dull reddish flowers. Fruit not seen Kan. Taggi mara. ತಗ್ಗಿ ಮರ.

13 Colebrookianum? Nundidroog. s Fl. reddish. Kan. Hutchu náre gida, ಹುಚ್ಚುನಾರೆ ದಿಡ.

12 Holmskioldia, Retz.

1 sanguinea, Retz. North India and China. s Il. red.

13 Petrea, LINN.

1 volubilis, Linn. W. Indies. c Fl. blue.

14 Duranta, Linn.

- 1 Ellisia, Linn. AMER. s Fl. violet or pale blue.
- 2 ,, var. alba. Fl. white. Beautiful hedges can be formed by these shrubs.

15 Aloysia, ORTEG.

1 citriodora, Orteg. Lemon Scented Verbena. Сни. s Fl. pale purple.

16 Citharexylum, W.

1 subserratum. America. Fl. white, in drooping racemes. =

ORDER XCII.

LABIATÆ.

THE LABIATE FAMILY.

This large Order of aromatic herbs is most abundant in the north temperate parts of the world. Shrubby plants are rare. Note the square stem with opposite,

glandular, and exstipulate leaves; also the irregular flower with persistent calyx and deeply 4—lobed ovary, the latter being a special character in this family. The sacred herb 'tulasi' and its congeners are typical plants of the Order, and a careful dissection of their parts will instruct the enquirer better than any written diagnosis. India possesses 55 genera and about 340 species.

1 Ocymum, Linn.

- 1 canum, Sims. India and Ceylon. # Fl. whitish. Kan. Nayi tulasi gida. నాయి తుళిస్తు నిజ
- 2 Basilicum, Linn. India, Asia and Africa. #
 Sweet Basil. Fl. white-purple. Kan. Kammagaggære gida. ಕಮ್ಮಗಗರ ಗಡ.
- Note the indigenous varieties Bili, (white) Kammagaggare, and Kari (black) Kammagaggare.

 Also Kasturi Kammagaggari, which is supposed to be a distinct var. of C. Basilicum.
 - 3 gratissimum, Linn. India and Africa. s Fl. pale yellow.
 - 4 adscendens, Willd. India.

 Fl. pale rose.
 - 5 sanctum, Linn. India, Asia, and Australia, II Fl. white-purple. Kan. Tulasi gida. তেওঁ কৰ. This plant is held in great veneration by the Hindus. Olle (good) tulasi, kari (black) tulasi and bili (white) tulasi are so many varieties of the species.

2 Orthosiphon, Benth.

- 1 tomentosus, var. parviflora. S. India. s Kan. Kadu Sanna patri gida. కాడు నట్ట్రభిత్రి గిడ
- 2 species.s Kan, Pennajuttuve gida. ಸೆನ್ನಜುಟ್ಟುವೆ

3 Plectranthus, Linn.

- 1 rivularis, Wight, India. # Fl. white. Kan. Bili bendu gida, మి? రెండు గివ
- 2 incanus, Link. India. # Fl. white.

4 Coleus, Lour.

- 1 spicatus, Benth, S. India. st
- 2 barbatus, Benth, India and Clylon, 22
- 3 aromaticus, Benth. India. Cultd. # Kan. Dodda patri gida. ದೊಡ್ಡ ಪತ್ರಿಗಿತ. Indian Borage.
- 4 scutellarioides, Benth. Australia. #

Garden varieties of the genus are much prized as fine-foliage plants-

5 Anisochilus, WALL.

- 1 paniculatus, Benth. India. u. s.
- 2 dysophylloides, Benth. India. (Nundidroog) u. s. Kan. Bettada kurivellu gida. ಪಟ್ಟದ ಕುಂ ವೇಲು ಗಿಷ

6 Lavandula, Linn.

- 1 spica, DC. Lavender. S. Europe. # Fl. pale blue.
- 2 Burmanni, Benth. INDIA. U. s. Fl. blue or white.

7 Pogostemon, Desf.

- 1 Patchouli, Pellit. II India and Ceylon. Cultd. Fl. white. Kan. Patche tene gida. మార్ట్ తేనే సిన్. Highly prized by the Hindus.
- 2 species. A scentless shrub.

8 Dysophylla, Blume.

1 species. A low herb of paddy fields.

9 Perilla, Linn.

1 nankinensis. Introduced. A dark-leaved annual.

10 Mentha, LINN.

- 1 piperita, Linn. Peppermint. Europe, # Hind. Pudina, ಫದೀನ.
- 2 viridis, Linn. Spearmint. S. EUROPE. ==

11 Origanum, Linn.

- 1 vulgare, Linn. Common Marjorum. EUROPE. II Fl. purplish.
- 2 Marjorana, Linn. Sweet Marjorum. N. Afri-

12 Thymus, Linn.

1 vulgaris, Linn. Common Thyme. S. Europe. 22

13 Hyssopus, Linn.

1 officinalis, Linn, Hyssop. Europe. #

14 Melissa, Linn.

1 officinalis, Linn. Balm. EUROPE. #

15 Salvia, Linn.

- 1 officinalis, Linn. Common Sage. S. Europe. # Fl, pale blue. Kan. Karpúrada gida. ಕರ್ಮರದ ಗಿಡ
- 2 coccinea, Linn. S. AMER. = Fl. scarlet.
- 3 splendens, Ker. Mexico. # Fl. red.
- 4 patens, Cav. Mexico. # Fl. blue.
- 5 argentea, Linn. CRETE. # The Silvery Clary. Fl. violet-blue.
- 6 plebeia, Br. India. O Fl. whitish.

7 species. = Fl. red.

8 species. = Fl. silvery-violet to pale blue.

16 Marrubium, Linn.

1 vulgare, Linn. White Horehound. EUROPE. # Fl. white.

17 Anisomeles, R. Br.

1 ovata, Br. India and Ceylon. ⊙ Fl. purple. Kan. Mangamári soppu. ಮುನಮಾರಿ ಸೂಪುವಿ.

2 malabarica, Br. India and Ceylon.s Fl. purple. Tel. Mogabira chettu. ವೊಗಬೀರ ಚೆಟ್ಟು.

18 Stachys, LINN.

1 lanata, Hort. Woundwort. EUROPE. #

19 Leonorus, Linn.

1 sibiricus, Linn. India and Trop. Asia.

Siberian Motherwort.

20 Leucas, Benth.

- 1 mollissima, Wall. India. # Fl. white.
- 2 aspera, Spreng. India. ⊙ Fragrant pot-herb. Fl. white. Kan. Olle tumbe gida. ಒಳ್ಳ ತುಂಪೆ ಗಿಡ.
- 3 helianthemifolia, Desf. India. ⊙ Fl. white. Kan. Kádu tumbe gida. శాణు తుంబి గిడ
- 4 zeylanica, Br. India. ⊙ Fl. white. Kan. Hutchu tumbe. ಹುಚ್ಚು ತುಂಪೆ ಗಿಡ.
- 5 lanata. Benth. HILLS OF INDIA. s Fl. white.

21 Leonotis, Br.

1 nepetæfolia, Br. India, Trop. Asia and Africa. ⊙ Fl. orange-red, in dense ball-like whorls. Kan. Kádu tunge gida. కామ కుంగే గిన

22 Gomphostemma, WALL.

1 eriocarpum, Benth. S. India. ==

23 Rosmarinus, Linn.

1 officinalis, Linn. Rosemary. EUROPE. #

ORDER XCIII.

PLANTAGINEÆ.

THE RIBWORT FAMILY.

A small Order of herbs with radical (ribbed) leaves, and axillary scapes bearing numerous small greenish flowers. The single species here entered is a good type of the family.

1 Plantago, Linn.

1 major, Linn. Trop. Asia. India. = Kan. Sira-

ORDER XCIV.

NYCTAGINEÆ.

THE MARVEL OF PERU FAMILY.

Herbs, shrubs, or trees, with opposite or alternate leaves of unequal size. The latter are also entire and exstipulate. Flower monochlamydeous and usually involucrate. This is Oliver's first Order of Incompleter, and the term perianth is used to denote that one of the floral envelopes is wanting, or if present, that they are about equal in colour, size, and texture. The persistent tube of the perianth encloses the superior one-celled and one-seeded ovary. Note the small yellow flowers of Bougainvillea

rendered insignificant between the gaily coloured bracts (involucre) of that genus. Nos. 1, 3 and 4 should be studied.

1 Borhaavia, Linn. Hogweed.

1 repens, Linn. India, II Fl. reddish.

- 2 , var. procumbens, India. II Fl. yellow.
- 3 " var. diffusa. India. # Fl. yellow. *Tel.* A'da ataku mámidi áku. ఆడ లట్లకుమామిడి ఆశా
- 4 repanda, Willd. India. # Fl. pink. Kan. Bekkina ajje balli. జ్ఞిన అజ్జి బిళ్ళి.
- 2 Pisonia, Linn.

1 alba, Spanoghe. Andamans. Lettuce Trec.

3 Mirabilis, Linn.

- 1 Jalapa, Linn. Mexico. Marvel of Peru. H Fl. various, red, white, yellow and spotted. Kan. Vibhúti, (Nálkughante hú) gida. ఏభుత్త (నెలు ఫెంట్ జ్యు గిడ్. This showy herb has become a domestic weed in India. It is commonly known as the Four-O'clock Plant.
- 4 Bougainvillea, Comm.

1 spectabilis, Hook. S. AMER. C Fl. yellow.

Bracts violet-purple.

2 ,, var. glabra. Lindl. S. Amer. c Fl. yellow. Bracts mauve. These climbers grow and flower very profusely at Bangalore.

3 species c Fl. yellow. Bracts dull-red.

ORDER XCV.

AMARANTACEÆ

THE AMARANTH FAMILY.

A tropical Order of herbs including many species of "country greens," i.e. native vegetables. Leaves opposite

or alternate, exstipulate. Flowers small, scarious, and closely packed in terminal spikes or panicles. Perianth persistent, often partly concealing the membranous one-seeded fruit. Stamens 1—5. Styles 1—3. Nos. 2, 5 and 8 are good examples of the family. The indigenous shrub Deeringia celesicides, has a berried fruit.

1 Deeringia, R. Br.

1 celosioides, R. Br. India. s Fl. white. Berry red.

2 Celosia, Linn.

- 1 argentea, Linn. Silver-spiked Cockscomb. Trop. Asia. ⊙ Fl. white. Kan. Anne soppu. ఆక్ట్రే
- 2 cristata, Linn. Common Cockscomb. China. ⊙ Fl. various, usually red or yellow.
- 3 polygonoides, Retz. India. Fl. white.

3 Allmania, Br.

1 nodiflora, Br. India. ⊙ Fl. yellow. Kan. Budde soppu. బుడ్డి నుంచ్చు.

4 Digera, Forsk.

1 arvensis, Forsk. India. • Fl. greenish-white.

5 Amarantus, Linn.

- 1 spinosus, Linn. India and Ceylon. © Fl. greenish-white. Kan. Mullu dantu. ಮುಖ್ಯ ಪಂಟು.
- 2 paniculatus, Linn. India. Cultd. ⊙ Fl. various, red, yellow and whitish.
 - ,, var. speciosus.

 Fl. red. A handsome garden form.
- 3 caudatus, Linn. India. Cultd. Love-lies-bleeding. Prince's Feather.

4 gangeticus, Linn. Trop. Asia and India. ⊙ F'i. white to red. Kan. Dantu Soppu. ದಂಟು ಸೂಪ್ರು.

There are two well marked varieties, the one with pale stem and foliage, *Bili dantu*, (బి? దెంటు) and the other with reddish stem and foliage, *Kempu dantu* (లేంపు చెంటు.).

5 ,, var. melancholicus ruber. A coloured.

garden form

6 ,, var. tricolor. A variegated garden form. 7 ,, var. inamœnus. India. ⊙ Kan. Harive

"soppu. ಹರಿವೆ ಸೊಪ್ಪು.

8 mangostanus, Linn. India and Ceylon. © Kan. Chilkarive soppu, ಚಿಲ್ಲದ ಸೂಪ್ಪ.

There are also two varieties of this, the *Bili* (white) and the *Kempu* (red.)

9 viridis, Linn. India. ⊙ Fl. greenish-white. Kan. Dagli soppu. దెగ్గి నుంచి... (See Euxolus caudatum, Moq.)

10 Blitum var. oleraceus, Linn. India. Cultd. o Fl. reddish.

11 polygamus, Linn. India and Ceylon. O

12 salicifolius, Hort. O Variegated and willow-leaved.

The varieties *Henderi*, and *Princess of Wales*, are cultivated in gardens, but I am at a loss where to place them in this vaguely defined genus. It is a remarkable fact that all the improved garden forms retrograde very rapidly in India; and the intermediate forms which thus arise are most distracting.

6 Pupalia, Juss.

1 orbiculata, Wight. India. #

2 atropurpurea, Moq. India. = Kan. Antu purule gida. ಅಂಟು ಪ್ರರುಳ ಗಿಡ

7 Ærua, Forsk.

- 1 javanica, Juss. India. A woolly undershrub. Fl. white.
- 2 lanata, Juss. India and Ceylon. U. s. Fl. white. Kan. Bili hindi soppu. బి7 మండి నుంపు.
- 3 Monsonia, Mart. India u.s. Fl. rose. Kan. Majjige béru gida. ಮಜ್ಞಿಗೆ ಪೇರು ಗಿಡ.

8 Achyranthus, Linn.

- 1 aspera, Linn. India. H or u. s. Kan. Uttaráni gida. ಉತ್ತರಾಣೆ ಗಡ
- var. argentea. # Kan. Bili uttaráni gida. ಬಿಳ ಉತ್ತರಾಣಿ ಗಿಡ.
- 3 species? India. # Kan. Akki harive soppu. ఆక్తి జుంచే నుంచి_న.

The leaves are used as greens.

9 Alternanthera, Forsk.

- 1 sessilis, R. Br. India. Kan. Honogone soppu. ಹೊನಗೊನೆ ಸೊಫ್ಪು.
- 2 amabile (?) Hort. AMER. H

These herbs are extersively used as edgings 3 spathulata (?) == to garden raths.

10 Gomphrena, Linn.

- 1 globosa, Linn. Globe Amaranth. India. Fl. red. Kan. Rudrákshi hú gida? రుద్రాక్షి మం గిడ.
- 2 ,, var. alba. Fl. white.

11 Iresine, WILLD.

- 1 Herbstii, Hook. Brazil. #
- Valued for var. (?) # their dark-3 Lindenii, V. Houtte. Ecuador. # tinted foliage.
- 4 acuminata, Hook, Brazil. #

ORDER XCVI.

CHENOPODIACEÆ.

THE GOOSEFOOT FAMILY.

Herbs on the sea-shore, in saline tracts, and waste places in various parts of the world. Although nearly allied in structure, the Chenopods differ materially in habit from the Amaranths. Their flowers are also less numerous, more regular, and never scarious or chaffy. Perianth inferior, of 3—5 segments. Stamens opposite to the latter and usually 5 in number. Anthers 2-celled. Ovary superior, 1—celled and uniovulate. Stigmas 2—4. Fruit an utricle, often supported by an accrescent fleshy perianth.

1 Chenopodium, Linn. Goosefoot.

- 1 album, Linn. India. ಈ Fl. whitish. Kan. Hutchu, sakotti soppu. ಹುಚ್ಚು ಸಕ್ಕೊತ್ತಿ ಸೂಪ್ಪು.
- 2 ambrosioides, Linn. India, H

There are two varieties, one being red and the other white flowered.

2 Beta, Linn.

1 vulgaris, Linn. Beet. EUROPE. #

3 Spinacia, Linn.

1 oleracea, Linn. Common spinach. Arabia. ⊙ Kan. Basale soppu. ಬಸಲೆ ಸೊಪ್ಪು.

4 Atriplex, Linn.

1 hortensis, Linn. Orache. S. Europe. H Kan. Sakotti (gida) soppu. నేక్కెప్తి (గిడ) నేంప్పు.

We have a distinct variety with long narrow leaves, known in the local vernacular as Nama Sakotti Soppu;

and so called as the leaves bear some resemblance to the Hindu (sacred) mark on the forehead.

- 2 repens, Roth. India. u. s.
- 3 nummularia, Lindl. TROP. AUSTRALIA. s The Salt Bush.

5 Basella, LINN.

1 rubra, Linn. India and Ceylon. A succulent creeper with small red berries. Often cultd. as a pot-herb. Kan. Báyi basali balli. ພວວນ ພາຍ ພາຍ.

There is a distinct variety with white berries.

ORDER XCVII.

PHYTOLACCACEÆ.

THE POKEWEED FAMILY.

India possesses but one indigenous species of this small Order. The introduced plant, here entered, is typical in structure.

1 Rivina, Plum.

1 lævis, Linn. Trop. Amer. and W. Indies. s Fl. whitish. Berry bright red.

ORDER XCVIII.

POLYCONACEÆ.

THE BUCKWHEAT FAMILY.

Herbs, rarely shrubs, with alternate simple leaves, and conspicuous, ochreate, stipules. Flowers usually very small, with articulations on the pedicels. Perianth of

3—6 leaves, free or connate. Stamens 5—8. Ovary superior, 1—celled, 1—seeded; and usually three cornered. Styles 1—3 with an equivalent number of stigmas. The family is mostly prevalent in temperate parts of the world. The tank weed 'Níru ganagalu gida' affords a good type.

1 Polygonum, Linn.

1 plebejum, Br. India. #

2 ,, var. indicum, Mysore. ⊙ Kan. Síranige soppu. స్టిరిసిగి నించి ఎ.

3 glabrum Willd. TROP. ASIA. AFRICA AND AMER. Fl. rose to white. Kan. Níru ganagalu gida. ಇರು ಗಣಗಲು ಗಡ.

4 stagninum, Ham. INDIA. ⊙ Kan. Kere bendu gida. ಕರ ಬೆಂಡು ಗಿತ.

5 barbatum, Linn. India and Trop. Asia. # Fl. white.

6 flaccidum, Meissn. Indian swamps. # Fl. pink.

7 chinense, Linn. India and China. s Fl. white.

2 Fagopyrum, Gærtn.

1 esculentum, Moench. EUROPE AND ASIA. ③
Buckwheat. Fl. whitish.

3 Rheum, Linn.

1 Rhaponticum, Linn. Asia. Cultd. form. **

Rhubarb. This herb does not succeed in local cultivation.

4 Emex.

1 australis. Australia. An established weed. *Kan.* A'ne neggilu gida. ఆనే నెగ్డలు గిజ

5 Rumex. Linn. Dock.

1 vesicarius, Linn. India and Trop. Asia. © Kan. Sukke soppu. মাধু মঞ্জু

2 species. **

6 Coccoloba, JACQ.

1 platyclada, F. Mueil. E. Austr. s Fl. cream.

7 Antigonon, Endl.

1 leptopus, Hook S. Amer. c Fl. pink to reddish pink, showy.

ORDER XCIX.

NEPENTH! CEÆ.

THE PITCHER FAMILY.

A small Order of trailing or climbing, evergreen, undershrubs with alternate leaves and small dioectous flowers. The pitcher-like appendages to the midrib are strikingly characteristic of the family, which is limited to about 30 species of one genus. They are mostly found in the Malay Islands, and Trop. North Australia.

1 Nepenthes, Linn. Pitcher Plant.

- 1 Rafflesiana, Jack. Singapore. c
- 2 phyllamphora, Willd. Singapore. a

ORDER C.

ARISTOLOCHIACEÆ.

THE BIRTHWORT FAMILY.

A tropical Order of herbs and shrubs, often climbing. Leaves alternate, entire or lobed, exstipulate. Periauth regular or irregular. In the genus Aristolochia very remarkable. Stamens 6, forming a compact ring at the base of the style. Ovary 4—6—celled with numerous seeds. Fruit capsular and berried.

1 Aristolochia, LINN.

1 bracteata, Retz. India and Ceylon. 22 Fl. purple.

2 indica, Linn. Indian Birthwort. c Fl. greenish-

brown, Kan. I'swari beru. ಈ ਗੁਰ ਬੀਰੀ

3 Bonplandii, Tenor. AMERICA. o Fl. large, fœtid, and greyish-purple.

4 ridicula, Bull. BRAZIL. c Fl. cream and purple.

5 elegans, Bull. Brazil. c Fl. purple with creamy articulations.

ORDER CI.

PIPERACEÆ.

THE PEPPER FAMILY.

An Order of herbs and shrubs mostly confined to tropical America. But *Piper Betle*, the so—called betel-leaf, is more universally known than any plant in India. Note the climbing habit, jointed stem, and aerial roots of many species. Also the small achlamydeous flowers closely packed in catkin-like spikes. *Stamens* 2—8, filaments jointed. *Ovary* one—celled, and usually one—ovuled. *Fruit* a one-seeded berry or coccus.

1 Piper, LINN.

1 longum, Linn. India. Cultd. c = Long Pepper. Kan. Hippali balli. ఓక్ఫలి టక్కి.

2 Chaba, Hunter. India. Cultd. c

3 Betle, Linn. India. Cultd. c Indian Betel Leaf. Kan. Vilyadele balli. වැදැස්ස් සඳ

4 nigrum, Linn. India and Ceylon. c Black Pepper. Also White Pepper, according to the preparation. Kan. Menasu balli, ಮಾನು ಬ್

- 5 sylvestre, Lamk. India. c
- 6 species, India. c m

2 Peperomia, Ruez. And PAV.

1 argyrea, Hort. S. Amer. =

yar. arifolia. # Foliage pretty.

3 eburnea Brazil. M

4 species. Green-leaved succulent herb.

ORDER CH.

M.RISTI & Æ.

THE NUTMED FAMILY.

Tropical evergreen trees with alternate, entire, exstipulate leaves; and small, regular, diœcious flowers. Perianth 3—leaved and valvate in bud. Anthers 3 or more. 2—celled. Fruit fleshy, but ultimately dehiscent and 2—4 valved. Dissect the nutmeg-plant of gardens.

1 Myristica, Linn.

- 1 fragrans, Houtt. Eastern Moluccas. Nutmeg Tree. Fl. pale yellow. Kan. Jájikayi mara. ಜಾಜಿಕಾಯಿ ಮರ್ರ
- 2 magnifica, Bedd. India. A handsome Malnad tree. Kan. Rámanadike mara. ರಾಮನಡಿಕ ಮರ
- 3 longifolia, Wall. NORTH INDIA. T

ORDER CIII.

LAURAGEÆ

THE LAUREL FAMILY.

An aromatic Order of trees and shrubs mostly confined to warm parts of the world. Leaves alternate,

entire, exstipulate; often gland-dotted and mostly evergreen. The special morphology of the family is found in the peculiar arrangement of the stamens, (at others especially) and staminedes. Ovary superior, sessile p, and 1—celled. Ovule solitary, suspended from the top \$\circ\$ of the cell. Fruit usually on a thickened peduncle, indehise cent. Note that the genera Cassytha (Filiform twining 1 parasites) and Hernandia (Evergreen trees) form displant tribes of the Order.

1 Cinnamomum, Blume.

- 1 zeylanicum, Breyn. Cinnamon. Ceylon. = Fl. creamy-white. Kan. Lavangapatte mars ಅವರ್ಗಪಟ್ಟೆ ವರ.
- 2 species (?) India. エ Kan. Yellaga mara.

2 Machilus, Nees.

1 macrantha, Nees. S. India. T. Fl. whitish. called Kan. Chittu tandri mara. ಚಟ್ಟುತಾಂಡ್ರ ಮರ. t in erial

3 Alseodaphne, NEES.

1 semecarpifolia, Nees. S. India. т

4 Litsæa, Lamk.

1 species (?) A small tree in the Residency Park

5 Persea, GERTN.

pper.

ned to

ieous

1 gratissima, Gærin. Alligator Pear. TROP. AMER. TFl. cream.

6 Hernandia, Linn.

1 bivalvis, Benth. E. Austr. T

2 sonora, Linn. AMER. T

ORDER CIV.

PROTEACE Æ

THE PROTEA FAMILY.

An Order of trees and shrubs chiefly confined to the Southern Hemisphere. Abundant in Australia and South Africa. Leaves alternate or whorled, often toothed or innatisect; exstipulate, usually hard, rigid, and dry. Lower hermaphrodite. Perianth regular or irregular, 4-ved, inferior. Stamens 4, inserted on the perianth aminodes or glands 4, hypogynous. Ovary oblique, celled. Ovules definite or indefinite. Fruit capsular or twise. The so-called "Silver oak," Grevillea robusta, ch is rapidly being established in Southern India, is a stippe of the family.

maelicia, Lour.

1 robusta, Wall. India and Java. T

Macadamia, F. Muell.

1 ternifolia, F. Muell. N. Austr. = Australian Nut Tree.

revillea, R. Br.

- 1 Forsterii (?)
- 2 robusta, Cunn. E. Austr. T Silver Oak. Fl. orange-yellow and scarlet.

Hakea, Schrad.

- 1 leucoptera, R. Br. Austr. s
- 2 laurifolia (?) AUSTR. s
- 3 species. AUSTR. s

ORDER CV.

THE OLEASTER FAMILY.

A small Order of shrubs and trees. Leaves alternate, rarely opposite, entire, exstipulate, and usually covered with silvery scurf-scales. Flowers regular, in axillary cymes or clusters; white or pale-yellow. Note the one-seeded fruit usually enclosed in the enlarged tube of the perianth.

1 Elæagnus, Linn.

1 hortensis, M. Bieb. EUROPE. AND ASIA. T

2 latifolia, Linn. India and Ceylon. c s Fl. pale-yellow. Kan. Hejjálada mara. ස්ස සේ සාජ

ORDER CVI.

LOBANTHACEÆ

THE MISTLETOE FAMILY.

A large Order of evergreen, parasitic, shrubs. The tropical genus *Leranthus* counts about 60 Indian species. The position of these, clinging to trees and shrubs, at once marks their character. They have also showy tubular flowers, in red, yellow, and green colours. Fruit a 1—seeded berry. The old mango trees in Mysore are much infested by the species entered in this collection.

1 Loranthus, LINN.

1 longiflorus, Desrouss. India. p. s. Fl. pale-red, yellow and green. Kan. Badanike. ಬದನಿಕ.

2 " var. bicolor. India. p. s. Fl. red and white. Kan. Sigare badanike. ಸಾರ ಬರನಿಕ್ಕ 3 species. India. P. s. Fl. orange-yellow tipped green.

4 species. India. P. s. Fl. small, pale yellow.

ORDER CVII.

SANTALACEÆ.

THE SANDALWOOD FAMILY.

Herbs, shrubs and trees. Some of the former are parasitical and so nearly allied to the *Loranthacew* that a careful study of the interior ovary is essential to decide the classification. The sandal tree, *Santalum album*, affords a yearly revenue to the Mysore State of about eight lakhs of rupees £80,000.

1 Santalum, Linn.

1 album, Linn. Sandalwood Tree. India. (Mysore) Fl. straw to dull crimson. Kan. Srigandha mara. ಕ್ರೀಗಂಥ ಮರ. The most valuable tree in the Mysore country.

ORDER CVIII.

EUPHORBIACE

THE SPURGE FAMILY.

A large Order of tropical herbs, shrubs and trees, usually containing a milky juice. Leaves simple, very rarely divided, petiolate, and generally alternate or scattered. Flowers small, unisexual, (monoecious or dioecious) achlamydeous, or more commonly with 1—2 floral envelopes. Perianth inferior, occasionally double and sometimes wanting. Stamens various, but often 1—3, anthers 2—celled. Ovary superior, generally 3—celled with 1—2 pendulous oyules in each cell. Fruit capsular and dru-

paceous. Nos. 1, 4, 10, 13 and 20 are extreme types of this important but somewhat anomalous family.

1 Euphorbia, Linn. Spurge.

- 1 Bojeri, Hook. MADAGASCAR. s Densely prickly Bracts scarlet.
- 2 Tirucalli, Linn. Milk-hedge. India and Africa. ਸ Kan. Kalli mara. ਚੰਹ ਡਾਰ. Fl. yellowishgreen.
- 3 hypericifolia, Linn. India and ceylon.

 Fl. pinkish-white.
- 4 pilulifera, Linn. India and Australia.

 Rabbit Weed, or Asthma Plant. Kan. Atche soppu, and Nene akki soppu. ভাষ্ট্র (নির্ভেট্র) স্কন্থ্যু. 5 thymifolia, Burm. India, in moist tank-beds.
- 6 neriifolia, Linn. India. A succulent shrub or small tree. Involucre yellow.
- 7 antiquorum, Linn, India and Ceylon. A large succulent shrub commonly used for fencing. Kan. Bonte kalli mara. ಬೊಂತೆಕ೪, ಮರ.
- 8 trigona, Haworth. India. A succulent shrub, smaller in all its parts than the foregoing species, and more leafy.
- 9 helioscopia, Linn. Northern India and EUROPE. Annual succulent.
- 10 species. A slender weed of cultivation.

2 Buxus, Linn.

1 sempervirens, Linn. Box. EUROPE. s Thrives indifferently at Bangalore.

3 Bridelia, WILLD.

1 retusa, Spreng. India. = Kan. Gurige mara. ಗುಂಗೆ ಮಕ್ಕ

4 Phyllanthus, Linn.

1 reticulatus, Poir. India.

- 2 Emblica, Linn. Trop. India and Ceylon. Awla Tree. Fl. yellow. Kan. Nelli mara. నల్లి మర Often spoken of in India as the gooseberry tree.
- 3 maderaspatensis (?) Linn. India. # Fl. greenish-white
- 4 urinaria, Linn. India and Ceylon. O
- 5 simplex, Retz. India and China.

 O
- 6 Niruri, Linn. TROP. INDIA. ① Kan. Kirunelli gida. ಕಿರುನಲ್ಲಿ ಗಡ. An abundant weed.
- 7 species. Near to the above. Perhaps a variety. Kan. Akki soppu. ఆక్షి నూట్స్.
- 8 distichus, Muell. India. Cultd. Madagascar, Star Gooseberry Tree. Fl. (See Cicca disticha, Linn.) Kan. Kirunelli mara. ම්රාබ්චු ක්ර

5 Glochidion, Forst.

1 zeylanicum, A. Juss India and Malay Islands. =

6 Flueggia, Willib.

1 microcarpa, Blume. India and China. T

7 Breynia, Forst.

1 rhamnoides, Muell. Trop. India, Ceylon, and China. s or म Kan. Bili súli gida. బి? నుంచి గడ. Note also the varieties called Kari, and Anna súli gida.

8 Putranjiva, WALL.

1 Roxburghii, Wall. India. = Fl. yellowish.

9 Antidesma, LINN.

1 Ghæsembilla, Gærtn. India and China. A small evergreen tree.

Fruit in racemed clusters, and like miniature apples, i ic,

10 Jatropha, Linn.

- 1 glandulifera, Roxb. India and Trop. Africa. s Fl. reddish-purple. Kan. Kari turuka haralu gida. ಕಂತರಕ ಹರಳುಗಿತ. Foliage greenish purple to bronze.
- 2 gossypifolia, Linn. Brazil. s Fl. purplish red.
- 3 multifida, Linn. S. AMER. Coral Shrub. Fl. scarlet.
- 4 panduræfolia, Andr. Cuba. s Fl. scarlet.
- 5 podagrica, Hook. S. AMER. Succulent shrub. Fl. scarlet.
- 6 curcas, Linn. India, cultd. S Amer. s or т Physic or Furging Nut. Fl. yellowish green. Kan. Turuka or Kádu haralu gida. ತುರುಕ (ಕಾಡು) ಹರಳುಗಿತ್ತ.
- 7 species. A small shrub.

11 Manihot, Poul.

- 1 Glaziovii. The Ceara Rubber. S. AMER. s Fl. mottled.
- 2 utilissima, Pohl. S. Amer. Tapioca and Bitter Cassava. = Fl. Kan. Kádu, or mara, genasu gadde. ಕಾಡು (ಮರ) ಗೆಣಸುಗಡ್ಡೆ.

12 Aleurites, Forst.

1 moluccana, Willd. Pacific Islands. India, cultd. Belgaum Walnut Tree. Fl. white.

13 Croton, LINN.

1 Tiglium, Linn. India and China. Small tree. Croton Oil Plant. Fl. greenish-yellow. Kan. Jápálada gida. ಜಾಮಾಳದ ಗಡೆ.

Note—A list of the numerous varieties cultivated under this generic name (but properly under the genus Codiæum) will be found at the end of the Catalogue. These plants have made their appearance in local gardens within the past fifteen years.

14 Givotia, GRIFF.

1 rottleriformis, Griff. India and Ceylon. T

15 Codiæum, Juss.

1 variegatum, Blume. India, cultd. Molucca Islands. #

The so-called "garden crotons" originate mostly from this shrub, of which they are so many varieties.

16 Chrozophora, Neck.

1 plicata, A Juss. India. # On the margins of tanks. The C. prostrata of Dalzell.

17 Acalypha, Linn.

- 1 indica, Linn. Cupamani. (Tam.) India. \odot Kan. Kuppi gida. కాష్ట్రి గిడ. A native emetic.
- 2 fallax, Muell. India and Ceylon. O
- 3 eremorum, Muell. Australia. s
- 4 ,, var. glabrata. s (See tricolor, Hort.)
- 5 marginata, Spr. S. S. Islands. s
- 6 macrophylla. From CALCUTTA.
- 7 species. Shrub with bronze, acuminate, twisted leaves.

18 Trewia, LINN.

1 nudiflora, Linn. Kat-Kumbla Mara. ಕಾಟ ಕುಂಬ ಳವುರ. India. = Male flowers in pale yellow catkins.

19 Mallotus, Lour.

1 philippinensis, Muell. India and Burma. Kamala Dye Tree. Fl. rusty. Kan. Kunkumada mara. ಕುಂಕುಮದ ಮರ

20 Ricinus, Linn.

1 communis, Linn. Castor-oil Plant. INDIA. © Kan. Haralu gida. & Dat.

2 communis, variety. ⊙ Smaller than the above. Kan. Chittu haralu gida. ಚಿಟ್ಟು ಹರಳು ಗಿಡ.

21 Gelonium, RoxB.

1 lanceolatum, Willd. India. # Male Fl. creamy white. A pretty tree of conical form.

22 Tragia, LINN.

1 involucrata, Linn. India. c = With stinging hairs.

23 Dalechampia, Plum.

1 Roezliana rosea, A Muell. Mexico. s

24 Sapium, P. Br.

1 sebiferum, Roxb. CHINA. Tallow Tree.

2 discolor, Muell. CHINA AND MALACCA. s (Syn Excecaria discolor.)

25 Excecaria, Linn.

1 robusta, Hook. India. (Coorg) T

26 Baloghia, Endl.

1 lucida, Endl. Norfolk Isld. and E. Aust. T

27 Poinsettia, Graham.

1 pulcherrima, Graham. Mexico. s Bracts scarlet.

2 ,, var. alba. s Bracts white.

28 Hura, Linn.

1 crepitans, Linn. Sand-box Tree. S. AMER.

29 Anda.

1 Gomesii. Brazil. - Fruit a very large nut. Fl. white.

30 Hevea, Muell.

- 1 brasiliensis, Muell. Brazil. T Para Rubber.
- 2 spruceana, Muell. British guiana. This also affords Para rubber.

31 Xylophylla, Linn.

1 augustifolia, Willd? Jamaica. A rigid shrub with phyllodinous leaves.

32 Pedilanthus, Neck.

- 1 tithymaloides, Poit. West Indies. Naturalised in India.s Involucre scarlet and slipper-shaped.
- 2 ,, var. variegata. s

33 Synadenium.

1 Grantii. A perennial succulent attaining 12— 15 feet. The venation of the leaf is reddish in colour and very beautiful. Introduced.

ORDER CIX.

URTICEÆ.

THE NETTLE AND FIG FAMILY.

An extensive Order of chiefly tropical herbs, shrubs. and trees. But the species differ so considerably in general architecture, and form of inflorescence, that some botanists prefer to treat the group as two or more distinct families. Example-Cannabineæ, (the hemps) Moreæ, (the mulberries and figs) Artocarpeæ, (the breadfruit and Jack) and Urticeæ, the nettles proper. It is necessary therefore to examine types

selected from the several tribes which otherwise substitute this important Order, and although it is admitted that extreme forms might well represent distinct families, still it is more natural and convenient to treat them as one. Fig trees are abundant throughout Mysore, and it is often remarked by the people that they have no flowers. This mistake arises from the latter being concealed within the fleshy receptacle, which is popularly known from the beginning as the fruit. A young fig is therefore the receptacle of the inflorescence. Leaves stipulate and mostly alternate. Flowers minute, monoecious or discious. Stamens equal to the perianth lobes and opposite to them. Ovary 1—, celled and 1—ovuled. Examine species of Nos. 4, 7, 9 10 and 11.

1 Celtis, Linn.

1 Wightii, Planch. India. ਜ Kan. Bendu mara. ಪಂಡು ವರಿದ್ದ

2 Trema Lour.

1 orientalis, Blume. India. = Charcoal Tree. Kan. Gorklu mara. ಗೋರಕ್ತು ಮರ.

3 Humulus, Linn.

1 lupulus, Linn, N. AMER. The Hop. c

4 Cannibis, Tourner.

1 sativa, Linn. *Hemp.* Trop. Asia. © *Kan.* Bangi soppu gida. ಬಂಗಿ ಸೂಪ್ಪು ಗಡ. Cultivation prohibited in Mysore.

5 Streblus, Lour.

1 asper, Lour. India and China. s = Kan. Mitli mara. ವಿಟ್ಟ ವುದ. The Siam "Ton-khoi" from which paper is manufactured.

6 Broussonetia, VENT.

1 papyrifera, Vent China and Japan. T. Fl. dull yellow. Paper Mulberry.

7 Morus, Linn.

- 1 alba, Linn. White Mulberry. Asia. = Fruit white or red, cultd.
- 2 indica, Linn. Indian Mulberry. 🛨 or s Silkwerm Mulberry. Fruit red. Kan. Reshme or kambaki gida. రభ్య (శంబిశ్ర) గడ.
- 3 atropurpurea, Roxb. CHINA. T Fruit darkpurple and very long.
- 4 nigra, Linn. Europe. Black Mulberry. T
- 5 lævigata, Wall. India. # Fruit yellowish white, insipid, and long-cylindric.

8 Dorstenia, Linn.

1 brasiliensis, Linn. Trop. Amer. II Affords the 'Contrayerva Root' of shops.

9 Ficus, Linn. Fig Tree.

- 1 gibbosa var. parasitica, Koen. India. ± Kan. Godu mitli mara. ಗೊಮ್ಮ ವಿಟ್ಲವರ.
- 2 bengalensis, Linn. India. The Banyan. ∓ Fruit sessile, in pairs, large and reddish. Kan. A'lada mara. ಆಲದ ಮು
- 3 mysorensis, Heyne. India. T Fruit sessile, in pairs, large, orange to orange-red. Kan. Góni mara. ಗೋಣಿ ಮರ.

This is the largest species in the Mysore country. It is not unusual to find specimens with trunk 30 feet in circumference, and head diameter 140 feet.

- 4 tomentosa, Roxb. India and Ceylon. # Fruit in sessile pairs, rusty-grey; medium sized. Kan. Kallálada mara. ಕಟ್ಟಲದ ಮರ
- 5 indica, Linn. India. \pm Fruit in crowded sessile pairs, yellowish red; medium sized. Kan. A'la mara. ಆಲ ವುರ. This is also called the 'Banyan' by English denizens.
- 6 Benjamina, Linn. JAVA, SUMATRA. # Fruit in scattered sessile pairs, rusty-red; the size of a large pea. A graceful evergreen tree cultivated in India for scenic effect. Commonly known as the Java Fig.
- 7 "var. comosa, Kurz. Timor. Sumatra. This only resembles *Benjamina* in leaf, and I certainly think it should be maintained as a distinct species. Fruit in scattered sessile pairs, the size of a cherry, rich orange.
- 8 elastica, Roxb. North India and Burma. T India Rubber Tree. Fruit in sessile pairs, small, oblong, pale yellow.
- 9 retusa, Linn. India and China. \pm Fruit in sessile pairs, small, dull yellow to red. Kan. Pilálada mara. ಪಿಲಾಲದ ವುರ.
- 10 ,, var. nitida, Thunb. India. Only differing from the above in form of leaf and quantity of aerial roots.
- 11 religiosa, Linn. India and Ceylon. \pm *The Sacred Peepul.* Fruit in sessile pairs, the size of a large pea, reddish-purple. *Kan.* Arali, rági, or aswatha mara. ఆర్య (ాసి, ఆక్రత్త) మర.
- 12 Tsiela, Roxb. India and Ceylon. 🛨 Fruit sessile, crowded, globose, medium sized and purplish. Kan. Bili basuri mara. ಬಿ೪ ಬಸುರಿ ಮರ.

- 13 infectoria, Roxb. India and Ceylon. T Fruit in sessile pairs, the size of a large pea, changing from greenish-white to red. Kan. Kari basuri mara. ಕಂ బనుం వెర
- 14 heterophylla, Linn. India and Ceylon. c Fruit large, solitary and pear-shaped. This includes *F. repens*, Willd. and *F. scabrella*, Roxb.
- 15 asperrina, Roxb. India and Ceylon. \pm Sandpaper Tree. The leaves are used to burnish steel. Fruit stalked, large, yellow to purple. Kan. Gargatti mara. ກ່ຽງ ສາວັ.
- 16 hispida, Linn. India. # Fruit mostly on the trunk, stalked, turbinate or obovoid; yellowish. *Kan.* Kádatti mara. ಕಾಡತ್ತಿ ಮರ.
- 17 Roxburghii, Wall. Northern India. # Leaves very large, nearly orbicular. Fruit large, turbinate, crowded at the base of the trunk: russet-brown.
- 18 glomerata, Roxb. India and Ceylon. \pm Known as the "Country Fig. Fruit large, crowded on the trunk and main limbs, much eaten by swine and cattle. Kan. Atti mara. ಅತ್ತಿವರ.
- 19 saemocarpa? Miq. India. s Fruit large, subglobose. Kan. Kabbasuri mara? ಕಬ್ಬಸುರ ಮರ?
- 20 macrophylla, Desf. East. Aust. \pm Moreton Bay Fig. Fruit in axillary pairs, stalked, large, ovoid, purple with orange spots. In foliage this tree is not unlike F. elastica.
- 21 Cunninghami, Miq. QUEENSLAND. T Fruit not seen.
- 22 carica, Linn. Europe. The Edible Fig. s or x Kan. Anjur gida. అంజూర గిన
- 23 species. A large umbrella-shaped tree found among rocks. Leaves oblong, rather small,

covered on the underside by tawny tomentum. Fruit small, round and sessile. Kan. Kallatti mara. ಕಲ್ಪತ್ತಿವರ.

- 24 species. A large tree somewhat resembling F. religiosa. Kan. Gilke mara. ಗಿಲ್ಲೆ ಮರ.
- 25 species. A large tree. Kankanhalli jungle. Kan. Séluyarada mara, ਵਿਚਾਹਰਾਹ ਕਾਰ

10 Artocarpus, Linn.

- 1 incisa, Linn. Breadfruit Tree. Pacific Islands.
- 2 integrifolia, Linn. Jack Tree. India. Kan. Halasına mara. ಹಲಸಿನ ಮರ
- 3 hirsuta, Lamk. India. 🛨 Kan. Heb. halasina mara. ಹೆಬ್ ಹಲಸಿನ ಮರ
- 4 Cannoni. A tree with copper-coloured leaves.

 Recently introduced. Fruit a small purple fig.

11 Urtica, LINN.

1 parviflora, Roxb. India. Nilgiri Nettle. = Kan. A'ne gajje gida ? ಆನೆ ಗಜ್ಜಿ ಗಡ?

12 Fleurya, GAUD.

1 interrupta, Gaud. India. ⊙ Stinging. Kan. Churachurakana gida? ಚುರಚುರಕನ ಗಡ?

13 Girardinia, GAUD.

1 heterophylla, Done. India. # Stinging.

2 ,, palmata. Nilgiris. Stinging.

14 Pilea, LINDL.

1 Gardneri. Brazil. ## The Gunpowder or Cannon Plant. This appears to be a larger form of P muscosa, Lindl.

15 Bohmeria, JACQ.

- 1 nives, Hook. MALAY ISLDS, CHINA AND JAPAN.

 Rhea Fibre or Grass-cloth Plant. s
- 2 malabarica, Wedd. Northern and Western India, s
- 3 platyphylla, Don. Alpine India. s

16 Pouzolzia, GAUD.

1 pentandra ? Benn. India. O

17 Debregeasia, GAUD.

1 velutina, Gaud. Hills of India.s Fruit clustered, orange-yellow. (See Conocephalus niveus, Wight.)

ORDER CX.

PLATANACEÆ.

THE PLANE-TREE FAMILY.

This European Order of deciduous trees is represented in the north of India (North-Western Himalaya) by the Oriental Plane. But the latter is not truly indigenous to this country.

1 Platanus, LINN.

1 orientalis, LINN. LEVANT. The Oriental Plane.

ORDER CXI.

CASUARINEÆ.

THE TINIAN PINE FAMILY.

A small Order of leafless trees and shrubs. Mostly Australian, but also scattered in the Malay and Pacific Islands. The introduced Casuarina equisetifolia, Forst. is extensively cultivated in Mysore, and other parts of India, as a remunerative fuel-tree. It is a graceful pine-like tree, and the mournful soughing of its fluted branch-lets is a familiar sound to those who frequent its groves. The proper leaves are reduced to mere scales at the tips of the branchlets. Flowers unisexual, monœcious, and dull red. In a country where there are no pines, the scenic effect of this genus is remarkable.

1 Casuarina, Linn.

- 1 equisetifolia, Forst. Chittagong, southward to Malay Isds. and Australia. The Tinian Pine, and Beefwood Tree. Kan. Késarike mara, কাসতেই হাতা.
- 2 Decaisneana, F.v. Mueller. CENTRAL AUSTR. T
- 3 glauca, Sieber. Australia. The Desert She-oak.
- 4 torulosa, Aiton. South-East Australia. T
- 5 tephrosperma, Miq. Australia. T
- 6 suberosa, Willd. She-oak. South East Austra-
- 7 quadrivalvis, Labill. S. E. Australia. 2

ORDER CXII.

CUPULIFERÆ.

THE OAK FAMILY.

An Order of trees and shrubs mostly confined to the northern hemisphere. Indian species are somewhat abundant in the Himalaya but do not occur on the plains. The specimen in the garden is a stunted tree of 8—10 feet. It is unproductive of flowers and fruit.

1 Quercus, Innn. The Oak.

1 species. A small tree. Introduced.

ORDER CXIII.

SAL'CACEÆ.

THE WILLOW FAMILY.

This Order includes but two genera, Salix and Populus. But these comprise many species of cold-country trees and shrubs. Leaves simple, alternate, deciduous. Flowers in directions catkins.

1 Salix, LINN.

1 tetrasperma, Roxb. *Indian Willow*. India. т Fl. yellow. *Kan*. Niravanji mara. ನಿರವಂಜಿ ಮರ 2 babylonica, Linn. *Weeping Willow*. Asia. т Fl. pale yellow.

ORDER CXIV.

CERATOPHYLLEÆ.

An aquatic family of one species. A tank weed of variable character.

1 Ceratophyllum, Linn.

1 demersum, Linn. A # ALL TEMP. AND TROP. COUNTRIES.

CLASS II.—GYMNOSPERMÆ.

ORDER CXV.

CONIFERÆ.

THE PINE FAMILY.

A large Order of trees and shrubs abundantly preduced in the temperate and cold latitudes of the northern hemisphere. The tribe Araucarieæ is mostly confined to the southern hemisphere, viz., Australia, New Zealand and South America. Leaves small, rigid, needle-like or broadly subulate. Flowers unisexual, in catkins or cones, according to sex. The family is divided into six or more well-defined tribes. Woods of Casuarina equisetifolia bear a striking resemblance to the pine forests of northern regions, and in this respect are grateful to European denizens. The rapid spread of this tree, in some localities, will greatly improve the landscape features of the plains.

1 Cupressus, Linn. Cypress Tree.

- 1 torulosa, Don. Western Himalaya. The Nepaul Cypress.
- 2 sempervirens, Linn. EUROPE AND ASIA MINOR. The Upright Cypress.
- 3 Funebris, Endl. China. T Branches horizontal, branchlets weeping.
- 4 lusitanica, Mill. India, cultd. = The Goa Cypress.
- 5 Lawsoniana, Murray Northern Califor-NIA. T

- 6 macrocarpa, Hartweg = The Californian, Cypress.
- 7 species. Introduced from Europe.

2 Juniperus, Linn.

1 chinensis, Linn. Chinese Juniver, T

3 Podocarpus, L'Herit.

- 1 chinensis, Wall. CHINA. T 2 latifolia, Wall. INDIA. T This appears to be the only species that affects the south-western Peninsula.

4 Dammara, Rumph.

- 1 robusta, C. Moore, E. Austr. # The Queensland Kawi.
- 2 australis, Lamb. New Zealand Pine. Also, $Kami\ Pinc.\ \Delta$ striking conical tree.

5 Pinus, Du. Rot.

- 1 longifolia, Roxb. The Cheer Pine. HIMALAYA. T
- 2 excelsa, Wall. TEMP. HIMALAYA, T

6 Frenela, MIRB.

- 1 Gunnii, Endl. Tasmanian Pinc. x
- 2 columellaris, F. Muell, Austr. =

7 Araucaria, Heuk and Hochst

- 1 Cookii, R. Br. Caledonian Pinc. N. Caledonia. T
- 2 Bidwillii, Hook. Bunya Bunya. E. Austr. T
- 3 Cunninghamii, Ait. Morteon Bay Pine. E. AUSTR. T
- 4 species. Austr. T

8 Abies, Juss.

- 1 excelsa, D.C. Norway Spruce. T
- 2 Douglasii, Lindl. N. AMERICA. T

Strikingly handsome tiees for scenic planting. No. 2, is the best.

9 Wellingtonia, Lindl.

1 gigantea, Lindl. California. The Mammoth Tree. (See Sequoia gigantea, Torrey.)

10 Cryptomeria, Don.

1 Japonica, Thunb. JAPAN AND CHINA. T

11 Thuja, Tourner.

1 orientalis. Linn. Arbor Vite, CHINA. T

12 Retinospara, Zucc.

- 1 plumosa. T
- 2 Standishii. x
- 3 lycopodioides =

ORDER CXVI.

CYCADAGEÆ

THE CYCAS FAMILY.

A small tropical family of shrubs, or unbranched miniature trees The simple scaly trunk, surmounted by a horizontal crown of frond-like (pinnate) leaves, makes the Order conspicuous. In popular opinion the various species are viewed as palms or tree-ferns, but it should be noted by the student that they are neither one nor the other, but true gymnosperms.

1 Cycas, LINN.

1 revoluta, Thunb. JAPAN. s

2 circinalis, Linn. India.s or small tree. Kan. Goddu ichalu mara. ಗೊಡ್ಡು ಈಚಲು ಮರ್

3 Rumphii, Miq. s or small tree.

4 Beddomei, Dyer. EASTERN GHAUTS. s

5 species? Like circinalis but longer in leaf, and deciduous.

2 Macrozamia, Miq.

1 ceylindrica. s

3 Encephalartus, Lehm.

1 species from CALCUTTA. S

CLASS III MONOCOTYLEDONS.

ORDER CXVII.

HYDROCHARIDEÆ.

THE FROGBIT FAMILY.

Aquatic herbs, mostly in fresh water, Often entirely submerged. Leaves undivided. Flowers unisexual, spathaceous and regular. Perianth leaves 3—6. Ovary inferior. Fruit mostly indehiscent. Seeds numerous. The plants named in this list are plentiful in the Ulsur tank.

- 1 Hydrilla, RICHARD.
 - 1 verticillata, Casp. Common in tanks. A H
- 2 Lagarosiphon, HARE.
 - 1 Roxburghii, Benth. India. A #
- 3 Vallisneria, Linn.
 - 1 spiralis, Linn. India. S. Europe and Amer.
 - A H
- 4 Blyxa, Thouars.
 - 1 Roxburghii? Rich. Indian tanks. A
- 5 Ottelia, Pers.
 - 1 alismoides, Pers. India and Ceylon. # Fl. white.

ORDER CXVIII.

ORCHIDEÆ.

THE ORCHID FAMILY.

An Order of herbs (epiphytal aud terrestrial) comprising upwards of 5,000 species. The epiphytal class

abounds in tropical and sub-tropical parts of the world, while 'ground orchids' are more abundant in temperate regions. The diagnostic characters of the family are marked by tubers, or, in the case of aerial orchids, pseudobulbs, very handsome irregular flowers, gynandrous stamens, and an inferior ovary. But for closer observation the student must obtain a key to the Tribes and numerous sub-tribes of this enormous family. Orchids abound largely in the hill tracts of India and Burmah, where many fine species are easily procured. There cultitation under glass has proved so successful that, in Europe, they are now the most fashionable flowers of the day. The genus Vanilla affords an aromatic fruit which commands a high market value. It may be seen in local gardens, as also the operation of fertilising its flowers, which is necessary to produce the fruit.

1 Dendrobium, SWARTZ. Epiphytic Herbs.

- 1 barbatulum, Lindl. WESTERN GHAUTS. Fl. small, white.
- 2 formosum, Roxb. TROP. HIMALAYA. BURMAH-Fl. large, white with golden disk.
- 3 draconis, Reichb. Burman. Fl. ivory-white, disk reddish.
- 4 albo-sanguineum, Lindl. Burma. Fl. large, creamy-white with red bars on the lip.
- 5 crumenatum, Swartz. Burma. Fl. large, white,
- 6 secundum, Wall. Burman. Fl. deep red to white, with yellow.
- 7 revolutum, Lindl. Tenasserim. Fl. white with brown lip.
- 8 Jerdonianum, Wight. WESTERN GHAUT. Fl. yellow.

- 9 scabrilingue, Lindl. Buman. Fl. white, lip yellow and green.
- 10 primulinum, Lindl. NEPAL AND SIKKIM. Fl. medium, pale-pink to primrose.
- 11 cretaceum, Lindl. Burman. Fl. chalky-white, lip streaked with crimson.
- 12 Pierardi, Roxb. North India and Burman. Fl. medium, rose, with cream to yellow lip.
- 13 Crystallinum, Reichb. TROP. HIMALAYA, BUR-MAH. Fl. medium, white purple tipped; lip orange.
- 14 Bensoniæ, Reichb. Burman. Fl. medium, pale yellow or white; lip yellow with 2 purple spots.
- 15 aqueum, Lindl. NILGIRIS. Fl. cream-white, lip pale yellow. (See *D. album*, W.)
- 16 nobile, Lindl. EASTERN HIMALAYA. BURMAH, Fl. purple or white with purple tips and lip.
- 17 Parishii, Reichb. UPPER BURMAH. Fl. medium rose-purple or white, lip with 2 maroon blotches.
- 18 Falconeri, Hook. N. India and Upper Burman. Fl. large, white tipped with purple, lip white, with golden zone and purple disk.
- 19 pendulum, Roxb. SIAM, BURMAII. (See D. crassinode.)
- 20 Wardianum, Warner. Assam and Burman.

 Fl. large, white tipped with rosy-magenta, lip white and yellow with 2 crimson spots.

47

- 21 gratiosissimum, Reichb. Burman. Fl. large, white with rosy-purple tips; disk yellow or golden. (See *D. Boralli*, Reichb.)
- 22 Aphrodite, Reichb. Burman. Fl. pale primrose to white, lip orange and purple. (See. D. notatum, Lindl.)
- 23 Devonianum, Paxt. Northern India, Bur-Mah, &c. Fl. large rosy-white tipped with purple, lip deeply fringed, white with purple zone and 2 orange spots.
- 24 Dalhousieanum, Paxt. EASTERN HIMALAYA. BURMAH. Fl. large, cream, suffused with rose; lip with 2 large maroon blotches.
- 25 tortile, Lindl. Burman. Fl. rosy-lilac, with yellow lip.
- 26 Calceolaria, Carey. TROP. HIMALAYA. BURMAH.

 Fl. large golden yellow to rosy-purple, lip with 2 maroon or purple blotches, but usually closed. (See *D. moschatum*, Wedl.)
- 27 fimbriatum, Hook. Northern India and Bur-Mah. Fl. medium, orange-yellow. ,, var. oculata, Hook. The same with a purple blotch in the threat.
- 28 chrysanthum, Wall. TROP. HIMALAYA. Fl. medium, waxy-yellow with crimson spot.
- 29 densiflorum, Wall, Northern India and Burman. Fl. in dense pendant racemes, dull-white with orange lip.
- 30 ,, var. thyrsiflorum, Reichb. Although reduced to a variety of the foregoing species, this plant is much the finer of the two. Fl.

in large racemes, pure white with rich orange lip.

- 31 aggregatum, Roxb. Assam. Burman. Fl. medium. Orange-yellow.
- 32 chrysotoxum, Lindl. Arracan and Burmah. Fl. pale-yellow, lip orange and gold, spotted red.
- 33 Farmerii, Paxt. Assam. Burman. Fl. whitish tinged with pink or rose, lip white with rich golden centre.
- 34 Palpebræ, Lindl. Northern India. Burman. Fl. white tinged with rosy-pink, lip whitish with orange disk.
- 35 capillipes, Reichb. Upper Burman. Fl. golden yellow with deep orange blotch.
- 36 species. Undetermined.
- 37 species. " A NILGIRI plant.

Note.—The 'Flora of British India' describes 158 species of this splendid genus.

2 Bulbophyllum, Thouars. Pseudobulbous herbs with creeping rhizome.

- 1 fusco-purpureum? Wight. NILGIBIS. Fl. purple.
- 2 species. Fl. yellow.

3 Eria, Lindl. Epiphytes.

- 1 polystachya, A. Rich. Nilgiris. Fl. small, yellowish.
- 2 species? Fl. small, greenish-white.
- 3 Dalzelli? Lindl. W. GHAUTS. Fl. yellow.

4 Phajus, Lour. Terrestrial or Epiphytic Herbs.

- 1 Wallichii, Lindl. N. India and Burman. Fl. large, greenish white to rosy purple outside, brown and gold inside.
- 2 albus, Lindl. N. India and Burman. Fl. large, pure white, or with a coloured lip.
- 3 ,, var. Bensoniæ. Fl. large, rose-purple with a golden and deeper purple lip.

5 Coologyne, Lindl. Epiphytes.

- 1 Gardneriana, Lindl. Sub-trop. Himalaya. Fl. large, white.
- 2 cristata, Lindl. TEMP. HIMALAYA. Fl. large white with yellow markings on the lip.
- 3 Schilleriana, Reichb. Burmah. Fl. ochreous, lip mottled yellow and brown.
- 4 præcox, Lindl. Burman. Fl. rose-purple. See Pleione birmanica, Reichb.
- 5 Parishii, Hook. Burman. Fl. greenish-yellow with purple disk and bluish lip.
- 6 species 1 BURMAH. Received from Mr. Gil-7 species 2 , bert.

6 Pholidota, Lindl.

- 1 imbricata, Lindl. Burman. Perennial Herb. Fl. small, dull white.
- 2 species?

7 Calanthe, R. Br. Terrestrial Herbs.

- 1 vestita, Lindl. Tenasserim. Fl. rosy white.
- 2 rosea, Benth. Tenasserim. Fl. large, rose.

8 Arundina, Blume.

1 bambusifolia, Blume. CHITTAGONG. NEPAL. Terrestrial herb. Fl. red.

9 Cymbidium, SWARTZ.

- 1 aloefolium, Swartz. Bengal. Burma. Fl. Brownish-yellow with lilac-purple lip.
- 2 ensifolium? Lindl. BENGAL.
- 3 species.

10 Eulophia, Br. Terrestrial Herb.

1 virens, Br. India. Fl. greenish-gold to brown.

11 Cyrtopera, R. W. Terrestrial Herb.

1 Cullenii, Wight. India. Fl. yellow.

12 Phalænopsis, Blume. Epiphytic Herbs.

- 1 species No. 1.
- 2, , , 2. From JAVA. (Beddome.)

13 Ærides, Lour. Epiphytic Herbs.

- 1 odoratum, Lour. N. India, Burman. Fl. white, tipped and lightly shaded with pink. Fragrant.
- 2 quinquevulnerum? Manilla.
- 3 Lindleyana, Wight. India. Fl. rose-white.
- 4 Wightir, Fl. rosy-purple on a whitish ground.
- 5 species. Викман. Fl. while shaded light purple.

14 Vanda, R. Br. Epiphytic Herbs.

i

- 1 gigantea. Burman. Fl. yellowish, blotched with brown and red.
- 2 teres, Lindl. N. India. Fl. large, rosy-purple, lip orange streaked with crimson.
- 3 Roxburghii, R. Br. Bengal. Fl. greenish-yellow, marbled brown, lip purple.

48

- 4 tricolor, Lindl. Java. Fl. pale-yellow. Spotted brownish-crimson; lip whitish-purple.
- 5 Bensoni, BURMAH. Fl. greenish-yellow. Spotted crimson; lip purplish.
- 6 species. Fl. not seen.

15 Saccolabium, Lindi. Epiphytic Herbs.

- 1 Blumei, Lindl. Indian Archipelago. Fl. white stained with violet, lip dark rose.
- 2 giganteum, Lindl. BURMAH. Fl. white, spotted lilac and purple; lip purple. Fragrant.
- 3 curvifolium, Burman and Java. Fl. bright scarlet.
- 4 paniculatum, Wight. S. India. Fl. white tinged with pink and purple.
- 5 ampullaceum? Burman.
- 6 species.

16 Vanilla, SWARTZ. Climbing Herbs.

- 1 aromatica, Swartz. Brazil. c Cultd. at Bangalore for its fruit. Fl. greenish-yellow.
- 2 aphylla, Blume, Lindl.

17 Pogonia, R. Br.

1 species? India. Deciduous. One or two prostrate leaves to each tuber. Begonia-like.

18 Habenaria, R. W. Terrestrial Herb.

1 Lindleyana? R. W. Mysore. Fl. white.

19 Cypripedium, Linn. Lady's slipper, or the Slipper of Venus. Terrestrial herbs.

- 1 barbatum, Hort. Malacca. Fl. brownish-purple, green and white.
- 2 Druryii. India.

5 venustum, Wall. Silhet. Fl. greenish-white, lined crimson and purple.

4 insigne, Wall. N. India. Fl. greenish, marked

white and purple.

20 Angræcum, P. Thouars. Epiphytic Herb.

1 eburneum? MADAGASCAR. Fl. white.

21 Bletia, Ruiz et Pav.

1 hyacinthina, Lindl. CHINA. Terrestrial herb-Fl. purple.

22 Oncidium, Sw. Epiphytic Herb.

1 luridum, Lindl. WEST INDIES. Fl. orangebrown spotted, lurid.

Note.—A number of orchids are still undetermined.

ORDER CXIX.

SCITAMINEÆ.

THE GINGER AND ARROWROOT FAMILY.

Under its tribal divisions of Zingiberacea-Ginger Tribe—Marantacea—Arrowroot Tribe—and Musacea—the Banana and Plantain Tribe—this forms an important and extensive family of mostly tropical herbs. Inflorescence usually spicate or racemose, often radical. Flowers irregular, often showy but partially obscured between imbricating spathaceous bracts. Perianth leaves superior and in 2 whorls of 3 each. Stamens 3, (Musa 6) the two lateral ones often abortive. Ovary inferior, 3—celled. Fruit 1—3—celled. Seeds numerous. Nos. 2,

10 and 11 exhibit the characters of the three Tribes in their respective order of arrangement here. Some botanists treat them as separate Orders.

TRIBE ZINGIBERACEÆ

1 Alpinia, LINN.

- 1 nutans, Rosc. India. H Fl. large, crimson white and orange.
- 2 galanga ? Kan. Dumparasme gida. ದುಂಪರಾಕ್ಷ್ಮ ಗಿಡ.
- 3 calcarata, Rosc. Burman and China. # Fl. white, faintly spotted rose.
- 4 vittata, Bull's Catalogue.
- 5 species. # Fl. not seen.

2 Zingiber, GAERT.

- 1 officinale, Rosc. Ginger. India. ਸ Kan. Sontigida. ಸೂಪು ਨਫ. Fl. whitish-purple.
- 2 zerumbet, Rosc. Moluccas. H Fl. yellow.

3 Costus, Linn.

- 1 speciosus, Smith. India. II I'l. white.
- 2 species. H

4 Kæmpferia, Linn.

- 1 ovalifolia, Roxb. Moluccas. II Indian Crocus. See. K. rotunda. Kan. Nela Sampage gida. ನಲ ಸಂವರ ಗಡ. Fl. white to rosy-purple. Fragrant.
- 2 galanga, Linn. India. Fl. whitish.

5 Hedychium, Kenig. Garland Flower.

- 1 coronarium, Koenig. India. # Fl. pure white. Fragrant.
- 2 flavum, Roxb. India. # (or flavescens, Wall.)
 Fl. yellow. Fragrant.

- 3 thrysiflorum. JAVA. # Fl. golden yellow dashed with light red.
- 4 species. Burman. #

6 Curcuma, Linn.

- 1 longa, Roxb. *Tr rmeric*. Java. # Kan. Arisina gida. Fl. yellow and white. ఆరసన నిడ
- 2 Zedoaria, Rosc. Zedoary. Chittagong. II
- 3 lutea-viridis. 11
- 4 species. H

7 Amomum, LINN.

1 angustifolium? India. =

8 Elettaria, MATON.

- 1 cardamomum, Maton. Cardamom. India. జ Kan. Yelakki gida. పలక్ష్మి గిర్.
- 2 species. The Wild Cardanom.

TRIBE MARANTACEÆ.

9 Maranta, Linn.

Deciduous or evergreen herbs with beautifully marked leaves. Mostly indigenous to the West Indies and Trop. S. America.

- 1 zebrina, Sims. S. AMER. H
- 2 arundinacea, Linn. Arrow-Root. W. Indies. ==
- 3 albo-lineata? HORT. H
- 4 bicolor, Lind. S. AMER. =
- 5 Vanden Heckei, BRAZIL, #
- 6 Veitchii. TROP. AMER. #
- 7 Makoyana. =1
- 8 Oppenheimi. #
- 9 Devosiana. # See Bull's Catalogue for description.
- 11 Seemanii.
- 12 Regalis. H
- 13 nitida. ET

14 Warscewiczii. 🚁 See Bull's Catalogue.

15 nitens. =

In addition to the above there are six unnamed species.

10 Canna, LINN. Indian Shot.

1	indica, Linn. India. #	ow, s of
2	lutea, Ait. S. AMER. ==	yello
3	edulis, Ker. Peru. = "	_9
	Warscewiczii, Hort. Amer. #	red he us.
5	glauca, Linn. India. #	of 1
	coccinea vera, Ait. India. H	les mar
	discolor, Lindl. TRINADAD. H	had ge r
8	gigantea, Desf. Brazil H.	ang sang
9	elegantissima, Hort. ==	in or
	bicolor, Hort. #	Various shades of red. and orange mark the fi this decorative genus.

TRIBE MUSACEÆ.

11 Musa, Linn.

- 1 paradisiaca, Linn. Plantain or Banana. India. т Kan. Bále gida. ਘਾਵੇਂ ਨੈਡ.
- 2 textilis, Nees. Manilla Hemp. PHILIPP. T
- 3 superba, Roxb. India. T
- 4 ensete. The Abyssinian Banana. T
- 5 sumatrana, Beccari. T. Sumátra. Variegated Plantain.

The following varieties of M. paradisiaca are usually found in local cultivation.

Yélakki bále. Large variety. పల్లి బాళ

" small var. Yele bále. Leaf plantain. ಎಲೆ ಬಾಳೆ.

Gúlúr bále. Large butter plantain. *** 25 234.

" small var. " Katte bále. Cooking plantain, ಕತ್ತ ಬಾಳ

Madranga bále. ಮುದ್ರಂಗ ಬಾಳೆ.

Rasa bále. Dessert plantain. ਹਨ ਘਾਵ

Hávu bále. Snake plantain. සාම හාර.
Gujja bále. Short plantain. සාම හාර.
Putta bále. මේහු හාර.
Chandra bâle. Red plantain. සංඛ හාර.
Jain bále. Honey plantain. ස් හාර.
Raja bále. Royal plantain. යස හාර.
Pacha bále. Green plantain, සෑම හාර.

12 Heliconia, LINN.

- 1 aurantiaca, Linn. W. Indies. # Fl. scarlet.
- 2 aureo-striata. Variegated herb.

13 Strelitzia, LINN.

1 Reginæ? South Africa. #

14 Ravenala, Adans.

1 madagascariensis, Sonner. Madag. Traveller's Tree.

Several introduced plants of this Order are still undetermined.

ORDER CXX.

IRIDACEÆ.

THE IRIS FAMILY.

A large Order of herbs found in various parts of the warm-temperate globe, but most abundantly in South Africa. Leaves simple, (often sword-like and equitant as in the Fleur-de-Lis), rising from a bulb or rhizome. Perianth showy, regular or irregular; superior, and composed of six leaves in two whorls. Stamens 3. Ovary inferior, 3-celled. Fruit capsular. Seeds numerous. We have no indigenous representative of the family, but some of the Cape species are popularly cultivated in local pardens.

1 Gladiolus, Tournef. Corn Flag. H

- 1 alatus, Linn, C. G. HOPE. H
- 2 cardinalis, Curt. C. G. HOPE. I FL of various
- 3 communis, Thunb. C. G. HOPE. H colours in terminal spikes.
- 4 tristis, Linn. C. G. HOPE. #
- 5 gandavensis.

2 Iris. Linn. Fleur-de-Lis.

- 1 germanica, Linn. Europe. # German Iris. Fl. violet-purple.
- 2 florentina, Linn. EUROPE. # Fl. white.
- 3 Robinsoniana.

3 Tigridia, Jacq.

1 Pavonia, Pers. Tiger Flower. Mexico. Fl, bright scarlet spotted with crimson.

4 Pardanthus, Ker.

1 chinensis, Ker. Leopard Flower. CHINA. Florange, spotted red or crimson. Kan. Sanna sankudáli gida. ಸಣ್ಣ ಸಂಕುದಾ? ಗಿಡ.

5 Antholyza, Linn.

1 aethiopica, Linn. C. G. Hope, H. Fl. red.

ORDER CXXI.

AMARYLLIDEÆ.

THE AMARYLLIS FAMILY.

An Order of bulbous or fibrous rooted herks with glabrous leaves and showy flowers. Perianth 6-partite and nearly regular, superior, spathaceous, and usually borne upon a stout scape. Stamens 6. Other conditions

almost the same as in *Iridacew*. The American genus *Agave* is well established in Southern India, where it is much employed as a railway fence. Species are abundant in South Africa, and in Central America. Amaryllids are often mistaken for true lilies, to which they bear a close resemblance.

1 Crinum, LINN.

- 1 asiaticum, Linn. India. # Fl. white.
- yer. toxicarium, Herb. India. # Fl. white.
 - 3 giganteum.
 - 4 Sanderianum.
 - 5 formosum.
 - 6 zeylanicum. # Fl. rosy-purple.
- 7 species? India. # Kan. Káduírulli gadde. ಕಾಡು ಈರುಳ್ಳ ಗಡ್ಡೆ.

2 Pancratium, LINN.

1 zeylanicum, Linn. CEYLON. # Fl. white, fragrant.

3 Nerine, Herb.

1 sarniensis, Herb. Guernsey Lily. Japan. Fl. dark crimson.

4 Amaryllis, Linn.

- 1 Reginæ, Linn. Mexican Lily. W. INDIES.
- 2 Belladonna, Linn. S. AMER. H
- 3 formosissima, Herb. S. AMER. #
- 4 psittacina, Ker. Brazil. #

5 latifolia.? ==

Fl. varying from all shades of red to nearly pure white. Very handsome.

5 Eucharis, Lindl.

- 1 grandiflora, Planch. Amazon Lily. S. AMER. Fl. pure white. Fragrant.
- 2 Mastersii, Fl. pure white. Fragrant.

6 Zephyranthes, Herb. Zephyr Flower or American. Crocus.

- 1 tubispatha, Herb. S. AMER. # Fl. pure white Fragrant.
- 2 carmata. # S. AMER. Fl. rose.
- 3 rosea, Lindl, # Mr., Cuba. Fl. bright rose.

7 Curculigo, G.ERTN.

- 1 recurvata, Dryand. INDIA. # Fl. yellow.
- 2 ,, striata. Leaves striped green and white.

8 Cyrtanthus, Air.

1 obliques, Ait. S. Africa. # Fl. golden yellow.

9 Hemanthus, Inns. Blood Flower.

- 1 tigrinus, Jacq. CAPE OF GOOD HOPE. # Fl. crimson-orange
- 2 coccineus. South Africa, # Fl. red.
- 3 species. S. Africa. A large form. Fl. crimsor.

10 Doryanthes, R. Br.

1 Palmerii, s New South Wales. Fl. crimson.

11 Agave, Linn. Large succulents.

- 1 americana, Linn. American Aloc. s Fl. creamy white to pale yellow and greenish. Kan. Kattáli. 43. ?.
- 2 ,, variegata. A striking foliage plant.

- 3 , striata. Leaves streaked and marbled with gold.
- 4 Mexicana, Lour, Furnishes the Pita Fibre.
- 5 rigida, Miller. Yucatan. Furnishes Sisal Hemp.
- 6 species.

12 Fourcroya, VENT.

- 1 gigantea, Vent. S. AMER. s Fl. greenish.
- 2 ,, variegata. Leaves white and green, very striking.
- 3 longaeva, Karw and Zucc. # Mexico. This is the grandest of all the so-called aloes.
- 4 Beddinghausei. Another fine species from Mexico.

ORDER CXXII.

BROMELIACEÆ.

THE PINE-APPLE FAMILY.

Epiphytical and terrestrial herbs, or undershrubs. Originally indigenous to tropical America but now found in many warm countries. The rigid leaves, sheathing from the rootstock, are characteristic of the Order; as are also the terminal showy flowers. The pine-apple of gardens indicates a more succulent condition of growth than is usually found in allied genera, but otherwise it is a good type of the family. The flowers of Tillandsia and Bromelia are objects of interest on account of their brilliant colours and long endurance.

1 Æchmea, Kuiz. and Pav.

- 1 paniculigera? Fl. blue and scarlet.
- 2 species. s Fl. scarlet and purple. Probably Æ. discolor, Lindl.

2 Ananassa, Lindl.

- 1 sativa, Lindl. The Pine Apple. Trop. Amer. H Fl. bluish-purple. Kan. Ananâs gida. ఆనెనాస్ గత
- 2 ,, variegata.

3 Billbergia, THUNB.

1 zebrina, Lindl. Brazil. # Zebra striped.

4 Tillandsia, Willio.

- 1 argentea? म
- 2 species. #

5 Pitcairnia, L'HERIT.

- 1 angustifolia, Ait. W. Indies. # Fl. scarlet.
- 2 species, m

6 Bromelia, Linn.

1 sphacelata, Linn. Снил. н Fl. purple.

Note.—Some of the above are entered with hesitation as they have not been seen in flower.

ORDER CXXIII.

DIOSCOREACIÆ.

THE YAM FAMILY.

A tropical Order of twining plants having swollen rootstocks or under-ground tubers of a large size. Leaves net-viened, petiolate, and mostly cordate. Flowers numerous, minute and unisexual; mostly directious. Perianth 7—partite in both sexes. Ovary inferior and 3—celled. Styles 3, or united from the base upwards. Fruit 1—3

celled. Seeds albuminous, 1—2 in each cell. The indigenous genus Dioscorea will be discovered by its vernacular names mullu genasu gadde, ಮುಖ್ ಗಣಸು ಗಡ್ಡ, mudi genasu gadde, ಮುಖಗಣಸು ಗಡ್ಡ, and kádu genasu gadde, ಕಾಡು ಗೆಣಸು ಗಡ್ಡೆ. They are deciduous twiners with large edible tubers.

1 Dioscorea, Linn.

- 1 alata. Linn. Trop. Asia. c The Pondicherry Potato.
- 2 ,, var purpurea, Roxb. India. c

3 globosa, Roxb. Trop. Asia.

- 4 aculeata, Linn. India. c The Goa Petato. Kan. Mullu genasu gadde. ಮುಳು ಗಣಸು ಗಡೆ.
- 5 bulbifera, Linn. India. o
- 6 pentaphylla, Linn. India. c

7 trinerva,? c

8 sativa, Linn. W. Indies. The Common Yam.

ORDER CXXIV.

SMILACEÆ.

THE SARSAPARILLA FAMILY.

An Order of climbing herbs and shrubs largely confined to tropical America. It is distinguished from *Dioscoreacew* by a superior ovary, the absence of large tubers and the more evergreen nature of the leaves. The latter possess the same aberrant conditions of venation, which should be noted by the student.

1 Smilax, Linn. Sarsaparilla.

- 1 sarsaparilla, Linn. South Amer. o
- 2 discolor, South Amer. c Variegated.
- 3 species. Australia. c

ORDER CXXV.

PHILESIACE Æ.

THE LAPAGERIA FAMILY.

A small Order of Chilian climbers with handsome flowers.

1 Lapageria, Linn.

1 alba, Linn Chili. c Fl. pure white.

2 rosea. Chili. c Fl. rosy-crimson.

ORDER CXXVI.

LILIACEÆ.

THE LILY FAMILY.

This large Order of herbs, shrubs, and rarely small trees, is represented in every part of the temperate and sub-tropical globe. The bulbous section of the family is marked by very beautiful flowers (true lilies), but the fibrous and tuberous rooted species are usually less conspicuous in this respect. Leaves parallel veined, sessile or sheathing. Perianth regular, 6—leaved, inferior. Stamens 6, inserted on the perianth. Anthers conspicuous, introrse. Ovary superior, 3—celled. Fruit capsular or succulent. Seeds numerous. The morphology of this Order should be carefully compared with that of Amaryllidaces, as showy species of the latter are often mistaken for true lilies. The ovary is superior in the one family and inferior in the other.

1 Lilium, LINN.

1 longiflorum, Thunb. White Trumpet Lily. CHINA. II Fl., waxy white, fragrant.

- 2 giganteum, Wall. NEPAL. # Fl. white, tinged with purple outside.
- 3 tigrinum, Gawl. Tiger Lily. CHINA. # Fl. spotted.
- 4 Neilgherrense. Nilgiri Lily. = Fl. creamy-white.
- 5 auratum. # Fl. white, spotted red and banded with gold. Very handsome.

Lilies succeed indifferently at Bangalore, owing to the dryness and warmth of the climate.

2 Gloriosa, Linn.

1 superba, Linn. India. ਾ ਸ Fl. vermilion-scarlet changing to orange. Tips of petals green. Kan. Karadi kannina gadde. ਚਰੋਕ ਚਲ੍ਹੇ ਨੇ ਜੋਕੂ.

3 Agapanthus, L'Herit.

- 1 umbellatus, L'Herit. African Blue Lily. ==
- 2 ,, fol. variegata. ==

4 Hemerocallis, Linn. Day Lily. fulva, Linn. = Fl. coppery-orange, mostly double.

5 Anthericum, Linn. St. Bruno's Lily.

- 1 Liliastrum, Linn. EUROPE. # Fl. white.
- 2 species. Fl. white. (A Liliago?)

6 Tulipa, Linn. Tulip.

- 1 suaveolens, Roth. EUROPE. H Fl. various, white,
- 2 sylvestris, Linn. ,, H yellow, maroen and crimson.

7 Polianthes, Linn. Tuberose.

- 1 tuberosa, Linn. India. # Fl. pure white, fragrant.
- 2 ,, fl. pl. Fl. double.

8 Ornithogalum, Linn.

1 species. Star of Bethlehem. EGYPT. # Fl. white.

9 Sanseveira, THUNB.

- 1 Zeylanica, Roscoe. Bow-string Hemp. CEYLON. s Fl. lemon white. Kun. Manjina náru, නාංසීන් තාරා.
- 2 cylindrica, Boj. Ife. Seychelles. s (See rotundifolia.)
- 3 trifasciata, The flat-leaved.

10 Allium, LINN.

- 1 cepa, Linn. Onion. Sub-Tropl. Old World. ਜ਼ Kan. l'rulli. ಈਵੇਡੀ.
- 2 ascalonicum, Linn. Shallot. Palestine. #
- 3 sativum, Linn. Garlic. Europe. H Kan. Bellulli. జిక్ట్ర్యూ.
- 4 porrum, Linn. Leek. H SWITZERLAND.
- 5 fragrans, Vent. S. AMER. 11

11 Asparagus, Linn.

- 1 racemosus, Willd. *Challa.* (Tel.) India. c Fl. white. *Kan.* Majjige gadde. ಮಜ್ಜಿಗೆ ಗಡ್ಡೆ.
- 2 sarmentosus, Willd. CHINA AND INDIA. c Fl. whitish.
- 3 officinalis, Linn. EUROPE. #
- 4 plumosus, South Africa. c Fl. white.

12 Aspidistra, Ker.

- 1 punctata, vittata. =
- 2 lurida. Japan. # Fl. purple.
- 3 ,, variegata.

2 axillaris, R. and S. India. 🖽 Kan. Négalu kanne soppu. నోగలు కన్న నువ్వు.

2 Commelyna, Linn.

- 1 obliqua, Don. India. # Kan. Kádu benne bediru soppu. ಕಾಡು ಬೆಣ್ಣೆ ಬಿದಿರು ಸೊಪ್ಪು.
- 2 communis, Linn. lndia. # Kan. Kanne soppu. ಕನ್ನ ಸೂಪ್ಪು.
- 3 communis, var. angustifolia, Linn. India. # Fl. blue.
- 4 coelestis, Willd. Mexico. = Fl. gentian-blue.

3 Aneilema, B. P.

1 nudiflorum, R. B. India. # Kan. Nela chelu soppu and sanna gundu hullu. ನೆಲಚಳು ಸೂಪ್ಪು. ಸಣ್ಣ ಗುಂಡು ಹುಲ್ಲು

4 Tradescantia, Spiderwort.

- 1 zebrina, Hort. S. AMER. H
- 2 discolor, L'Herit. S. AMER. #
- 3 species. ==
- 4 species. H

į -

ORDER CXXIX.

PALMACEÆ.

THE PALM FAMILY.

This splendid Order of trees and shrubs is represented in nearly all tropical and sub-tropical countries. The simple stem (trunk) with its terminal crown of noble evergreen leaves, of two typical forms, fan and pinnate, are characteristic conditions of the group. So are the perfect but unisexual flowers, thickly arranged on branching spadices within a protecting spathe. When the

student has made himself familiar with the local toddy palm. *Ichalu*, and the palmyra. *Tále*, he will readily recognise other species of the palm Order.

Economically, it is one of the most useful families of plants.

1 Areca, Linn. Pinnate-leaved.

- 1 catechu, Linn. Betel-nut Palm. India. # Kan. Adike mara. මය ස් සාර
- 2 oleracea, Linn. Cabbage Palm. W. Indies. #
- 3 madagascariensis, Mart. ±
- 4 alba, Rumph. MADAG. T
- 5 rubra, Bory. Isl. MAURITIUS. T
- 6 crinata, Bory. Bourbon. =
- 7 species. T

2 Arenga, LABILL. Pinnate-leaved.

1 saccharifera, Labill. Sugar Palm. Moluccas. x

3 Borassus, Linn. Fan-leaved.

1 flabelliformis, Linn. Palmyra Palm. India. ಸ Kan. Tale mara. ತಾಳೆ ಮರ.

4 Caryota, Linn. Pinnate-leaved.

- 1 urens, Linn. *Malabar Sago Palm.* = *Kan.* Bagani mara. ಬಗನಿ ವುರ.
- 2 sobolifera, Wall. India. ±
- 3 furfuracea? Blume. JAVA. T
- 4 species. T

5 Chamærops, Linn. Fan-leaved.

- 1 Richiana? (Richardiana?)
- 2 Martiana. Wall. NEPAL. T
- 3 humilis, Linn. AFRICA. =

13 Dracæna, Linn. Dragon Tree or Dragons Blood.

1 terminalis, Lindl. S. S. Islds. s 2 ferrea, Linn, India. s 3 Regina. 4 Chelsonii. 5 Shepherdii. s Australia. 6 surculosa, s 7 reflexa? s Australia. 8 australis. s Australia.

9 amabilis. 10 albicans.

- 11 Goldieana, S. W. TROP. AFRICA.
- 12 Hendersonii. s
- 13 Robinsoniana, s
- 14 metallica, s Samoan Islands.

s

- 15 Cinnabari, s
- 16 Baptistii. s South sea Islands.
- 17 Cooperii.s
- 18 splendens. s South sea Islands.
- 19 Regina. s
- 20 Lindeni, and many unnamed varieties. s

14 Phormium, Linn.

- 1 tenax, Forst. New Zealand Flax. N. Zea-LAND. s
- " variegatum. s 2

15 Aloe, Linn.

- 1 indica, Royle, s
- 2 barbadensis, Mill. Hedge Aloc. C. G. Hope. s
- 3 litoralis, India. = Kan. Lólisara gida. ರೋಗರ ಗಿಡ

16 Yucca, Linn. Adams Needle.

1 gloriosa, Linn. N. AMER. s Fl. large, ivorywhite.

- 2 aloifolia, Linn. W. Indies. s Fl. white.
- 3 ,, variegata.
- 4 filamentosa, s N. AMERICA. Fl. white.
- 5 species. s

17 Eustrephus, R. Br.

1 angustifolius, R. Br. E. Austr. c Fl. white.

ORDER CXXVII.

PONTEDERIACEÆ.

THE PONTEDERIA FAMILY.

A small Order of aquatic herbs. Leaves sheathing. Petioles dilated, hollow, or succulent. Flowers spathaceous and irregular. Perianth 6—leaved. Stamens 3 or 6. Anthers introrse. Fruit capsular. Seeds numerous. In canals, ponds, and tanks.

1 Monochoria, PRESL. Aquatic herbs.

- 1 vaginalis, Linn. India. #
- 2 hastata, Linn. India. #

ORDER CXXVIII.

COMMELYNACEÆ.

THE SPIDERWORT FAMILY.

Herbs with flattened leaves, which are often sheathing and occasionally succulent. The pretty blue flowers of the 'Kanne Soppu' and its congeners indicate types of the Order.

1 Cyanotis, Don.

1 cristata. R. and S. India. = Kan. Bettada kanne soppu. ಚಟ್ಟದ ಕನ್ನೆ ಸೂಪ್ಪ.

6 Cocos, Linn. Pinnale-leaved.

- 1 nucifera, Willd. Cocoa-nut Tree. India. Kan. Tengina mara. ತಂಗಿನ ಮರ.
- 2 ,, var. The golden cocoa-nut.

There are several distinct varieties of C. nucifera cultivated in local gardens-

7 Corvoha, Linn. Fan-leaved.

- 1 australis, R. Br. Australian Fan-palm. T
- 2 umbraculifera, Linn. Talipot or Fan-palm. CEYLON.

8 Phoenix, LINN. Pinnate-leaved.

- 1 dactylifera, Linn. Asia. and N. Africa. T
- The Date Palm. Kan. Kurjoora. ਰਵਾਨਰ. There are several varieties in local cultivation.
- 2 sylvestris. Roxb. India. # Wild Date, and Mysore Toddy Palm. Kan. I'chalu mara. ಈಚಲು ಮರ್ತ
- 3 farinifera, Roxb. India. 🕆 or s Kan. Sanna I'chalu. ಸಣ್ಣ ಈಚಲು ಮರ್
- 4 paludosa. Roxb. India. T
- 5 rupicola.
- 6 reclinata, Jacq. Africa.
- 7 pedunculata.
- 8 acaulis, Buch. India.
- 9 zeylanica, CEYLON. The Indi of Ceylon.

9 Sabal, Adans. Fan-leaved.

- 1 Adansonii, Guerns. The Dwarf Palmetto.
- 2 Palmetto, Guerns. FLORIDA. The Palmetto.

10 Seaforthia, R. Br. Fan-leaved.

1 elegans R. Br. E. Austr.

- 11 Livistona, R. Br. Fan-leaved.
 - 1 Mauritiana, Wall. Isl. MAURITIUS. T
 - 2 eupensii : T
- 12 Licuala, Rumph. Fan-leaved.
 - 1 spinosa, Thunb. SINGAPORE. T
 - 2 peltata, Roxb. Burman. =
- 13 Calamus, LINN. Pinnate-leaved.
 - 1 Rotang, Linn. Rattan-cane Palm. TROP.
 - 2 Jenkinsii? From Calcutta. c
 - 3 leptospadix? From CALCUTTA.
 - 4 callicarpus. c
 - 5 species. c
 - 6 species.
- 14 Elæis, Jacq. Pinnate-leaved.
 - 1 guineensis, Jacq. African Oil Palm.
- 15 Oreodoxa, Willd. Pinnate-leaved.
 1 Regia, Brazil. T Royal Palm of Cuba.
- 16 Kentia, Blume. Pinnate-leaved.
 - 1 Wendlandii. ±
- 17 Thrinax, Fan-leaved.
 - 1 elegans. T
 - 2 glauca, T
 - 3 argentea.
- 18 Rhapis, Linn. fil. Fan-leaved.

 1 flabelliformis, Linn. Ground Rattan. CHINA.
- 19 Hyophorbe, Gærtn. Pinnate-leaved.
 1 Verschaffelti, Gærtn. ± Mauritius.
- 20 Dictyosperma, Wendl.

 1 alba, Wendl. Mauritius. The Palmiste.

21 Dypsis.

1 madagascariensis? Madagascar, #

22 Wallichia, Roxb.

1 disticha? INDIA. T

ORDER CXXX.

ALISMACE Æ.

THE WATER PLANTAIN FAMILY.

A small Order of aquatic or marsh herbs mostly confined to northern parts of the globe. *Perianth* inferior. *Stamens* ten or indefinite. *Ovaries* superior, one-celled.

1 Sagittaria, LINN.

1 cordifolia. Common in wet land. H

ORDER CXXXI.

PANDANACEÆ.

THE SCREW-PINE FAMILY.

A small Order of tropical shrubs and trees. The peculiar spiral arrangement of the evergreen (saw-like) leaves, and the aerial roots of the stem, are marked characters of the genus Pandanus. Flowers unisexual, crowded on a spadix between numerous bracts; fragrant. Perianth scaly or wanting. Stamens numerous. Ovaries one-celled. Fruit drupaceous and one-seeded, or a berry with many seeds.

1 Pandanus, Linn fil.

1 odoratissimus, Linn fil. Screw Pine. s Fl. white, fragrant. Kan. Gédige gida. ਨਵਨੇ ਨਕ.

- 2 furcatus variegata? s
- 3 species. s Leaves entire.
- 4 species. s

ORDER CXXXII.

TYPHACE Æ.

THE BULLRUSH FAMILY.

Sedge-like herbs growing in water. The small monœcious flowers are gathered into dense brownish cylinders or spikes at the apex of a long stalk.

1 Typha, Tourner.

- 1 elephantina, Roxb. Elephant Grass. India. # Kan. Jumbu Hullu. జంబు జుల్లు.
- 2 augustifolia, Linn. India. Pith Grass. #

ORDER CXXXIII.

AROIDEÆ.

THE ARUM FAMILY.

This is a large tropical Order of acrid herbs. Having perfect flowers, the Tribe Acoraceae is occasionally treated as a separate Order. But collectively the aroids are a well defined natural group. Leaves usually large and striking, often variegated or coloured; net-veined, and sheathing. Flowers small, unisexual, (monæcious) arranged on a spadix within a spathe; the whole supported on a long scape. The indigenous channel herb, Kesave dantu, may be studied as a fairly good type of the family. The American, and Indian, climbing aroids are plants of vigorous growth and handsome foliage.

1 Acorus, Linn.

- 1 calamus, Linn. Sweet Flag. Europe. # Kan Baje gida. ඩස් එක්.
- 2 gramineus variegatus. # Grass-like. CHINA.

2 Calla,

æthiopica, (Syn. Richardia æthiopica,) Arum Lily Fl. white.

3 Aglaonema, Schott.

- 1 commutatum, Sch. Manilla. H
- 2 simplex, Blume. JAVA. #
- 3 picta compacta. JAVA. ==

4 Alocasia, Schott.

- 1 indica, Sch. India. H
- 2 Jenningsii, Veitch. India. #
- 3 macrorhiza, Sch. India. Polynesia.
- 4 , variegata. H
- 5 Sanderiana. # EASTERN ARCHIPELAGO.
- 6 Princeps, # MALAY, ARCHIPELAGO.
- 7 Johnstoni, # Solomon Isdands.
- 8 Lowii. #
- 9 metallica. #
- 10 zebrina, E
- 11 Reginæ. #
- 12 Sedeni. =
- 13 Marshallii. 🖼
- 14 antiquorum, Sch. India. = Kan. Kesave dantu. ಕನವೆ ದಂಟು
- 15 gigantea. H
- 16 violacea alba. ==
- 17 species. (illustris?) Green with black patches.
- 18 species, m

5 Amorphophallus, Blume.

- 1 bulbifer, Blume, India. #
- 2 campanulatus, Blume. Telinga Potato. CEY-LON. #
- 3 species.

6 Anthurium, Schott.

- 1 crystallinum, Andre. Colombia. #
- 2 magnificum, Andre. Colombia. # (See grande.)
- 3 scherzerianum, Sch. Costa Rica. # Spathe scarlet.
- 4 Warocqueanum.
- 5 Andreanum. Spathe scarlet.
- 6 candidum. II COLOMBIA. Spathe white.
- 7 carneum. = Hybrid. Spathe rose-carmine.
- 8 splendidum. = S. AMER.
- 9 metallica, 11
- 10 scherzerianum var. Williamsii. # Spathe white, fragrant.
- 11 regale. H
- 12 Veitchii. # Colombia.
- 13 insigne. H COLOMBIA. Also 14 undetermined species.

7 Arisæma, MART.

- 1 speciosum, Mart. Snake Lily. India. II
- 2 species. India. A small herb in meadows and among rocks, not exceeding 6—9 inches. Spathe varying in colour from dark purple to green.

8 Arum, LINN. Lords and Ladies, also Cuckoo Pint.

- 1 italicum. S. EUROPE. Italian Arum
- 2 species?

9 Caladium, Tuberous Rooted Herbs. Deciduous for 5 months.

```
1 bicolor, Vent. BRAZIL. H
         var. Chantinii, Lem. BRAZIL. #
 3 pictum, DC. Brazil. H
           var. Belleymei, Chant. Brazil. #
 5 tricolor. Hort. ==
 6 amabile, Hort. ==
 7 argyrites, Versch. #
 8 discolor, Hort. =
 9 marmoratum, Mathieu. #
10 mirabile, Hort. H
11 regale Hort. Brazil. H
12 Wightii, x
13 picturatum, K. Koch. S. AMER. #
14 cannærtii. =
15 Dr. Lindley. H
16 E. G. Henderson. #
17 Vicomtesse de la Roque-ordan. H
18 Ceres. #
19 Felicien David. #
20 Madame de la Deransaye, #
21 Madame Hunnebelle. #
22 imperiale. #
23 Auguste Lemoinier. #
24 Agrippine Dimitry. H
25 Coypel. H
26 Duchartre H
27 Elvina. #
28 Gratiosum. #
29 Gretry. #
30 Helevy. #
31 Houlletii. #
32 Iullii. #
33 Louis Duplessis. H
```

34 Madame Heine. 12

35 Arsince, =

- 36 Candidum. ==
- 37 Euterpe. ==
- 38 Gluck. H
- 39 Gaze De Paris. 11
- 40 Madame Lemoinier. ==
- 41 Monsieur D'Halloy. II
- 42 Madame Alfred Mame. II
- 43 Reine Marie du Portugal. #
- 44 Sofia, H
- 45 Petropolis. II
- 46 Princess of Wales. #

At Bangalore these beautiful plants attain great perfection.

They are in full growth from May to September.

10 Dieffenbachia, Schott.

- 1 Pearcei, Bull's Cat. #
- 2 seguine, Sch. W. Indies. Dumb-cane. #
- 3 picta. =
- 4 Îoniatum? ==
- 5 Shuttleworthii. = Colombia.
- 6 Regina. S. AMERICA. #
- 7 Rex. 22 S. AMER.
- 8 Leopoldii, II S. AMER.
- 9 Bausei.
- 10 triumphans. Colombia. H Also one or two undetermined.

11 Philodendron, Lindl.

- 1 crinipes. c
- 2 Carderii, c S. Amer.
- 3 discolor. c
- 4 gloriosum. c
- 5 pertusum. c S. Amer. (See Monstera deliciosa.)

12 Pothos, Linn.

1 scandens. Linn, India, c

- 2 aureus. c Solomon Islands.
- 3 argenteus. c Borneo.
- 4 nitens. c Eastern Archipelago.
- 5 species. c

13 Syngonium.

- 1 albo-lineatum, Bull's Cat. CENTRAL AMER. O
- 2 Wendlandii. c TROP. AMER.
- 3 species. c

14 Curmeria, Masters.

1 Wallisii, Masters. ## Colombia.

ORDER CXXXIV.

PISTIACEÆ.

THE DUCKWEED FAMILY.

A small Order of floating herbs, or minute plants, usually found in still water. Flower 2—3 within the spathe, achlamydeous and monœcious. Fruit 1—seeded.

1 Pistia, LINN. Aquatics.

1 stratiotes, Linn. Water Soldier. India. Kan. Antaragange gida. ಅಂತರಗಂಗೆ ਨਕ.

2 Lemna, Linn.

1 globosa, Roxb. Duckweed. Indian Tanks.

ORDER CXXXV.

ERIOCAULONEÆ.

THE PIPEWORT FAMILY.

An Order of grass-like herbs usually found in marshes and paddy-fields. The small globular heads of whitish flowers distinguish the members of this group from sedges or grasses, to which they otherwise bear a strong resemblance. Students should dissect the indigenous weed 'Betta gundu gida' and compare it with types of the two succeeding Orders.

1 Eriocaulon, Linn.

- 1 quinqueangulare, Linn. Trop. Asia. 🗷 Fl. white. Kan. Betta gundu gida. బట్ట గుండు గడ.
- 2 sexangulare, Linn. TROP. ASIA. ==

ORDER CXXXVI.

CYPERACE Æ

THE SEDGE FAMILY.

A large Order of grass-like herbs found in all parts of the world. But sedges can generally be distinguished from proper grasses by the following conditions:—

- (a) Stems jointless, solid, and mostly angular.
- (b) Leaves without ligules, and having closed sheaths.
- (c) The pistillate flower with or without a tubular perianth.

Sedges usually affect marshy and undrained lands, while some species are entirely aquatic. As compared with grasses their economic value is unimportant.

1 Cyperus, Linn.

- 1 articulatus, Linn. India. Kan. Yale jambu hullu. ఎళ్ళ జయు జుల్లు
- 2 alopecuroides, Nees. India. Kan. Bili jambu hullu. బి7 జుంబు జుల్లు
- 3 exaltatus, Retz. India. Kan. Kempu jambu hullu. కోంపు జంబు జుల్లు.
- 4 Iria, Linn. India. Kan. Dabbe jambu hullu. or Vusumáni? దబ్బేజులు జుల్లు. పునువూని జుల్లు.
- 5 capillaris, Kœnig, India. Kan. Chendu chéni hullu. జిండు జిణ్ణ జుల్లు
- 6 haspan, Linn. India. Kan. Honne hu hullu.
- 7 difformis, Linn. India. Kan. Kari sanna jambu hullu. శరి నంణ జంబు జుల్లు.
- 8 corymbosus. India. Kan. Badra hullu. ಭದ್ರ ಹುಲ್ಲು
- 9 rotundus, Linn. India. Kan. Tunge hullu ತುಂಗೆ ಹುಲ್ಲ
- 10 compressus. India. *Kan.* Vusumani hullu. ವುಸುಮಾನಿ ಹುಲ್ಲು.
- 11 alternifolius.
- 12 ,, var. variegatus.
- 13 Pangorei. Rottl. India.
- 14 esculentus, Linn. Chuffa or Ground Almond.
- 15 sulcinux?
- 16 species. Kan. Hugu hullu. ශාෆ් සාදා.
- 17 species.
- 18 species.

² Timbristylis, VAHL.

- 1 scheenoides, Vahl. Kan. Kádu gundu hullu, and gadde gundu hullu. ಕಾಡು ಗುಂಡು ಹುಲ್ಲ. ಗಡೆ ಗುಂಡು ಹುಲ್ಲು
- 2 gigantea, Vahl.
- 3 Wightiana, Nees. Kan, Niru sabbasige hullu. న్యాన్ నట్టిస్ట్రిగ్ మల్లు
- 4 ,, var. Kan. Kádu sabbasige hullu. శాడు నట్టిగో జుల్లు.

- 5 monostachya.
- 6 miliacea.

3 Isolepis, R. Br.

- 1 holoschœnus. ? R. and S. India. Kan. Níru vusumani hullu. ຈະຕ່າ ສຸກຳລັກລ ສາຍູງ.
- 2 squarrosa, R. and S. India. Kan. Kádu vusumani hullu. ಕಾಡು ವುಸುಮಾನಿ ಹುಲ್ಲು.
- 3 barbata, R. B. India. Kan. Chavuri hullu. Katte ládi hullu. ජන්0 කාළා. ජන් කෘඩ කාළා.

4 Scirpus, R. B. Club-rush.

1 mucronatus Linn. India. Kan. Hommugali hullu, ಹೊಂಪುಗೆ? ಹುಲ್ಲು

5 Courtoisia, Nees.

1 cyperoides, Nees. India. Kan. Bili sanna jambu hullu. బి7 నంణ జంటు జుల్లు

6 Tuirena, Lam.

- 1 glomerata, Lam. India. Kan. Petlu gori hullu. బేట్లు గణ్యం జుల్లు.
- 2 , var. ciliaris.

7 Kyllingia, W.

1 brevifolia, Plott. India. Kan. Ananta gonde hullu. ಆನಂತಗೊಂಡ ಹುಲ್ಲು.

ORDER CXXXVII.

GRAMINEÆ.

THE GRASS FAMILY.

This splendid Order of plants is abundantly represented in all fertile parts of the world, where it furnishes cereal crops to the husbandman and green verdure

to the fields. In the tropical genus Bambusa it attains an arborescent size. Grasses have hollow jointed stems; alternate leaves with opening sheaths, and usually a small ligule at the base of the blade. Flowers glumaceous. Stamens rarely more than three, anthers large and versatile. Ovary superior, stigmas feathery. Fruit a caryopsis. Seed mealy, and often nutritious.

1 Triticum, LINN.

1 vulgare, Linn. Europe. \odot Wheat. Kan. Godhi.

2 Oryza, LINN.

1 sativa, Linn. Rice. India. O Kan. Nellu se.

The local Museum contains specimens of 108 varieties of this grain. The kinds are distinguished from each other by varying conditions of size, form, colour, and hairiness; as also by the uses to which they are applied and their conditions of growth. There are, of course, vernacular names for all.

3 Zea, LINN.

1 Mays, Linn. Maize or Indian Corn. TROP. AMER. Kan. Jola. ﷺ.

4 Euchlæna, Schrader.

1 luxurians, Durien in Bull. Teosinte. GUATE-MALA. ①

5 Paspalum, LINN.

- 1 brevifolium, Flueg. India. Kan. Sanna tapri hullu. నణ్ణ కప్ప జుల్లు.
- 2 scrabiculatum, Linn. India.

6 Panicum, LINN.

- 1 indicum, Linn. India. Kan. Kari korle hullu ಕರಕೊರೆ ಹಲ್ಲು
- 2 sanguinale. Linn. India. Kan. Bili akkabu hullu and gandu akkabu hullu. బిక్ ఆక్త బు జుల్లు, గండు ఆక్త బుక్కులు.
- 3 distachyum, Linn. India. Kan. Hambu háraka hullu. జంబు జారేశ జుల్లు.
- 4 Petiverii, Trin. India. Kan. Kádu baragu hullu. තෘතා භාවාය සාවා.
- 5 psilopodium? Trin. India. Kan. Bili sáme hullu. ਪੀ? ਸਾਰਹੀ ਲਾਲੂ:
- 6 prostratum? Lam. India. Kan. Kádu bili sáme hullu. ಕಾಡು ಬೆ? ಸಾಮೆ ಹುಲ್ಲು
- 7 repens, Linn. Ginger Grass. India. Kan. Sonti hullu. నుంట జుల్లు.
- 8 erucæforme, Siebol. India. *Kan*. Antu garike hullu. ఆంటు గంక మల్లు.
- 9 brizoides, Linn. India. Kan. Kádu haraka hullu. ಕಾಡು කරජ සාදුා.
- 10 interruptum, Willd. India. Kan. Hodike hullu. ಹೂಡಿಕೆ మల్లు.
- 11 fimbriata, Nees. India. Kan. Niru sajje hullu. ನೀರು ಸಜ್ಜ್ ಹುಲ್ಲು.
- 12 fluitans, Linn. India. Kan. Gadde vadavina hullu. ಗದ್ದೆ ವಡವಿನ ಹುಲ್ಲು.
- 13 miliaceum, Willd. Little Millet. S. Europe. © Kan. Baragu. ಖರಗು.
- 14 jumentorum, Pers. Guinea Grass. S. AMER.
- 15 miliare, Linn. Nella shama. (Tel.) S. EUROPE. ⊙
- 16 italicum, Linn. Italian Millet. S. Europe. Kan. Navane. ನವಣೆ.

- 17 frumentaceum, Roxb. Bonta shama. (Tel.) S. Europe. Kan. Sáme. నుమే.
- 18 ovalifolium. S. EUROPE.
- 19 latissimum, Mikan. India. Brazil.
- 20 semiverticellatum. India. Kan. Haraka. ಹਮਹੱਚ.
- 21 species. Kan. Dodda tapri hullu.

7 Penicillaria, SWARTZ.

1 spicata. Swartz. Spiked Millet or Kumboo. ⓒ (See Holcus spicatus) Kan. Sajje. 자료.

8 Setaria, BEAUV.

- 1 glauca, Beauv. ⊙ India. Kan. Bili korle hullu. ඪ්ව ණාල් සාහුා
- 2 verticillata, Beauv. ⊙ India. Kan. Sanna antu purule hullu. ಸಣ್ಣ ಅಂಟಾ ಪುರುಳ ಹುಲ್ಲು.
- 3 italica, India. Kan. Korle hullu. ಕೋರ್ಡ್ ಮಲ್ಲು.
- 4 macrostachya, India. Kan. Sunku tene hullu. ಸುಂಕುತನೆ ಹುಲ್ಲು

9 Saccharum, Linn.

- 1 spontaneum, Linn, India. Kan. Darble or hodake hullu. దభ్యామ్మలు. ఉండికేడుల్లు.
- 2 officinarum, Linn. Sugar-cane. India. Kan. Kabbu. కాట్ప.

10 Andropogon, Linn.

- 1 pertusus, Willd. India. Kan. Karada kaci hullu. ಕಾರದ ಕಾಸಿ ಹುಲ್ಲ.
- 2 Bladhii. Retz. India. Kan. Ganjalu garike hullu. గంజలు గరిశ్ జుల్లు
- 3 muricatus, Retz. Kus-kus Grass. India. Kan. Gandu gangala garike hullu. గండు గండల గరిశ జిల్లు

- 4 scheenanthus, Linn. Lemon Grass. India. Kan. Nese or lavanchi hullu. నేనే జుల్లు. లువంటి జుల్లు
- 5 nardus, India. Kan. Bettada lale hullu. ಪಟ್ಪದ ಲಾಳೆ ಹುಲ್ಲು

11 Sorghum, Pers.

- 1 Halepense, Pers. India. Kan. Hutchu jola. ಹುಚ್ಚು ಜೋಳ.
- 2 vulgare, Pers. Great Millet or Cholum. India.

 o Kan. Bili jola. ಬಿಳಿ ಜೋಳ.
- 3 saccharatum, Pers. Chinese Sugar-cane. ⊙ China.
- 4 kaffranium?
- 5 species. Amer. Minnesota early amber-cane.

12 Cymbopogon, Spr.

1 pachnodes, Trin. White, large, thatching grass. Kan. Bili dodda kachi hullu. 27 డిండ్ల కాటి జుల్లు.

13 Chrysopogon, Trin.

- 1 species, near gryllus. India. Kan. Kari dhappahanchi hullu. ಕರದಪ್ಪಹಂಚಿ ಹುಲ್ಲ.
- 2 cæruleus, Nees. India. Kan. Huli mise hullu. ಹು0 വാൻ ಪುಲ್ಲ

14 Coix, Linn.

1 Lachryma, Linn. Job's Tears. India.

15 Apluda, NEES.

1 communis, Nees. Small black thatching grass. India. Kan. Sanna kari káchi hullu. ಸಣ್ಣ ಕರ ಕಾಚಿ ಹುಲ್ಲ

16 Anatherium, Palis.

1 muricatum, India. Kan. Kádu karí dhappa sajje hullu. ಕಾಡು ಕರಿ ದಪ್ಪ ಸಜ್ಜೆ ಹುಲ್ಲು.

17 Aristida, LINN.

- 1 cærulescens, Desf. Large Broom Grass. India. Kan. Dodda hanchi hullu. చిండ్డ ಹಂಚಿ ಹುల్లు.
- 2 ,, var. Kan. Kari sanna hanchi hullu. నణ్హడంటి శాంబ్లు
- 3 adscensionis, India. Kan. Kádu nose hullu. පෘත බාවේ සාවූා.
- 4 species?

18 Cynodon, Linn.

1 dactylon, Pers. Hariali or Doub Grass. India. Kan. Garike hullu. గరికే జుల్లు. This is the best Indian grass for making hay.

19 Chloris, SWARTZ.

1 barbata. India. Kan. Manchada kálu hullu. ත්රාස්ත් තවා සාවූා.

20 Microchloa, R. Br.

1 setacea, R. By. *Peacock-coloured Grass. Kun.* Navilu bannada hullu. నవీలు బణ్ణ**ద** డాల్లు.

21 Lappago, Schreb.

1 racemosa, Willd. Kan. Puttu antu purule hullu. ప్రేట్న అంటు ప్రాంశ జ్యాం.

22 Isachne, R. Br.

1 australis, R. Br. *Kan.* Kádu sanna sáme hullu. ಕಾಡು ಸಣ್ಣ ಸುಮ ಹಲ್ಲು.

23 Sporobolus, R. Br.

- 1 annulatus, Munro. Fox-tail Grass. India. Kan. Nari balada hullu. ನರ ಬುಲನ ಹುಲ್ಲ.
- 2 elongatus, R. Br. India. Kan. Navilu dondi hullu. నవీలు డింద జుల్లు.

24 Oplismenus, Palis.

- 1 Colonus, K. India. *Kan.* Jadé shankara hullu or tene hullu. ಜಡೇ ಕಂಕರ ಹುಲ್ಲು, ತನೆ ಹುಲ್ಲು
- 2 ,, variety. Kan. Dodda antu purule hullu. దూడ్డ అంటు పురుళ జుల్లు.
- 3 Galli Crus, K. India. Kan. Kádu dabbe hullu. శాడు దా్ది జాల్లు.
- 4 frumentaceus? India. Kan. Hutchu kórle hullu. జుజ్జు కుంట్ల జుల్లు.

25 Manisurus, Linn.

1 granularis, S. C. India. Kan, Kádu sanna hárka hallu. శాడు న్యా దారశ చుల్లు.

26 Batratherum, Nees.

1 violacoum? India. Kan. Nela bidaru hullu. ස්ව කිස්ව ක්වූා

27 Trachys, Pers.

1 mucronata, Pers. India. *Kan.* Mara akkabu hullu, or parangi akki hullu. మర ఆశ్రామ మల్లు. వరంగి ఆ్క్రే మల్లు.

28 Dactyloctenium, WILLD.

1 ægyptiacum Willd. Buffalo-head Grass. India Kan. Kónana tale hullu. ఈ ఇంగే తెలి మల్లు.

29 Leptochloa, Palis.

1 chinensis, Nees. India. Kan. Kádu sanna kari sajje hullu. ಕಾಡು ಸಂಣ ಕರಿ ಸಜ್ಜಿ ಹುಲ್ಲು.

2 arabica, K. India. *Kan.* Nari bálada gandu hullu. බ් සාපස් ෆ්ශේ සාදුා

30 Perotis, AIT.

1 latifolia, Ait. India. *Kan.* Juburu kó:le hullu, or nari bálada hullu. జుబురు **ಕೋ**ర్ల జుబ్లు. నరబుల చెడ్డుల్లు.

31 Eragrostis, Palis.

- 1 plumosa, Linn. India. Kun. Sanna purule hullu. ಸಣ್ಣ ಪುರುಳ ಹುಲ್ಲು.
- 2 poæoides, Beauv. India. Kan. Sanna hugu hullu, or Dedda purule hullu. నణ్ణ ఆడాన జుల్లు ద్యూ బ్రామాలు
- 3 verticillata, Beauv. India. *Kan.* Kâdu sanna sami hullu. కాడు సంక్ష్మ సామీ జుల్లు.
- 4 megastachya, Beauv. India. Kan. Bettada akkabu hullu. జిట్టిద అక్ష బు జుల్లు.
- 5 ciliata, Nees. India. *Kan.* Kádu navane hullu ಕಾಡು ನವಣೆ ಹುಲ್ಲ.
- 6 nutans, Retz. India. Kan. Kadu jadé navane hullu. ಕಾಡು ಜಡೇ ನವಣೆ ಹುಲ್ಲ.
- 7 ciliaris, Link. India. *Kan*. Kadu kambu hullu కంటు జుల్లు
- 8 unioloides.
- 9 bifaria, India. Kan. Jari hullu. සර සාදාා.
- 10 Tennisina, India. Kan. Kádu gasagase hullu ಕಾಡು ಗಸಗಸೆ ಹೆಲ್ಲು.
- 11 innoloides.

32 Leersia, Hedw.

1 hexandra, Sev. India. *Kan.* Kádu bili sajjabu. hullu. ಕಾಡು ಬಿಳಿ ಸಜ್ಜಲು ಹುಲ್ಲ.

CLASS IV CRYPTOGAMS

ORDER CXXXIX.

FILICES.

THE FERN FAMILY.

This large Order of herbs and trees is represented in nearly all parts of the inhabited globe, but its arborescent forms—tree ferns—are confined to tropical and sub-tropical regions. Being much domesticated in gardens, it follows that the student can easily procure living specimens for dissection and study. Ferns are flowerless plants.

1 Acrostichum, Linn.

- 1 appendiculatum, Willd. India.
- 2 aureum, Linn. Trop. and Sub-trop regions.
- 3 axillare, Cav. TROP. ASIA.
- 4 lanceolatum, Hook. TROP. ASIA.
- 5 scandens,6 variable, Hook. Trop. Asia.
- 7 virens, Wall, Trop. Asia.
- 8 species.

2 Actinopteris. Link. The Miniature Palm Fern.

1 radiata, Link. India.

3 Adiantum, Linn. Maiden-Hair Fern.

- 1 diaphanum, Blume. N. ZEALAND.
- 2 formosum, R. Br. Australia.
- 3 macrophyllum, Sw. Trop. Amer.
- variegatum.

- 5 pectinatum,
- 6 tenerum, Sw. TROP. AMER.
- 7 gracile?
- 8 caudatum, Linn. Tropics everywhere.
- 9 æthiopicum,
- 10 capillus-veneris, Linn. TROP. AND TEMP. regions.
- 11 lunulatum, Burm. TROPICS everywhere.
- 12 cuneatum, L. and F. TROP. AMER.
- 13 , var. gracillimum. Trop. Amer.
- 14 hispidulum, Sw. TROPICS OF OLD WORLD.
- 15 Farlevense.
- 16 intermedium, Sw. TROP. AMER.
- 17 Mooreii, TROP. AMER.
- 18 venustum, TROP. AMER.
- 19 decorum, Moore. TROP. AMER.
- 20 tinctum, Moore. TROP. AMER.
- 21 trapeziforme, Linn. Trop. AMER.
- 22 , variety.
- 23 concinnum, H. B. K. TROP. AMER.
- 24 rhodophyllum.
- 25 villosum.
- 26 Santa Catherinæ.
- 27 La grande.
- 28 Funckii.
- 29 tetraphyllum.
- 30 fragrantissima.
- 31 species No. 1.
- 32 species, No. 2.

4 Alsophila, R. Br. Tree Fern.

1 latebrosa.

5 Anemia, Swartz.

1 tomentosa, Sw. TROP. AMER.

6 Angiopteris, Hoffm.

1 evecta, Hoffm. India, &c.

7 Aspidium, Swartz. Shield or Wood Fern.

- 1 aculeatum, Sw. Cosmopolitan.
- 2 auriculatum, Sw. East Indies.
- 3 falcatum, Sw., JAPAN, &c.
- 4 membranaceum, Hook. Trop. Asia.

8 Asplenium, Linn. Spleenwort.

- 1 japonicum, Thunb. JAPAN.
- 2 lasiopteris,
- 3 latifolium, Don. TROP. ASIA.
- 4 lunulatum,
- 5 nidus, L. TROP. O. WORLD. Birds Nest Fern.
- 6 formosum, Willd. TROP. AMER.
- 7 furcatum, Thunb. TROP. and SUB-TROP. regions.
- 8 variens.
- 9 elongatum, Hook.
- 10 digophyllum,
- 11 polypodioides, Mett. Trop. Asia.
- 12 resectum,
- 13 sylvaticum, Presl. Tropics.
- 14 ventatum,
- 15 esculentum, Presl. Trop. Asia.
- 16 zeylanicum, Hook. CEYLON.
- 17 tenuifolium,
- 18 ensiforme,
- 19 dimorphum, Hze. Norfolk Island.
- 20 bulbiferum, Forst. Australia, &c.

9 Athyrium, Lady Fern.

1 falcatum.

10 Blechnum, Linn. Hard Fern.

- 1 cartilagineum, Sw. Australia.
- 2 occidentale, L. TROP. AMER.
- 3 orientale. India.
- 4 longifolium, H. B. K. TROP. AMER.

11 Ceropteris.

1 thalictroides.

12 Cheilanthus, Sw.

- 1 farinosa, Kaulf. Tropics everywhere.
- 2 mysorensis.
- 3 tenuifolia.

13 Cyrtomium,

- 1 falcatum, Sw.
- 2 , var. caryotideum. Wall.

14 Davallia, Smith.

- 1 fijiensis-plumosa. Fiji. Isds.
- 2 platyphylla, Don. EAST INDIES.
- 3 Speluncæ, Baker. Tropics, cosmopolitan.
- 4 strigosa, Sw. Trop. and Sub-trop. Asia.
- 5 tenuifolia, Sw. Tropics of Old World.

15 Doodia, R. Br.

1 media, R. Br. Australia and N. Zealand.

16 Drynaria, PRESL,

1 quercifolia. (See Polypodium quercifolium.)

17 Gleichenia, Smith.

1 dichotoma, Willd. TROP. AND SUB-TROP. Cosmopolitan.

18 Goniopteris, Prest.

1 prolifera.

19 Gymnogramma, Desv.

1 sulphurea. Desv. Golden Fern. West Indies.

- 2 tartarea, Desv. Silver Fern. Trop. Amer.
- 3 calomelanos, Kaulf. TROP. AMER.

20 Hemionitis, L

1 cordata, Roxb. East Indies.

21 Hemitelia, R. Br.

1 Burmiana.

22 Hypolepis, Bentn.

1 species.

23 Lastrea, PRESL.

- 1 sparsa. (See Nephrodium sparsum.)
- 2 elongata.
- 3 hirtines.

24 Lindsæa, Dry.

1 cultrata, Sw. Trop. and Sub-trop. Asia.

25 Lomaria, Willd.

1 gibba, Lab. N. CALEDONIA.

26 Lygodium, Sw. Climbing Fern.

1 scandens, Sw. Trop. &c. OLD WORLD.

2 japonicum, Sw. Tropics, &c. Old World.

27 Nephrodium, Rich.

- 1 cicutarium, Baker. Tropics. Cosmopolitan.
- 2 conterminium.
- 3 cuspidatum,
- 4 dissectum,
- 5 giganteum, Baker. TROP. ASIA.
- 6 polymorphum, Baker. Trop. Asia, &c.
- 7 prolixum, BAKER. TROP. ASIA.
- 8 remotum.
- 9 setigerum, Baker. Japan and Trop. Asia.

- 10 sparsum, DESV. TROP. ASIA.
- 11 syrmaticum, Baker. TROP. ASIA.
- 12 Thelypteris, Desv. N. and S. temp. Zones.
- 13 unitum, R. Br. TROP. AND SUB-TROP. regions.
- 14 molle, Desv. Cosmopolitan.
- 15 propingum.
- 16 extensum.
- 17 species. (A monster).

28 Nephrolepis, Schott.

- 1 tuberosa, Presl.
- 2 hirsutula, Presl.
- 3 exaltata, Schott. Tropics everywhere.
- 4 acuta, Presl. Tropics everywhere.
- 5 , variety turcans.
- 6 cordifolia, Baker. Tropics everywhere.
- 7 " var. Duffii.
- 8 species. (a monster).

29 Niphobolus, KAULF.

1 adnacens.

30 Onychium, Kaulf.

- 1 auratum.
- 2 japonicum, Kze. Japan and Himalayas.

31 Ophioglossum, L.

1 vulgatum, L. Cosmopolitan.

32 Osmunda, L

1 regalis, L. Royal Fern. N. AND S. TEMP. regions.

33 Pellæa, Link.

- 1 falcata, Fée. Australia, &c.
- 2 geraniæfolia, Fée. Tropics, cosmopolitan.

34 Pleopeltis.

1 nuda.

35 Polybotrya, H. ET. B.

1 auriculata.

36 Polypodium, L.

- 1 aureum, L. TROP. AMER.
- 2 liorhizon, Wall. TROP. ASIA.
- 3 longissimum, Blume. MALAY.
- 4 phymatodes, L. Tropics Asia and Africa.
- 5 Powellii,
- 6 quercifolium, L. Trop. Asia, &c.
- 7 tissum.
- 8 nigrocarpum.
- 9 ornatum.
- 10 irioides, Lam. Trop. and Sub-Trop. Old World.
- 11 tenericaule.
- 12 species.

37 Pteris, Linn.

- 1 serrulata, L. China and Japan.
- 2 ,, var. cristata.
- 3 tremula, R. Br. AUSTRALIA.
- 4 tripartita, Sw. Tropics of Old World.
- 5 ludens.
- 6 longifolia, L. TROP. AND SUB-TROP. regions.
- 7 cretica, L. TROP. AND SUB-TROP. regions.
- 8 ,, var. albo-lineata, Hort. TROP. AND SUB-TROP, regions.
- 9 quadriaurita, Retz. Tropics everywhere.
- 10 argyrea, Moore. Tropics everywhere.
- 11 tricolor.
- 12 crenata, Sw. Trop. Asia, &c. Polynesia.
- 13 tessellata,
- 14 species.
- 15 species.

38 Sagenia, Prest.

1 gigantea.

39 Scolopendrium, Smith.

1 vulgare var. cristata, Sm. M. TEMP. ZONE.

ORDER CXL.

LYCOPODIACE Æ.

THE CLUB-MOSS FAMILY.

1 Lycopodium, IANN.

- 1 phlegmaria, Linn. India.
- 2 species.

2 Selaginella, Spring.

- 1 lævigata, Baker. MASCAREN ISLANDS.
- 2 uncinata. Spr. CHINA.
- 3 Kraussiana, A. Br. CAPE. G. HOPE.
- 4 viticulosa, Klotz. TROP. AMER.
- 5 denticulata, Link. EUROPR.
- 6 caulescens, Spr. Trop. Asia.
- 7 inæqualifolia, Spr. Trop. Asia.
- 8 Wildinovii, BAKER. TROP. ASIA.
- 9 flagellifera.
- 10 amœna.
- 11 species No. 1.
- 12 species No. 2.
- 13 species No. 3.

	•	

ADDENDA.

Asparagus sp. NATAL. C Liliaceæ.

Burchellia capensis, R. Br. C. G. HOPE. T Rubiacese.

Castillog elastica. Central. America. American Rubber Tree.

IIrticom.

Cedrela, odorata, Linn. West Indies and Cent. Amer. West Indian Cedar. Meliaces.

Crocosmia aurea, Planch. C. G. HOPE. II Iridaceæ.

Dalechampia capensis. NATAL. Euphorbiaceæ.

Dioscorea sp. NATAL. C Dioscoreaceæ.

Dombeya natalensis, Sond. Port. NATAL. s Sterculiaces.

Dracæna latifolia. S. Africa. s Liliaceæ.

Erythrina Caffra. Received from NATAL.

latissima. Leguminosæ.

Gloriosa virescens, Lindl. Mosambique. C Liliaceæ.

Jasminum streptopus. Africa. c Oleaceæ.

Momordica involucrata. NATAL. Cucurbitaceæ.

Osmanthus ilicifolius. CHINA. s Oleaceæ.

Peddiea affricana, Harv. NATAL. Thymelaceæ.

Piscidia erythrina, Linn. S. Africa. Leguminosæ.

Schmidelia melanocarpa. S. Africa. Sapindaceæ.

Sechium edule, Sw. TROP. AMER. Chocho. Cucurbitaces.

Strobilanthes gossypinus, T. Anders. India s Acanthaceæ.

Lawsoniana. s India.

Tephrosia grandiflora. Leguminosæ.

Vepris lanceolata. Africa. Rutaceze

ALPHABETICAL LIST OF ROSES.

The descriptions are taken, by permission, from the Catalogues of Messrs. W. Paul & Son, the celebrated Rose growers of Waltham Cross.

	Reddish-crimson, shaded with dark velvety-purple, large and full;	Brilliant deep rose colour, moderate size, full and well formed; vigorous Bright crimson, shaded with red, of medium size, full and of good form, very perpetual.	White, slightly tinged with rose, the reverse of the petals white, full,	Alfred Colomb, H. P Grimson, and purple shaded, large, full, and vigorous. Alfred K. Williams, H. P Carmine-red changing to magenta, large, full, and imbricated, one of	the best Varying from deep rosy purple to shaded violet red, a colour altogether	Bright rose colour, large and very showy; forces well, a fine new Rose.	Pale pink, reflex of petals darker; large, full and fine, habit erect, foliage handsome.	
	Reddist vio	Brillian Bright	Pure w White,	Bright Crimson Carmin	the Varying	ne Bright	Pale piu han	
¥.	1 Abbé Bramerel, H. P H	. :	Aimée Vibert, y F	Alfred Colomb, H. P Alfred de Rougemont, H. P CAlfred K. Williams, H. P	10 Aline Sisley, T	11 Alphonse Soupert, H. P F	12 Amelia Hoste, H. P I	
	٦	ତା ଓ ଏ	မ မ	084	10	11	12	

					(ii)
Rosy-carmine, very large and fragrant; free in blooming and valuable for forcing; closely resembling, if not identical with, Madame Ferdinand	Jamin. Bright purplish red, very large, full and of excellent form; one of the best; robust.	Bright clear rose, back of petals silvery, very large, very full and of good form. babit opert foliage fine vigorous	Rose, gradually changing to rich crimson, very large, full and fine Coppery-yellow, single.		Fiery-red, very large and full; a very effective rose of excellent habit. Beautiful pure white, medium size, fine form. Bright red, shaded, very large, full, form globular. Pale rose, superb, large and full. Cherry to bright rosy carmine, large and full; form cupped, very hardy; one of the loveliest and sweetest. vigorous. Deep canary-yellow, changing to white, s.ightly tinted with salmon, large, full, of fine form and habit. Light blush, very large, double, and sweet, of excellent habit, a fine rose. Delicate rose, shaded white, large, and very free. Dark crimson, shaded black, cupped, large and full, fine shape, very hardy, good habit.
:	:	:	::		H
13 American Beauty, H. P.	14 Antoine Ducher, H. P.	15 Antoine Mouton, H. P.	Archduke Charles, c. Austrian Copper	Ä	Baron Adolphe de Rochild, H. P. Baron de Maynard, B. Baronne de Prailly, H. Baronne Prevost H. P. Beauty of Waltham, H. Belle Lyomaise, T. Bengal Bessie Johnson H. P. Bernard de Pallisy, H. Bernard de Pallisy, H. Berthe Baron, H. P. Black Prince, H. P.
13	14	==	16		18 20 20 20 20 20 20 20 20 20 20 20 20 20

	(ii	i)			
Pure white, large, full, and of perfect form, the buds and flowers produced in clusters, and freely furnished with deep green moss, one of the best Pure white, petals of great substance, medium size, fine form and good habit, hardy and free Pale yellow, centre coppery, large, full, and of good form. Deep carmine, superb, very large and full.	Rosy pink, large and full, very sweet Delicate flesh colour, deeper in the centre, large; a very effective and new colour, one of the best Pure soft rose colour, very large, full, perfectly formed and of most delicated frages.	Flesh colour, blush edges, cupped. Flesh-coloured rose, large, full, and of exquisite form; one of the best,	and striking, flowers abundantly. [See Mdlle. Cecilè Berthod.] Pale yellow, free bloomer, large and full Bright red, lovely clear colour, very beautiful in the bud; foliage hand.	some, habit hardy, free blooming. Vivid rose, shaded, large and full, one of the best. Bright crimson, centre purplish, large, very double and of good form, one	or the best. Beautiful pale-rose, brighter at the centre, large, full and of perfect form.
	::::	: ::	::	::	:
Blanche Moreau, M. Boule de Neige, H. P. Bouquet de Flora Benquet d'Or, N. Brennus, H. C. C.	34 Cabbage, r. 35 Captain Christy, H. P. 36 Caroline d'Arden, H. P.	Caroline de Sansal, H. P. Cashmere. Catherine Mermet, T. Cecile Berthod, T.	Celine Forestier, N. Charles Lamb, H. P.	Charles Lawson, H. c. Charles Lefebvre, H. P.	45 Charles Rouillard, H. P.
23 33 33 33 33	35 35 36	8889	42	£ 4	3

46	Charles Turner, H. P Chenedole, H. c	Bright glossy red, very large, full, of finely cupped form, good habit Light vivid crimson, colour exquisite, very large and double, a fine pillar rose.
3 €	Cheshunt Hybrid, T Christine Nillson, H. P	
22.2		
22	Climbing Devoniensis, T	
85 4 4	Cloth of Gold, N	. Yellow, edges sulphur, large and very double. Beautiful pale cherry-rose, large and very full, form of Madame Furtado.
55		
56 1	Colonel de Sansal, H. P.	
70	Common China, B.	Fall Desti, targe and ture. Flesh-coloured rose andered full.
3 23	Comte de Sembui, T.	
9	Comtesse Barbantaune, H. P.	
61	Comtesse de Chabrilliant,	
	H. P. 3. W. J. III	Pink, beautifully cupped, large and full, very sweet and good.
70	Comtesse de Nadalliac, T	Comtesse de Nadalliac, T nosy nesh, base of perais coppery, very distinct and effective, targe, that
63	Comtesse de Serenye, н. Р	63 Comtesse de Serenye, H. P Flesh colour, reflexed with rose, inclining to salmon in bud, large, full,
65 65 67 68	Coorg. Coquette des Alpes, H. F Coquette des Blanches, H. F Cornelia Koch, N Countess of Mecklenburg.	Coquette des Alpes, H. P White, centre shaded with rose, fine form, full, and free. Coquette des Blanches, H. P Pure white, globular and large; one of the best of its class. Cornelia Koch, N Pale straw colour, large, full, and of exquisite globular form, forces well. Countess of Mecklenburg.

269	Countess of Rosebery, H. Crimson China.	Countess of Rosebery, H. P. Brilliant carmine rose, large and full, of finely cupped form; vigorous. Crimson China.
-	H. P.	Bright purple, centre shaded with lurid crimson, very large and double, very floriferous; a most effective and free blooming rose.
22	De Meaux, M. P.	Rosy lilac, very small, full.
4 7 2	Devoniensis, No. 1, T.	Pale yellow, superb, very large and full.
292		Dark bright substances. full, and of fine form; one of the best and most effective.
22	Duchess of Bedford	Dazzling light scarlet crimson, surpassing in brilliancy any known Bose of its colour large full and of nerfect clobular shape; one of the best.
823	Duchess of Connaught, H. P. Duchess of Edinburgh, H. P. Duchess of Sathonland H. P.	Crin Pale Pale
33	Duke of Albany, H. P.	Vivid crimson when first opening, changing darker as the flowers expand and developing a beautiful shading of velvety black; very large and full of crims effect.
83	Duke of Edinburgh, H. P	Bril
8.3	Dupuy Jamain, H. P. Du Hamel de Monceau.	Brilliant cerise, of fine form and substance, very free bloomer; one of the best.
85 86	Edward. Elie Morel, H. P.	Rose, deliciously sweet, affords the best stock for budding upon. Rosy lilac, white edges, large and full, distinct and fine.
٠,	_	

(v)

,		٠
(VI	١
١		,

		. ' (vi)					
Bright cherry, globular, large and full, petals smooth, thick and well	Emma. Empress Charlotte. Experor, H. P. Ettenne Levet, H. P. Carmine, large, full, and of fine form; one of the best. Ettenle de Lyon, T. Fine saffron yellow, orighter in centre; very large, full, and of superb	LOTIN BAIL HADDE, B Great acquisition.	Magnificent reddish scarlet, shaded with deep velvety crimson, very bril-	hant, large, full and of good form; one of the best Scarlet-crimson shaded with rose, large, full, and compact; petals recurved,	Francois Lacharme, H. P Bright carmine changing to red, full, globular. Francois Michelon, H. P Deep rose, the reverse of the petals silvery, large, full and of globular form;	one of the pest Dark shining scarlet, form of Cabbage rose, large, full, and very effective.		Bright deep rose, large and full; a grand Rose both for exhibition and garden decoration.
Ella Gordon, H. P.	Emms. Empress Charlotte. Emperor, H. P. Etendard de Jesnne d'Arc, T. Etienne Levet, H. P. Etoile de Lyon, T.	Eugene Beauharnais, H. C. E. Y. Teas, H. P. F.	Fairy Queen, H. P. Fisher Holmes, H. P.	Florence Paul, H. P.	Francois Lacharme, H. P. Francois Michelon, H. P.	Francois Treyve, H. P.	ප්	102 Gabriel Tournier, H. P
87	88888	90 40 30	96	86	100	101		102

•	(vii)	
Garden Favourite, H. P Crimson, shaded with purple. General Jacqueminot, H. P Brilliant red, velvety, large and double, fine for massing. General Fagueminot, H. P Brilliant red, velvety, large and double, fine for massing. General Fagueminot, H. P Brilliant red, velvety, large and double, fine for massing. George Baker, H. P Take, shaded with cerise, distinct. George Baker, H. P Take, shaded with salmon, very large and full; a superb Rose; one of the hardiest and best. Gloire de Dijon, T Dazling red, one of the most brilliant Roses in existence, large, full, finely formed and globular; one of the best new Roses. White tinted with yellow, large, full, and of good shape and habit; resembling a tea Rose, and quite distinct.	Creamy-white, tinted and shaded with peach, distinct, flowers large and full. Deep brilliant crimson, shaded with scarlet and black, flowers large, full, and productive. Light crimson, shaded with rose. Green, abnormal.	Helvetia, T. Her Majesty, H. P. Clear and bright satiny rose, very large and full; petals most symmetrically arranged. Hippolyte Jamain, H. P. Homer, T. Hoavible Edith Giffard, T. Hoavible Edith Giffard, T. Honor, T. Hoavible Edith Giffard, T.
a a		
Garden Favourite, H. P. 104 Geant des Batailles, H. P. 105 General Jacqueminot, H. 106 George Baker, H. P. 107 George Baker, T. P. 108 Gloire de Dijon, T. 109 Gloire de Margottin, H. 1	Gloire de San Grace Darlin Grand Mogul Grandeur of Green Rose	
103 104 105 106 107 108 109	111 112 113 114 115	116 117 118 119 120

121	121 Horace Vernet, H. P.	Beautiful velvety purplish red, shaded with dark crimson; very large, full,
122	Hybrid Pink China, n. c. Hybrid Dharwar, n. c.	Hybrid Pink China, H. C Dark red, changing to purplish-pink, single. Hybrid Dharwar, H. C Whitish pink, changing to nearly red; single.
	J.	
124	124 Jean Ducher, T.	Warying from pale lemon to salmon-yellow, centre shaded with peach
125 126 127 128	Jean Gonjon, H. P. Jean Liaband, H. P. Jean Rosenkrantz, H. P. Jean Pernet, T.	and good. large, full, and of fine form. perfect form; one of the best. lear yellow; large and full, one of the
129	129 John Hopper, H. P.	Rose, crimson centre, reverse of the petals purplish, lilac, large, full and
130	130 Jules Margottin.	$\left. \frac{1}{2} \right\}$ Bright cherry, large and full.
	Ŋ	
131	Karl Muller	Blackish-relvet amaranth, large and double; vigorous.
	Ţ.	
132 133 134	Lady Montgomerie, H. P. Lady of the Lake, H. P. Lady Sheffield, H. P.	Peach colour, large, full, and of very fine globular form; good and distinct Brilliant rosy cerise, becoming lighter as the flowers open; flowers large full and of perfect form.

135	135 La France, H. P.	Beautiful pale peach, rosy centre, very large and full, free bloomer, one
136 137 138	136 Lamarque, T 137 La Reine, H. P 138 Little gem, M	Sulphur-yellow, beautiful, very large and fullRosy pink, tinged lilac; very large and full A miniature moss Rose, forming compact, bushes; densely covered with
139	139 Lord Bacon, H. P.	small double crimson nowers, beauthung mossed Deep crimson, illumined with searlet and shaded with velvety black, large,
140	140 Lord Herbert, H. P.	Rosy-carmine, the petals reflexing at the summits, large, full, finely form-
141 142	141 Louise de Savoie, T 142 Lyonnaise, H. P	ed, and anogener of inst-rate excertence Fine pale yellow, large and full Pink, brighter in the centre, globular.
	M.	
143	-agno	
144 145	mont, H. P. Madame Berard, T. Madame Bellon, H. P.	White, delicately rose-tinted, large and full, very free Clear salmon-rose, large, full, and of fine form, one of the best. Delicate rose, large, and full, of good babit.
146 147		Madame Bonnet Eymard, r. Pure white, sometimes with yellow centre; medium size. Madame (Mrs.) Besanduet, c. Flesh colour: large and double
148 149		Madame Breon, н. в Rose colour, tinged with salmon, good. Madame Caroline Kuster. и Pale vellow, decrease centre James full and Alchula.
150	Madame Charles Wood, H. P. Madame Charles Baltet, H. P.	Madame Charles Wood, H. P. Vinous crimson, very large, full, and effective. Madame Charles Baltet, H. P. Beautiful clear pale rose, flowers in clusters, perfect form, large and
152	152 Madame Clemence Joigneaux,	fa]].
	н. Р.	Red, shaded with lilac, very large, very double and fine, good habit.

	(x)		
Madame Celina Noirey, T Clear canary yellow, petals edged with white, large and full. Madame Devoucout, T Clear canary yellow, petals edged with white, large and full. Madame Eugene Verdier, H. P Silvery rose, large, full, and globular, very fine. Madame Falcot, T Apricot-yellow, in the way of Safrano, but of a deeper shade and more double, one of the best. Madame Fillion, H. P Fine salmon-rose, deeper centre, very lovely, large, full, and finely	formed. "Fine Hydrangea rose, changing to glossy rose, very large, full, and of fine form. "Whitish flesh-colour, glossy, large, full, and of globular form, growth erect.	Madame Jules Margottin, r. Delicate pink, tinged with yellow, the centre often deep red, large, full, freely produced and of fine form, very sweet. Madame la Baronne de Roths. Child, H. P. Madame Lacharme, H. P. White, faintly flushed with rose, changing to pure white, large and full; a beautiful clear rosy pink, imbricated, large and full, very sweet, one of the best.	Large red Delicate rose, large petals; almost full, fine for pots and forcing Pure white, free bloomer, beautiful, full; the finest of all pure white Roses for massing.
153 Madame Celina Noirey, T 154 Madame Devoucout, T 155 Madame Eugene Verdier, H. P 156 Madame Falcot, T 157 Madame Filion, H. P	158 Madame Georges Schwartz, H. P. 159 Madame Guillot d'Mont. favet, H. P.	160 Madame Jules Margottin, T. 161 Madame la Baronne de Roths- child, H. P. 162 Madame Lacharme, H. P. 163 Madame Marie Cirodde, H. P.	164 Madame Masson, H. P 165 Madame Montet, H. P 166 Madame Plantier, H. C
Madai Madai Madai Madai Madai	Madam H. P. Madam favei	Madaı Chil Madaı Madaı	Madar Madar Madar
155 155 156 157	158	161 163 163	165 165 166

187	187 Marie Van Houtte, r W.	White, slightly tinged with yellow, the petals often edged with rose, large,
188	Marquise de Castellane, H. P. Be	188 Marquise de Castellane, H. P. Beautiful bright rose, very large and full, form perfect, blooms freely, one
189	189 Maurice Bernardin, H. P Ve 190 May Turner, H. P Pa	Maurice Bernardin, H. P Vermilion, large, full, and of fine form, one of the best. May Turner, H. P Pale salmon-rose, reverse of petals of a deeper colour, large and full, erect
191 193 194	Merveille de Lyon, H. P. Michel Bonnet, H. P. Miss Ingram, H. P. Monte Christo, H. P.	Merveille de Lyon, H. P Pure white, sometimes washed with satin-rose, very large, full, and cupped. Michel Bonnet, H. P Beautiful rosy peach, large and blooms freely, one of the best. Miss Ingram, H. P White, blush centre. Monte Christo, H. P Purple, to crimson.
196 196 197 198	Mrs. Elliott, H. P. Mrs. John Berners Mrs. John Laing, H. P. Mrs. Ward N.	Soft pink, large, finely shaped and exceedingly fragrant; a grand Rose.
200 201 201	Nardy Freres, H. P. Nina, r. Niphetos, r. O.	Violet rose, globular, distinct White delicately tinted with pink, globular Pale lemon, often snowy white, very large and full, one of the best.
202	Olivir Delahomme, H. PBr. P.	Olivir Delahomme, H. P Brilliant red, large and perfect shape, foliage handsome, habit good. P.
203	203 Paul Neyron, H. P Da	Dark rose, very large, fine form and habit; the largest Rose.

		(xii)			
 Wadame Perron. Wadame Roland, H. P. Wadame Scipion Cochet, T. Canary yellow, shaded with white and tipped with rose, large and double. Madame Suzanne Chavag. Beautiful bright rose, very large, full, finely formed with stout petals; a very distinct variety. 	Madame Trifle, r. falmon yellow, outer petals sometimes deep coppery yellow, and full. Madame Victor Verdier, H. P. Rich bright cherry colour, large, full, and of fine form, cupped, superb, a most effective Rose, one of the best.	Transparent flesh, shaded rose, large and full White, centre salmon, large and full White, rosy centre, large, full, and of exquisite form, one of the best white roses.	Rosy carmine. P. Rose-pink, large, full, distinct and of fine globular form. one of the best. Bright pink suffused with carmine, very large, full, and of good form, habit erect, foliage fine.	Beautiful deep yellow, large, full, and of globular form, very sweet and truly splendid.	Bright carmine, very large, smooth and of exquisite form, first-rateDeep carmine, illuminated with fiery red, large, full, and very effectiveTransparent salmon-rose, large, full, of fine form and good habitWhite, large and handsome, but does not open freely until late in the summer.
Madame Perron. Madame Roland, H. P. Madame Scipion Cochet, Madame Suzanne Chavag- non, H. P.	Madame Triffe, T. Madame Victor Verdier, H. P.	Madame Vidot, H. P. Madame Villermoz, T. Madlle. Bonnaire, H. P.	Madlle. E. Ory, w. Madlle. Therese Levet, H. Magna Charta, H. P.	Malmaison Rouge. Marechal Niel, 1.	Marechal Souchet. Marie Antoine te. Marie Baumann, H. P. Marie Cordier, H. P. Marie Ducher, T.
167 168 169 170	171	173 174 175	176 177 178	179	151 182 183 184 185 185

Persian Yellow, A. R.

Perle d'Or, P.

88

Perle des Jardins, T.

Paul Ricant, H. C. Perle de Lyon, T.

Pierre Selctzky, H. P. Pierre Notting, H. P.

211

... Deep pink, blush margin, large, full, of fine globular form, and great sub-... Beautiful bright violet-red, very velvety, form and habit perfect, large and Princess Louise Victoria, H. P. Carmine, shading off to peach, good climbing Rose. full, blooming in clusters, one of the best. ... Vivid crimson, cupped, large and very double. petals of great substance. ... Pale rose, large and globular. stance, one of the best. Princess of Wales, H. P. Princess Beatrice, H. P. Prince Humbert, H. P. Prince of Wales, H. P. 218

Pride of Waltham, H. P. ... Habit of the Countess of Oxford, delicate flesh colour, richly shaded with

... |Fiery red, globular, very large, and full.

Bright rose.

President Villermoz, H. P.

President Thiers, H. P.

President, T. President Porcher,

Pitord, H. P.

bright rose, very clear and distinct; flower very large and full, with

Q. Queen of Queens, H. P Pink, with blush edges, large, full, of perfect form and a true perpetual flowering Rose. Decidedly the finest Rose of its colour.
ZZ* Queen of Waltham, H. P Beautini rose-cherry, a very distinct and lovely colour, large, full, and of perfect form. R.
н. Р. ugal, т.
Richard Wallace, H. P Bright red, the petals slightly bordered with white, very large, full, and of fine form.
zoi.
Sanguines Crimson, small and very double (Uld crimson Ulina.) Senateur Vaisse, H. P Bright red, large and very double, superb. Sombreuil. T. White. tinged with rose, very large and full
Souviner d'Elise Vardon, T. Creamy-white, centre yellowish, very large and full, a splendid Rose. Souviner de Jules Gounot, Superb glossy rose, large, finely formed, extra deep rosy-purple.
Souviner de Maintaison, 6 Clear nesh, edges biush, beaudifut, very large and full, one of the best. Souviner de Mere Fontaine, Flowers bright red, base of petals shaded with carmine, large full arm p
Brig.
Souviner de Koman de Pris, Souviner d'un Ami, r Salmon and rose, shaded, large and full, one of the best.

(xv)	`
------	---

242 243	Souviner de Therese Levet St. George, H. P.	Souviner de Therese Levet, r. Bright deep red, shaded, of medium size, full. 243 St. George, H. P Flowers crimson, shaded black purple, large, full, and good; a splendid
244	Star of Waltham, H. P.	Rose Deep crimson, colour very rich and effective, a magnificent flower of im-
245		mense size; for form, substance, and smoothness of petal unequalled. A sport from Perle des Jurdines. Deep apricot, beautiful in bud and good
246	246 The Bride, T.	Ior forcing. A white sport from Catherine Mermet. The flowers are equal in quality to
247	247 The Meteor, T.	those or the parent rose Rich dark velvety crimson without the least purple tint and retaining its
248	248 The Puritan, H. P.	Buds white tinted with yellow, changing to pure white as the flowers
250	Therese Loth, T. Tournefort, V.	Delicate rose, with brighter centre; medium size.
251	azes, T.	Yellow, centre deep yellow tinted with copper colour, large and very
25.52 25.33 25.44	Victor le Behan, Victor Verdier, H. P.	Bright rosy carmine Rosy carmine, Rosy carmine, purplish edges; large, showy, free growing rose.
255		Victor verue, Willaret de Joyense, H. P Deep rose shaded with carmine, back of petals silvery, large, full, globular and sweet.
256 257	W. Waltham climber, No. I. Wilson Saunders, H. P.	Bright crimson, very fine. Crimson, large and double.
258	258 Xavier Olibo, H. P.	Velvety black, shaded with amaranth, large and full.



Alphabetical list of the named Crotons in the collection.

A	1
A	29 Evanseana.
1 Alexandra.*	30 Excelsior.*
2 Amabilis.†	00 112001B101.
3 Andreanus.*	F ·
4 Angustifolium giganteum.*	
5 Appendiculatus.†	31 Foxii No. 1.†
6 Aucubæfolium.*	32 ,, No. 2.
7 Aureum.*	33 Furcatus.†
8 Australian Longifolium.*	
	G G
В	04 63 34 34
o Desirable #	34 Gladstonei.*
9 Baptistii.* 10 Baron Frank Selliere.*	35 Gloriosus* (see Princess of
11 Baron James De Roth-	Wales.) 36 Goldiana.+
schild.*	37 Grande.*
12 Barton Westii.*	38 Grotesque.+
13 Beauty.	, 55 55555
C	н
14 Camptophyllum.	39 Hawkerii.*
15 Challenger (Imperator.)*	40 Hendersonii.*
16 Chelsoni.† 17 Concinnus.*	41 Henryeanus.*
18 Contortus.†	42 Hillianus.† 43 Hookerii.†
19 Cooperii No. 1.*	44 Hybridum.
20 ,, No. 2.*	22 21 bildum.
21 Cornutum.†	I
D	45 Illustris.†
	46 Imperial Hector.
22 Day Spring.	47 Imperialis.+
23 Dormanianus.	48 Insignis.
24 Duchess of Edinburgh.	49 Interruptum.
25 Duke of Connaught. 26 Duke of Edinburgh.†	50 Irregulare.*
50 Time or mannagari.	J
16	J
_	51 Jamesii.+
אות שווד מני	59 Tohennis,+

82 Picturatus.†

K 53 Kingianus.* 86 Queen Victoria.* \mathbf{L} R 54 Lady Zetland.+ 88 Recurvifolius No. 1.* 55 Lancifolium. 89 No. 2.* 56 Limbatum.+ 90 Rex. 57 Lineare. 91 Rosea picta. 58 Longifolium. 92 Rotundifolia.* 59 Lord Ripon.* 60 Lowii (Ĥandburyanus).* S M (Guil-93 Schomburgkiana foyle).* 61 Macarthuri Nos. 2, 11, 37, 94 Sir Ashly Eden.* **56 & 85.** 95 Spiralis.† 62 Macfarlanei. 96 Splendidus. 63 Macfeanus.* 97 Sunrise. 64 Maculata.+ 98 Sunset.* 65 Magnolifolius.* 66 Maharajah of Durbunga.* 67 Majesticum.+ 99 Torquatus.+ 68 Maxima.* 100 Trilobus, Albertii.* 69 Metallicum. Disraelii.* 101 70 Mirabilis.* 102 Earl of Derby.* 29 71 Mooreanus.* 103 Lord Cairns. 72 Morti.* 104 Triumphans.* 73 Multicolor.* 105 Truffantianus.* 74 Mutabilis (Princeps.) † U 106 Undulatum. Veitch.+ N 75 Nestor. V 76 New Guinea.* 77 Nobilis. 107 Variabilis.+ 108 Variegatum. 0 78 Oblongifolium. 109 Veitchianum. 79 Ovalifolius.+ 110 Veitchii.* 111 Vittatus.* 112 Volutum.+ P 113 Volutus Splendens.+ 80 Paradoxus. 81 Pictum, Hort.+

114 Warrenii.*

W	Y
	120 Youngii No. 1.* 121 , No. 2.* 122 ,, No. 3.*

^{*} Varieties having very fine leaves, and usually requiring same protection from the sun and wind.

[†] Plants with smaller leaves. As a class these require less protection from sun and wind than the larger leaved varieties. But nearly all Crotons relish a little shade.

INDEX OF ORDERS AND GENERA.

A.

		Page.			Page.
Abies	•••	181	Alismaceæ	•••	211
Abroma	•••	25	Allium	•••	204
A brus	•••	50	Allophylus	•••	42
Abutilon	•••	. 20	Alocasia	•••	213
Acacia	•••	62	Aloe	•••	205
Acalypha	•••	169	Aloysia	•••	146
Acanthaceæ	•••	137	Allmania	•••	153
Acanthus	•••	140	Alpinia	•••	192
Achillea	•••	98	Alseodaphne	•••	162
Achimenes	•••	134	Alsophila	•••	231
Achras	••.	107	Alstonia	•••	112
Achyranthus	•••	155	Alternanthera	••	155
Acorus	•••	213	Althea	•••	19
Acrocarpus	•••	62	Alysicarpus	•••	49
Acrostichum	•••	2 30	Amarantac	eæ	152
Actinopteris		2 30	Amarantus	•••	153
Adansonia	•••	23	Amaryllidea	æ	196
Adenanthera	•••	61	Amaryllis	•••	197
Adenostemma	•••	94	Amherstia	***	59
Adenum	•••	114	Ammannia	•••	73
Adhatoda	•••	142	Amomum	•••	193
Adiantum	•••	230	Amorphophallus	·	214
Adina	•••	88	Ampelideæ	•••	40
Æchmea	•••	199	Ampélopsis	•••	41
Ægle	•••	34	Amphilophiu m	•••	136
Æginetia	•••	132	Anacardiac	eæ	43
Æschynanthus	•••	133	Anacardium	•••	43
Æschynomene	••.	49	Anagallis		105
\boldsymbol{x} rides	•••	189	Anamirta	•••	5
Ærua	•••	155	Ananassa	•••	200
Agapanthus	•••	203	Anaphalis	•••	96
Agave	•••	198	Anatherium	•••	225
Ageratum	•••	94	Anchusa	•••	121
Aglaonema	•••	213	Anda	•••	` 170
Ailantus	•••	34	Andrographis	•••	141
Alangium	•••	87	Andropogon	•••	223
Albizzia	•••	63	Aneilema	•••	207
Aleurites	•••	168	Anemia	•••	231
Allamanda	•••	113	Angelonia	•••	131

		Page.	1		Page.
Angiopteris	•••	231	Aspidistra	•••	204
Angræcum	•••	191	Aspidium	•••	232
Anisochilus	•••	148	Aspidopterys	•••	28
Anisomeles	•••	150	Asplenium	•••	232
Anogeissus	•••	6 9	Aster	•••	95
Anona	•••	4	A systasia	•••	140
Anonaceæ	•••	3	Atalantia	•••	33
Anthericum	•••	203	Athyrium	•••	232
Anthisteria	•••	228	Atriplex	•••	156
Anthocephalus	•••	88	Atylosia	***	53
Antholyza	•••	196	Avena	•••	- 229
Anthriscus	•••	85	Averrhoa	•••	81
Anthurium	••	214	Azima	•••	110
Antidesma	•••	167		_	
Antigonon	•••	159	1	В.	
Antirrhinum	•••	129	D 1 11		0.4
Aphelandra	•••	143	Balanites	•••	34
Apium	•••	84	Baloghia	•••	170
Apluda	•••	224	Balsamineæ	•••	30
Apocynacea	•••	110 2	Balsamodendron	•••	85
Aquilegia Arachis	•••	50	Bambusa	•••	229
Aralia	•••	86 83	Banisteria	•••	28
Araliaceæ	•••	85	Barleria	•••	140
Aranaria Arancaria	•••	181	Barringtonia	•••	71
Ardisia	•••	106	Basella Bassia	•••	157
Areca	•••	208	Batratherum	•••	107 226
Arenga	•••	208		•••	226 59
Argemone	•••	7	Beaumontia	•••	113
Argyranthemum	•••	101	Beesha	•••	229
Argyreia	•••	123	Begonia	•••	80
Arisæma	•••	214		•••	80
Aristida	•••	225	Begoniaceæ Bellis	•••	101
Aristolochia	•••	160	Benincasa	•••	78
Aristolochia		159	Benthamia		87
Arracacia		85	Berberides	•••	5
Artabotrys	•••	4	Berberis	•••	5
Aroideæ	•••	212	Berrya	•••	26
Artemisia	•••	98	Beta	•••	156
Artocarpus	•••	176	Bidens	•••	98
Arum	•••	214	Bignonia	•••	135
Arundinaria	•••	229	Bignoniaceæ	•••	134
Arundinella	•••	228	Billardiera	•••	13
Arundina	•••	188	Billbergia	•••	200
Asclepiadace		114	Biophytum	••.	30
Asclepias	•••	115	Bixa	•••	11
Asparagus	•••	238, 204		•••	îî
		-JU; -UX (•••	

81

10

Cactes

Cæsalpinia

•••

Cadaba

Casuarina

56 | Catalpa

Casuarinea

178

177

136

...

...

		Page.		Page.
Catesbæa	•••	92	Clerodendron	145
Cedrela	•••	238, 37	Clianthus	55
Celastrineæ	•••	38	Clitoria	52
Celastrus		39	Clusia	17
Celosia.	•••	153	Cobæa	119
Celsia.	•••	129	Coccoloba	159
Celtis	•••	172	Cocculus	- 5
Centaurea	•••	99	Cochlospermum	11
Centratherum	•••	93	Cocos	209
Cephalandra		79	Codiæum	169
Cephalostigma	•••	103	Cœlogyne	188
Cerastium	•••	14	Coffea	91
Ceratonia	•••	60	Coix	224
Ceratophyll	eæ	179	Cola	24
Ceratophyllum	•••	179	Coldenia	121
Cerbera	•••	111	Coleus	148
Cereus	•••	82	Collinsia	131
Ceropegia	•••	116	Colubrina	40
Ceropteris	•••	233	Colvillea	69
Chamæraphis	•••	22 8	Combretaceæ	68
Chamærops	•••	208	Combretum	69
Cheilanthes	•••	233	Commelyna	207
Cheiranthus	•••	8	Commelynacese	206
Chenopodia	ceæ	156	Compositæ	93
Chenopodium	•••	156	Convolvulaceæ	122
Chickrassia	•••	37	Convolvulus	124
Chloris	•••	225	Conyza	95
Chloroxylon	•••	37	Corchorus	27
Chrozophora	•••	169	Coniferæ	180
Chrysanthemum	•••	98	Cordia	120
Chrysophyllum	•••	107	Coriandrum	85
Chrysopogon		224	Cornaceæ	87
Cicca.	•••	167	Cornus	87
Cicer		50	Coronopus	8
Cichorium	•••	100	Corypha	209
Cinchona	•••	91	Cosmos	101
Cineraria	•••	102	Costus	192
Cinnamomum	•••	162	Cotula	98
Cipadessa	•••	37	Cotyledon	67
Citharexylum	•••	146	Couroupita	71
Citrus		. 33	Courtoisia	220
Citrullus	•••	78	Crassulaceæ	66
Clarkia		75	Centown	10
Clausena	••	33	Crossoptio	137
Clematis	•••	ı	Crescentiaceæ	137
Cleame	•••	ā	Crinum	107

		Page.	ſ		Page.
Crocosmia	•••	238	Dahlia		102
Crossandra	•••	140		•••	54
Crota laria	•••	46	Dalechampia	•••	238, 170
Croton	•••	168	Dammara	•••	181
Cruciferæ	***	7	Datura	•••	127
Cryptolepis	•••	114	Daucus	•••	85
Cryptomeria	•••	182			283
Cryptostegia	•••	114	Debregeasia.	•••	177
Cucumis		78	Decaschistia	•••	21
Cucurbita	•••	79	Deeringia	•••	153
Cacurbitace		77	I)elima	•••	2
Cuminum	•••	85	Delphioium	444	2
Cupliea	•••	74	Dendrohium	•••	184
Cupressus	•••	180	Dendrocalamus	•••	229
Cupulifera	•••	178	Derris	•••	55
Curculigo		198	Desnianthus	•••	61
Curmeria	•••	217	Desmodium	•••	49
Curcuma	•••	193	Dianthus	•••	14
Cuscuta	•••	125	Dichrocephala	•••	94
Cyamopsis	•••	47	Dichrostachys	•••	61
Cyanotis	***	206	Dicliptera	•••	142
Cycadaceæ		182	Dicoma	•••	100
Cycas	•••	182	Dictycsperma	••	210
Cyclamen	•••	105	Dieffenbachia	•••	216
Cylista	•••	53	Digera	•••	153
Cyn.bidium	•••	189	Dillniaceæ	•••	2
Cymbopogon	•••	224	Dillenia.	•••	2
Cynanchum	••	115	l'ioscorea	•••	238, 201
Cynara	•••	102	Dioscoreace		200
Cynoden	•••	225	Diospyros	•••	108
Cynoglossum	•••	122	Dipladenia	•••	113
Cyperaceæ	•••	218	Dipsaceæ	•••	92
Cyperus	•••	219	lipsacus	•••	92
Cyphomandra	•••	126	D p erocarp	eæ	18
Cypripedium	•••	190	Donon a	•••	42
Cyr ndreæ	•••	133	Delichandrone	•••	136
Cyrtanthera	•••	143	l'olichos	•••	53
Cyrtanthus	•••	198	Dombeya.	•••	238, 25
Cyrtomium	•••	233	Docdia	•••	233
Cyrtopera		189	Dorstenia		173
I	`		Doryanthes	•••	198
	<i>-</i> .	į	Dracana	•••	238, 205
Dactylis	•••	229	Drosera	•••	67
Pactyloctenium	•••	226	Droseraceæ	•••	67
Dædalacanthus	•••	139	Drynaria	***	23 3
Dæmia.	•••	115		•••	146

		Page.	,		Page.
Durio	•••	23	Euchlæna	•••	221
Dypsis	•••	211	Eugenia	•••	71
Dysophylla	***	148	Eugesnere	· · ·	1.34
			Eulophia	•••	189
·I	3.		Euonymus	•••	39
			Eupatorium	•••	94
Ebenaceæ	•••	107	Euphorbia	•••	166
Echolium	•••	142	Euphorbiac	eæ	165
Echeveria	•••	67	Eustrephus	•••	206
Echinocactus	•••	82	Evolvulus	•••	125
Echinops	•••	99	Exacum	•••	118
Echites		113	Exceecaria	***	170
Eclipta	•••	97	Exogonium	***	125
Lhretia	•••	121			
Elæagnaceæ	•••	164		F.	
Elmagnus	•••	164			
Elæis	•••	210	Fagopyrum		158
Elæocarpus	•••	27	Fagræa		118
Elæodendron	•••	39	Farlugium	•••	100
Eleiotis		49	Feronia	•••	34
Elephantopus	•••	94	Ficoideæ		82
Elettaria	•••	193	Ficus	•••	173
Eleusine	•••	228	Filago	•••	96
Elytrophorus	•••	228	Filices	•••	230
Embelia	•••	106	Filicium	•••	36
Emex	•••	158	Fittonia	***	143
Emilia	•••	99	Flacourtia	•••	12
Encephalartus	•••	182	Flauria	•••	100
Epiphyllum	•••	82	Flemingia	•••	54
Eragrostis	•••	227	Fleurya	•••	176
Eranthemum	•••	140	Flueggia	***	167
Eria	•••	187	Faniculum	***	84
Erigeron	•••	95	Fourcroya (see F	urcræa)	199
Eriobotrya	•••	65	Fragaria	•••	64
Eriocaulon	•••	218	Franciscea	•••	132
Eriocaulones	æ	218	Frenela	•••	181
Eriodendron	•••	23	Fuchsia	•••	75
Eriolæna	•••	24	Fumaria		7
Ervum	•••	50	Fumariaces		7
Erycibe	•••	122			
Erysimum	•••	8		3.	
Erythræa	•••	118	Ì		
Erythrina	•••	238, 51	Gaillardia	•••	101
Erythroxylon	***	27	Galactia	•••	51
Eucalyptus	***	70	Garcinia	•••	. 16
E ucalyptus E ucharis	***	198	Gardenia	***	89

98

•••

Hopea

Gynura

18

•••

		Page.	} .	•	Page.
Horpes	•••	118	Jasmitum	***	238, 109
Hoya	•••	116	Jatropha	•••	168
Humboldlia	•••	59	Jumperus	•••	181
Humulas	•••	172	Jussi va	•••	75
Hura	•••	170	Justicia	•••	141
Hydnocarpus	•••	12	}		
Hydrangea	***	66		K.	
Hydrilla	•••	183	ĺ		
Hydrocera	•••	31	Kæmpferia	•••	192
Hvdrochar	rideæ	183	Kalanchoe	•••	66
Hydrocotyle		84	Kentia.	•••	210
Hydrolea	•••	120	Kigelia.	•••	187
Hydrophyl	laceæ	119	Kleinhovia.	•••	24
Hygrophila	•••	138	Klugia	***	134
Hymen va	•••	59	Knoxia	•••	90
Hymenosporum	•••	13	Kopsia	••	111
Hyophorbe	•••	210	Kydia	•••	23
Hyoscyamus	•••	128	Kyllingia	•••	220
Hypericine	æ	16		_	
Hypericum	•••	16		L.	
Ilypolepis	•••	2 34			
Hyssopus	•••	149	Labiatæ	•• .	146
	_		Lactuca	***	100
	I.		Latoensia	••	74
		_	1 agarosiphon	•••	183
Iberis	•••	9	Lagascea	•••	97
Ichnocarpus	•••	113	l agenaria	•••	77
llex	•••	38	Lagerstromia	•••	74
Ilicineæ	•••	38	,co	•••	95
Il, santhes	••	130	Lagunaria	•••	23
Impatiens	•••	31	Landolphia	•••	113
Imperata	•••	228	Lantana	***	143
Indigofera	•••	47	Lapageria	•••	202
lonidium	•••	11	La pago	•••	225
Ipomæa	•••	123	Lastrea	•	234
Iresine	•••	155	Lathyrus	•••	50
Iridaceæ	•••	195	Lauraceæ	•••	161
Iris	•••	196	Lavatera	•••	19
Isachne	•••	225	Lavandula	•••	148
Îsolepi s	•••	220	Lawsonia		78
Ixora	100	90	Leea .	***	41
	_	1	Leersia	•••	227
	J.	1	Leguminos	æ ···	45
			Lemna	•••	217
Jacquemontia	•••	125	Leonorus	•••	150
Jac quinia	***	106]	Leonotis	***	150

	INDEX OF	ORDERS	AND GENERA	۱.	xxix
,		Page.			Page.
Lepidagathis	•••	141	Machilus	•••	162
Lepidium	•••	9	Macrozamia	•••	182
Leptadenia	•••	116	Mæsa	•••	106
Leptochloa	•••	226	Magnoliace	æ	3
Leitsomia	•••	123	Magnolia	•••	3
Leucas	•••	150	Malachra	•••	20
Leucæna	•••	61	Malcolmia	•••	8
Licuala	•••	210	Mallotus	•••	169
Ligustrum	•••	110	Malpighia	•••	28
Liliaceæ	•••	202	Malpighiac	eæ	28
Lilium	•••	202	Malva	•••	19
Limnanthemy	ım	119	Malvaceæ	•••	18
Limnophyla	•••	129	Malvastrum	•••	19
Limonia	•••	33	Manettia	•••	92
Linaria	•••	129	Mangifera	•••	43
Lindsæa	•••	234	Manihot	•••	168
Lineæ	•••	27	Manisurus	•••	226
Linum	***	27	Maranta	•••	193
Lentibula	riaceæ	133	Marantace	æ	193
Lippia	•••	144	Marrubium	•••	150
Litsæa	•••	162	Martynia	***	137
Livistona	•••	210	Matthiola	•••	7
Lagascea	•••	97	Maurandia	•••	130
Lobelia	•••	103	Medicago	•••	47
Loganiac	еæ	117	Melaleuca	•••	70
Lolium	•••	229	Melastoma	•••	72
Lomaria	•••	234	Melastomac	ceæ	72
Lonicera	•••	88	Melhania	•••	25
Lophospermu	ım	131	Melia	•••	36
Lorantha		164	Meliaceæ	•••	36
Loranthus	***	164	Melianthus	•••	29
Lourea	***	49	Melissa	•••	149
Louchocarpus		60	Melo-cactus	•••	82
Ludwigia		75	Melochia	•••	25
Luffa		78	Memecyleæ	•••	72
Lupinus	.m.a	47	Memecylon	•••	73
Lychnis	•••	14	Menisperma	aceæ	4
Lycopersicum		127	Mentha	•••	149
Lycopodi		237	Mesembryanthen		83
Lycopodium	aceæ	237	Mesua	•••	17
Lygodium	•••	234	Meyenia	•••	143
Lythrace		73	Mezoneurum	•••	57
Ly un acc	æ		Michelia	•••	3
	M.	l l	Microchloa	•••	225
	-T.A. *		Miliusa	***	4
Macadamia	***	163	Millingtonia	•••	135
THE STATE OF THE STATE OF		100			

		Page.	1		Page.
Mimosa	•••	61	Nicandra	•••	127
Mimoseæ	•••	61	Nicotiana	446	128
Mimulus	•••	129	Nigella	•••	2
Mimusops		107	Niphobolus	•••	235
Mirabilis	***	152	Noronhia	•••	110
Mitrasacme	•••	117	Notonia	•••	99
Modecca.	***	77	Nyctagineæ		151
Mollugo	•••	83	Nyctanthes		110
Momordica	***	238, 78	Nymphæa	•••	6
Monochoria	•••	206	Nymphæac	eæ	5
Morinda	•••	91	0		
Moringa	•••	44	(Э.	
Moringeæ		44			
Morus		173	Ochna	•••	35
Mucuna	•••	51	Ochnaceæ	•••	35
Mukia	•••	79	Ochrocarpus	•••	17
Mundulea	•••	48	Ocymum	•••	147
Murraya	•••	32	Odina.	•••	43
Musa.	•••	194	Œnothera	•••	75
Mussænda	•••	89	Olacineæ	•••	37
Myosotis	•••	121	Olax	***	38
Myristica	•••	161	Oldenlandia	•••	89
Myristices	***	161	Olea	•••	110
Myrospermum	400	55	Oleaceæ	•••	108
Myrsineæ	•••	106	Onagraceæ	•••	74
Myrtaceæ	••	69	Oncidium	•••	191
Myrtus	•••	71	Onychium	•••	235
Myxopyrum	10.1	110	Ophioglossum	•••	235
7			Opilia.	. •	38
1	7 .		Oplismenus	•••	226
_			Opuntia	•••	81
Nandina	•••	5	Orchideæ	•••	183
Naravelia	•••	1	Oreodoxa	•••	210
Naregamia	•••	36	Origanum	•••	149
Nasturtium	•••	8	Ormocarpum	•••	49
Nauclea	•••	89	Ornithogalum		2 0 4
Nelsonia	***	138	Orobanchac	eæ	132
Nelumbiu m	•••	6	Orobanche	•••	132
Nemophila	•••	120	Orthosiphon	•••	147
Nepenthace		159	Orygia -	•••	83
Nephelium	•••	42	Oroxylum	•••	135
Nephrodium		234	Oryza	•••	221
Nephrolepis	•••	235	Osbeckia	•••	72
Neptunia	***	61	Osmanthus	•••	. 238
Nerine	•••	197	Osmunda	••	235
Nerium	•••	112	Ottelia	•••	183
		,			

		Page.			Page.
Oxalideæ		80	Petunia		128
Oxalis	•••	- 30	Peucedanum	•••	85
Oxystelma	•••	115	Phajus	•••	188
•			Phalænopsis	•••	189
•	P		Phaseolus	•••	52
	٠		Phaylopsis	•••	139
Palmaceæ	•••	207	P hilesiaceæ	•••	202
Panax	•••	86	l'hilodendron	•••	216
Pancratium	•••	,	Γ hlox	•••	119
Pandanacea	e	211	P h α nix	•••	209
Pandanus	•••		Pholidota	•••	188
Panicum .	•••		Phormium	•••	205
Papaverace	20	6	Phyllanthus	•••	166
Papaver	•••	6	Physalis	•••	127
Papayaceæ	•••	77	Phytolaccac	eæ	157
Pardanthus	•••	196	Pilea	•••	176
Paritium	•••	22	Pimpinella	••	84
Parkia	•••	61	Pinus	•••	181
Parkinsonia	•••	57	Piper	•••	160
Paspalum	•••	221	Piperaceæ	•••	160
Passiflora	•••	76	Piscidia	•••	238
P assifloreæ	•••	76	Pisonia	•••	152
Pastinaca	•••	85	Pistacia	•••	43
Paullinia	•••	42	Pistia	•••	217
Paulownia	•••	131	Pisum	•••	50
Pavetia .	•••	90	Pitcairnia	•••	200
Pavonia.	•••	20	Pithecolobium	•••	63
Pedaliaceæ	•••	137	Pittosporeæ	•••	12
Pedahu.n	•••	137	Pittosporum	•••	12
Peddica	•••	2 38 _!	Plantagineæ	***	151
Pedilanthus	•••	171	Plantago	:••	151
Pelargonium	•••	30	Platanaceæ	•••	177
Pell ra	•••	235	Platanus	•••	177
Peltophorum	•••	57	Plectranthus	•••	148
Penicullaria	••	223	Pleopeltis	•••	235
Penstemon	•••	131	Pluchea	•••	96
Pentapetes	•••	25	Plumbagina	ce æ	104
Pentas	•••	91	Plumbago	•••	105
Peperomia	•••	161	Plumieria	•••	111
Pereskia	•••	82	Podocarpus	•••	181
Pergularia	•••	116	Perciloneuron	•••	17
Perilla	•••	149		•••	190
Peristrophe	•••	142	Pogostemon	•••	148
Perotis	•••	227	Poinciana	•••	57
Persea	•••	162	! Poinsettia	•••	170
Petræa		146	Polvrea	•••	69

		Page.	•		Page.
Polemonia	:Am	119	Quercus	•••	178
Polyalthia	•••	4		•••	69
Polyanthes	•••	203		_	
Polybotrya	•••	236	!	\mathbf{R} .	
Polycarpæa	***	14	Randia		89
Polygala	•••	13	Ranuncula	~~~	1
Polygaleæ	•••	13	Kaphanus	Cem	9
Polygonace	æ	157	Rauwolfia	•••	111
Polygonum	•••	158	Ravenala	***	195
Polymnia	•••	102	Resedaces		10
Polypodium	•••	236	Recede	•••	10
Polyzygus	•••	84	Retinospara	•••	182
Pongamia	•••	55	Rhamneæ	•	39
Pontederia	eæ	206	Rhamnus	•••	40
Porani	•••	125	Rhamphicarpa	•••	130
Portulaca	***	15	Rhapis	••	210
Portulaceæ	•••	15	Rheum	•••	. 158
Poterium Pothos	•••	64	Rhinacanthus		142
Pouzolzia	•••	216 177	Rhus	***	43
Pratia	••		Rhynchocarpa	•••	79
Premna	•••	103 145	Rhyncosia	•••	54
Primula	•••	105	Rhynogenermin	n	114
Primulaceæ	•••	105	Richard.a	•••	213
Priva	•••	103	Ricinus	•••	169
Prosopis	•••	61	Rienwardti a	•••	27
Proteacea	•••	163	Rivea	•••	123
Protium	•••	36	Rivina	••	157
Prunus	•••	64	Robinia		56
Pseudarthria	•••	49	Rondeletia	•••	92
Psidium	•••	71	Rosa	•••	64
Psophocarpus	•••	53	Rosaceae	•••	63
Psychotria	•••	91	Rosmarinus		151
Pteris	•••	236	Rothia	•••	45
Pterocarpus		54	Roupellia	•••	113
Pterolobium	***	57	Rubia	•••	91
Pterospermum	•••	24	Rubiaceæ	•••	88
Punica	•••	74	Rubus	•••	64
Pupalia	•••	154	Ruellia	•••	139
Putrarjiva	•••	167	Rumex	•••	158
Pyrethrum	•••	102	Rungia	•••	142
Pyrus	•••	65	Russellia	•••	131
•			Ruta	•••	32
C).	Ì	Rutaceaæ	•••	32 .
•	,-	j	Ŷ	S.	
Qnassia	•••	34	Sabal	***	209

		Paye.			Page.
Saccharum		223	Silene		14
Saccolabium	•••	190	Simarubeæ	•••	34
Saccopetalum		4	Smilaces	•••	201
Sagema		237	Smilax		201
Eagittaria .		211	Solanaceæ		125
Salicaceæ	•••	179	Solanum	•••	126
Salix		179	Solidago	•••	94
Salvadorace	9e	110	Sollya	••	13
Salvia		149	Sonchus	•••	100
Sanchezia	•••	132	Sonerila	•••	72
Sanseviera	•••	204	Sophora	•••	55
Santalaceæ	•••	165	Sopubia.	•••	130
Santalum		165	Sorghum	•••	224
Sanvitalia	•••	102	Soymida	•••	87
Sapindaceæ	•••	41	Spathodea	•••	136
Sapindus	•••	42	Spermacoce		91
Sapium	•••	170	Sphæranthus	•••	96
Saponaria	•••	14	Sphenoclea.	•••	104
Sapotaceæ	•••	106	Spilanthus	•••	97
Saraca		59	Spinacia	•••	156
Sarcocephalus	•••	88	Spiræa	•••	64
Sar costemma	•••	115	Spondias	•••	44
Saxifraga	•••	66	Spodispogon	•••	228
Saxifragaces	æ	65	Sporobolus	•••	226
Scabiosa	•••	92	Stachys	•••	150
Schmidelia .	•••	2 38	Stachytarpheta	•••	144
Schinus	•••	44	Stellaria.	•••	14
Scitamineæ	•••	191	Stephanotis	•••	116
Scirpus	•••	220	Stephegyne	•••	88
Scolopendrium	•••	2 37	Sterculia	•••	24
Scrophulari	neæ	128	Sterculiaceæ	•••	23
Scutia_	•••	40	Stereospermum	•••	136
Seaforthia	•••	209	Stigmatophyllum	•••	28
Seca mone	•••	115	Streblus	•••	172
Sechium	•••	238	Strelitzia	•••	195
Sedum	•••	67	Streptocarpus	•••	134
Selaginella.	•••	237	Striga	•••	130
Semecarpus	•••	44	Strobilanthes	•••	238, 139
Senecio	•••	99	Strychnos	•••	118
Sesamum	•••	137	Stylosanthes	•••	49
Sesbania	•••	48	Swainsonia	•••	55
Setaria .	•••	223	Swietenia	•••	37
Shorea	•••	18	Symphytum	•••	122
Sida	•••	19	Synadenium	•••	171
Sideroxylon	•••	107	Syngonium	•••	217
B iegesbeckia	•••	97	1		

_	Page.		Page.
T.		Trifolium	46
		Trigonella	47
		Triphasia	33
Tabernæmontana	112	Tristania	70
Tacsonia	76	Triticum	221
Tagetes	101	Triumfetta	26
Tamarindus	59	Tropæolaceæ.	30
Tamariscineæ	15	Tropæolum	31
Tamarix	15	Tuirena	220
Taraxacum	100	Tulipa	203
Tecoma	135	Tylophora	116
Tectona	144	Typha	212
Templetonia	55	Typhaceæ	212
Tephresia	238, 48	1	
Teramnus	51	U.	
Terminalia	68		
Ternstræmiaceæ	17	Umbelliferæ	83
Tetragonia	83	Uraria	49
Thalictrum	1	Urena	20
Theobroma	25	Urtica	176
Thespesia	22	Urticeæ	171
Thevetia	113	Utricularia	133
Thrinax	210	Uvaria	8
Thuja	182		
Thunbergia	138	▼.	
Thymus	149		
Tigridia	196	Vahlia	66
Tiliaceæ	26	Vallaris	112
Tillæa	66	Vallisneria	183
Tillandsia	200	Vanda	189
Timbristylis	219	Vandellia	130
Tinospora	5	Vangueria	90
Toddalia	32	Vanilla	190
Torenia	130	Vateria	18
Trachelium	104	Ventilago	39
Trachys	226	Vepris	238
Tradescantia	207	Verbascum	129
Tragia	170	Verbena	144
Trapa	76		143
Trema	172	Verbesina	102
Trewia	169	Vernonia	94
Trianthema	83	Veronica	130
Tribulus	29	Vicia	50
Trichodesma	121	Vicoa	96
Tricholepis	99	Victoria	6
Trichosanthes	77	Vigna	52

	INDEX	OF	ORDERS	AND	GENERA	۸.	XXXV
			Page.	1			Page.
Viminaria	•••		55			X,	
Vinca.	•••		111				
Viola.	•••		11	Xant	hium	•••	97
Violaceæ	•••		11	Xime	nia	•••	38
Virgilia.	•••		55	Xylo	phyll a	•••	171
Vitex			145		-		
Vitis	•••		40			Y .	
Vittadenia	•••		102				
				Yucca	3.	•••	205
	\mathbf{w} .						
						\mathbf{Z} .	
Wagatea	•••		57				
Wahlenbergie			104	Zanor		••	79
Wallichia	***		211		ionylum	•••	32
Walsura	•••		27	Zea		•••	221
Waltheria			25	Zehn	eria	•••	79
Webera	•••		89	Zephy	yranthes	•••	198
Wedelia.	•••		97	Zingil	ber	•••	192
Wellingtonia	•••		182	Zing	giberac	eæ	192
Wendlandia			89	Zinni	ā	•••	100
Wigandia	•••		120	Zizyr	hus	•••	39
Withania	•••		127	Zorni	a	•••	49
Wrightia	•••		112	Zyg	ophylle	eæ	29

Index of Popular Names.

	Page.		Page.
A .		Bastard sandal	27
		Bead tree	36
Adam's needle	205	Bean (garden)	50
African blue lily	203	Bears Breech	140
Atrican oil palm	210	Beefwood tree	178
Alkanet	121	Beet	156
Alligator pear	162	Belgaum walnut tree.	168
Almond tree (country).	68	Bellflower	104
Amazon lily	6	Retel-leaf pepper	160
American aloe	198	Betel-nut palm	208
American colton	22	Bhere-fruit tree	39
American crocus	198	Bindweed	124
American sumach	56	Birds-eye chillee	127
Annatto	11	Birdsnest fern	232
Apple tree	65	Birthwort (Indian).	160
Apricot tree	64	Bishops weed	84
Arbor vitæ	182	Black gram	52
Arracacha	85	Black berry	64
Arrowroot	193	Black pepper	160
Artichoke (globe)	102	Black wood (Australian).	62
Artichoke (Jerusalem).	102	Blistering cress	8
Arum lily	213	Blister weed	73
Asoca tree	59	Blocd flower	198
Aster (China)	95	Bloodwood tree	71
Asthma plant	166	Blue bottle	99
Aubergine	126	Blue gum	70
Australian fan palm.	209	Borage	122
Awla tree	167	Borage (Indian)	148
		Bottle gourd	77
в.		Bowstring hemp	204
		Box tree (Australian).	70
Babool	62	Do (red)	71
Bael tree	34	Boxwood	166
Balm	149	Bramble stalk	61
Balsam	31	Bread fruit tree	176
Balsam of Tolu tree.	55	Bringal	126
Balsam tree	17	Broom grass	225
Bamboo	229	Buckthorn	40
Banana	194	Buckwheat	158
Banyan tree	173	Buffalo-head grass	226
Baobab or Lalo tree.	23	Bullocks heart	4
Barbadoes cherry	28	Bunya Bunya	181
Barbadoes gooseberry.	82	Bur-marigold	98
Bastard cedar	25	Burnet	64

EXEVIII INDEX OF POPULAR NAMES.

		Page.		Page.
Button flower	•••	97	Clubrush	220
			Cocaine shrub	27
C	! .		Cochineal plant	81
_			Cockscomb	158
Cabbage	•••	8	Cocksfoot grass	229
Cabbage palm	•••	208	Cocoa-nut palm	209
Calabash tree	•••	137	Coffee	91
Caledonian (New)	pine.	181	Colocynth plant	78
Camel's foot	•••	59	Columbine	2
Campion	•••	14	Copal tree	18
Candytuft	•••	9	Contrayerva root	173
Cannon ball tree	•••	71	Coral tree	51
Cannon plant	•••	176	Coral shrub	168
Cape gooseberry	***	127	Coriander	65
Caper tree	•••	10	Cork tree (Indian)	135
Caraway	•••	84	Cornflag	196
Cardamom	•••	193	Cornflower or blue bottle	e. 99 22
Carnation	•••	14	Cotton	175
Carob bean	•••	60	Country fig	
Carrot	•••	85 43	Cow gram	53 51
Cashew-nut tree	•••	169		116
Castor-oil plant	•••	103	Cowslip creeper Crane's bill	30
Catchfly Ceara rubber tre	•••	168	((9
Cedar (bastard)		25	//	168
Cedar (white)	•••	37	Cuckoo flower	8
Cedar (West Ind	ion)	23 8	Communition	78
Celery	uau j.	84	Cuba-bast plant	22
Charcoal tree	•••	172	Cudweed (Indian)	96
Chaste tree	•••	145	Cummin seed	85
Cheer pine	•••	181	Curry-leaf tree	33
Cherimoyer	•••	4	Custard apple	3
Chervil	•••	85	Cypress tree	180
Chickweed (Indi		14	Cypress (Californian).	181
Chillee	•••	127	1.01	
China box	•••	32	D.	
Chinese sugar-cs		224	_	
Chittagong wood		37	Daisy	101
Chocho		238	" (crown)	98
Chocolate tree		25	" (Australian)	102
Cholum	•••	224	Date palm	209
Chuffa or groun		219	Day lily	203
Cinnamon tree	•••	162	Dandelion	100
Citron tree	•••	33,		137
Climbing fern	•••	234	Darnel-Rye grass	229
Clover	•••	46	Dholl	53
Clover (Soola)	•••	48	Dill	, 85
•				

	INDEX	of	Por	PULAR NAMES.		xxxix
,		Pa	g€.			Page.
Dock	•••	3	5 8	Garlic	•••	204
Doub grass	•••	2	25	Gaub tree	•••	108
Dragon tree	•••	2	05	Gingelie oil plant	•••	137
Duckweed	•••	2	17	Ginger	•••	192
Dumb-cane	•••	2	16	Ginger grass	•••	222
Duriau tree	•••		23	Globe Amaranth	•••	155
Dwarf palmetto	•••	2	09	Glory rea	•••	55
				Glory tree	•••	145
I	Z.			Goa bean	•••	53
				Goa potato	•••	201
Egg plant	•••	1	26	Goats-foot creepe	r	124
Egyptian olus	•••		6	Golden bamboo	•••	229
Elephant creeper	•••	_	23	Golden fern	•••	233
Llephant grass	•••	2	12	Golden rod	•••	94
Endive	•••	_	00	Goldmohur tree	•••	57
Evening primrose			75	Goose-foot	•••	156
Everlasting flower	۲		96	Gourd	•••	79
Exile tree	•••	1	13	Gram (Bengal)	•••	50
_	_			Granadilla	•••	76
I	P.			Grape vine	•••	40
				Grass-cloth plant	•••	177
Fan palm	•••	2	09	Green gram	•••	52
Fennel flower	•••		2	Ground nut	***	50
Fenuel	•••		84	Ground rattan	•••	210
Fenugreek	•••		47	Guaiac tree	•••	29
Feveriew	•••	_	02	Guava tree	•••	71
Fig-cactus	•••		81	Guernsey lily	•••	197
Fig (edible)	•••		75	Guinea grass	•••	222
Fig tree	•••	_	73	Gum tree	•••	70
Flax	•••		27	_	_	
Fleabane	•••		94	E	I.	
", (America	ın).		95			
Fleur-de-Lis	•••	_	96	Hairbell	•••	104
Flower fence	•••		56	Hard fern	•••	232 ⁻
Foolish-oil plant	•••		98	Hariali grass	•••	225
Forget-me-not (In	di an)	_	23	Haricot	•••	52
Forget-me-not	•••	_	21	Heartsease	•••	11
Four-o'clock plan	t	_	52	Heartseed	•••	42
Foxtail grass	•••	_	26	Hedge aloe	•••	205
Fragrant Acacia	***		62	Hedgehog cactus	•••	82
Fuller's teazel	•••		92	Heliotrope	•••	121
Fumitory	•••		7	Hemp	•••	172
	_			Hemp-agrimony	•••	94
G	ł.			Hemp (Hibiscus)	•••	21
				Henna shrub	•••	73
Garden cress	•••		9	Henbare	••	128
Garland flower	•••	1	92	Hogplum		44

	Page.	*	Page.
Hogweed	152	Job's tears	224
Hollybock	19	Jungle geranium	90
Honey locust tree	57	Juniper (Chinese)	181
Honey shrub	29	Jute	27
Honey suckle (French).	48	•	
Heney suckle (Nilgiri).	88	K .	
Hop plant	172		
Horehound (white).	150	Kamala dye tree	169
Horse gram	53	Kauri pine	181
Horse radish tree	44	Kidney bean	52
Humble plant	61	Kino tree	54
Hyssop	149	Knapweed	99
_		Kola-nut tree	24
I.		Korkapooli	63
		Kus-kus grass	223
Ice plant	83	-	
Ife	204	L .	
Immortelle (French).	96		*0
Indian beech	55	Lac tree	18
Indian copal tree	18	Lady fern	232
Indian corn	221	Lady's slipper	190
Indian crocus	192	Larkspur	2
Indian-fig cactus	81	Lavender	148
Indian gooseberry tree.	167	Leadwort	105
Indian laburnum	58	Leek	204 224
Indian mustard	8	Lemon grass	33
Indian pennywort	84	Lemon tree	146
Indian privet	110	Lemon scented verbena.	50
Indian Rhododendron.	72	Lentil	196
Indian shot	194	Leopard flower	100
India rubber tree	174	Lettuce	152
Indigo	47	Lettuce tree	29
Indi of Ceylon	209	Lignum-vitæ	202
Iron wood	107	Lily	83
Italian millet	222	Lime tree	50 00
Ivory wood	112	Liquorice (wild)	42
Ivy	86	T	59
T		T amon Amon	42
J.	•	T3	60
Jackfruit tree	176	i T	160
	125	Long pepper Looking glass tree	24
Jalap plant Jamoon	71	T	65
Jamoon Jarrah tree	70	Lords and ladies	214
Tannina	109	Love lies bleeding	153
lam for	109	T maamma	47
7 1 Al	174 57	Tomata	. 47
Jerusalem thorn	07	Lupin	. 4/

	Page.		Page.
M.		Mysore thorn	56
•		Mysore toddy palm.	209
Madder	. 91	The state of the s	
Madder (Indian)	91	N.	
Magnolia tamily	3		
Mahogany tree	37	Nankeen cotton	22
Mahwa tree	107	Nasturtium	81
Maiden har fern	2 30	Nectarine	64
Maize or Indian cor		Neem tree	36
Malabar sago palm		Neilgherry grass	103
Male bamboo	229	Nepaul chillee	127
Mallow .	19	New Zcaland flax	205
Mammoth tree	182	New Zealand pine	181
Mangosteen .	16	Nicker plant	56
Mango tree .	43	Night flowering cactus.	82
Manilla hemp .	194	Night shade	126
Marguerite .	98	Nilgiri lily	203
Marigold .	99	Nilgiri nettle	176
Marjorum .	149	Norway spruce	181
Marking nut tree .	44	Nutmeg	161
Marvel of Peru .	152	Nut tree (Australian)	163
Meadow rue .	1		
Medic (black)	47	ο.	
Melon .	78		
Melon (wild) .	78	Oak tree	178
Mesquit bean .	61	Oat grass	229
Mexican lily .	197	Okra	21
Mexican poppy .	7	Oleander	112
Michælmas daisy .	95	Olive tree	110
Mignonette .	10	Onion	204
Milk-hedge .	166	Orache	156
Millet	222	Orange tree	34
Monkey flower .	129	Oriental plane	177
Moon flower .	123	Ox-eye	98
Moreton Bay chesn	ut. 56		
Moreton Bay fig .	175	P.	
Moreton Bay pine.	181	\	
Morning glory .	123	Pagoda tree	111
Motherwort (Siberi	an). 150	Palmetto	209
Mountain ebony .	59	P.Im fern	230
Mulberry .	173	Palmiste	210
Mullein .	129	Palmyra palm	208
Munzerabad creepe	er. 138	Paper mulberry	173
Musk-melon	79	Paraguay tea plant.	38
Mustard .	8	Para rubber tree	171
Myrobalan tree	68	1	. 48
Myrtle	, 71	Parsley (Indian)	84
•		• •	

		Page.	1		Page.
			Quill bamboo	•••	229
Parsnip	•••	85		•	
Papaw tree	•••	77	1	₹.	
Passion flower	•••	76	1		
Pea	•••	50	Rabbit weed	•••	166
Peach tree	***	64	Radish	•••	9
Pear tree	•••	65	Rain tree	••	63
Peepul tree	•••	174	Rangoon creeper	_•••	69
Pennywort (India	in)	84 149	Rape or cole see	d	. 8
Peppermint	Land I	44	Raspberry		64
Pepper tree (bas		91	Raspberry (India		U4
Peruvian bark	***	22	Rattan cane pal	ın	210
Peruvian cotton	•••	168	Rattan (ground)	•••	210
Physic nut	•••	53	Redwood tree	•••	61
Pigeon pea	•••	200	Rhea fibre	. 3: \	177
Pine apple	Zoolond)	181	Rhododendron (I		71
Pine tree (New 2		14	Rhubarb	•••	158
_	•••	17	Rice	•••	221
Pinnay oil tree	•••	199	Rice paper plant	•••	86
Pita fibre plant	•••	159	Ringworm shrub	•••	58
Pitcher plant	•••	212	Rose apple	•••	64
Pith grass Plantain tree	•••	194	Rose apple	•••	71 155
Flun tree	•••	64	Resemary Resewood	•••	155 51
Pomegianate tree	•••	74		•••	234
Poon tree	· • •	17	Royal fern Royal palm of C	 ha	234 210
Poppy	•••	6	Rozelle		210
Portia tree	•••	22	Rue	•••	32
Potato	•••	126	ituo	••-	02
Potato (Goa)	•••	201		3,	
Potato (Pendicher		201	K	٥,	
Potato tree	• /	126	Sacred lotus		6
Potato (Telinga)	•••	214	Safflower	•••	99
Prickly comfrey	***	122	Sage	•••	149
Prickly pear	***	81	Sal tree	•••	18
Pride of India	400	74	Salt bush	•••	157
Primrose	•••	105	Sandalwood tree	•••	165
Prince's feather	•••	153	Sandbox tree	•••	170
Pulas kino tree	•••	51	Sandpaper free	•••	175
Pumelo tree	•••	34	Sapodilla tree	•••	107
Pumpkin	•••	79	Sappan wood	•••	56
Purslane	•••	15	Sarsaparilla	•••	201
T MI BIOTIO		10	Sarsaparilla (bas	tord)	114
C).		Satinwood tree	weruj	37
•	C.		Scabious	***	92
Quaking grass		229	Scammony	•••	124
Quassia shrub	•••		Scarlet runner	•••	52
America stren	•••	O-X		•••	Ja

Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 198			Page.			Page.
Screw Tree (Indian) 24 Sunflower (gold) 96 Sunn fibre 46 Shallot 204 Swallowwort 115 Swallowwort 124 Sweet Basil 147 Sweet Basil 148 Sweet Basil 147 Sweet Basil 148 Sweet Basil 147 Sweet Basil 148 Sweet Basil	Screw pine .		211		•••	102
Shallot 204 Swallowwort 115 She pherds purse 178 Swan-river daisy 95 Shield or wood fern 232 Sweet Basil 147 Shingle tree 62 Sweet brier 65 Shingle tree 221 Sweet brier 65 Shingle tree 224 Sweet brier 65 Sweet brier 65 Sweet brier 65 Si	Screw tree (Indian))	24	Sunflower (gold)	•••	· 96
She oak 178 Swent Tiver daisy 95 Sheplerds purse 9 Sweet Basil 147 Shield or wood fern 232 Sweet Basil 147 Shield or wood fern 232 Sweet Basil 147 Shield or wood fern 232 Sweet brier 65 Shield or wood fern 232 Sweet brier 65 Shield or wood fern 232 Sweet brier 65 Shoe flower 21 Sweet brier 65 Shoe flower 21 Sweet brier 50 Sweet sop 4 Sweet sop 4 Sweet brier 50 50 Sweet sop 4 50 Sweet brier 50 50 Sheet sop 4 7 Sheet sop 4 7 Sheet sop 4	Senna .	••	58	Sunn fibre	•••	46
Shepherds purse 9 Shield or wood fern 232 Sweet Basil 147 Sweet Basil 148 148 Sweet Basil 148 148 Sweet Basil 148 148 Sweet Basil 148 148 Sweet Basil 149 Sweet Basil 147 149 Sweet Basil 147 149 Sweet Basil	Shallot .	••		Swallowwort	•••	115
Shield or wood fern 232 Sweet brier 65 Shingle tree 62 Sweet flag 217 Sweet flag 218 Sweet poats 124 Sweet sop 4 Sweet william 124 Sweet william 14 Sword bean 52 Tallow tree (Chinese) 170 Tallow tree	She oak .	••			•••	
Shingle tree 62 Sweet flag 217 Shoe flower 21 Sweet peas 50 Silver fern 234 Sweet poato 124 Silver cak 163 Sweet poato 124 Silvery clary 149 Sweet William 14 Sisal hemp 190 Sweet William 14 Slipper of Venus 190 T. Slipper wort 131 Talipot or fan palm 209 Snake gourd 77 Tallow tree (Chinese) 170 Snake gourd 77 Tallow tree (Chinese) 170 Snake gourd 62 Tannarind tree 52 Soapnut Acacia 62 Tanners bark (Cassia) 58 Soapnut tree 42 Tanners bark (Cassia) 58 Tapicca 168 Tapicca 168 Soapnut tree 42 Tassmainan pine 181 Sored to very land 17 Teosinte 221 Sow-thead 105 Tay Tay	Shepherds purse	•••	- 1	_	•••	
Shoe flower 21 Sweet pea 50 Silver fern 234 Sweet podato 124 Silvery clary 149 Sweet sop 4 Silvery clary 149 Sweet William 14 Sisal hemp 199 Sweet William 14 Sispara creeper 130 T. T. Slipper wort 131 T. T. Slipper wort 131 Tamarind tree 52 Snake Bily 214 Talipot or fan palm 209 Snake Bily 214 Tallow tree (Chinese) 170 Snake Bily 214 Tallow tree (Chinese) 170 Snapdragon 129 Tamers bark (Cassia) 58 Tamers bark (Cassia) 58 Tamers bark (Cassia) 58 Tamers bark (Cassia)	Shield or wood fer	מ			•••	
Silver fern 234 Sweet potato 124 Silver cak 163 Sweet sop 4 Silvery clary 149 Sweet William 14 Sispara creeper 130 Sword bean 52 Sipper of Venus 190 Tr. Sweet William 14 Shipper of Venus 190 Tr. Sweet William 14 Shipper of Venus 190 Tr. Tr. Sweet William 14 Shipper of Venus 190 Tr. Tr. Tr. Sweet William 12 Tr.	V -	•••			•••	
Silver cak 163 Sweet sop 4 Silvery clary 149 Sweet William 14 Sisal hemp 190 T. Sweet William 14 Sipper of Venus 190 T. T. Sweet William 14 Sipper of Venus 190 T. T. T. T. Slipper wort 181 T.		•••			***	
Silvery clary 149 Sweet William 14 Sisal hemp 199 Sword bean 52 Slipper of Venus 190 T. Slipper wort 131 Talipot or fan palm 209 Snake gourd 77 Talipot or fan palm 209 Snake lily 214 Talipot or fan palm 209 Snake lily 214 Talipot or fan palm 209 Snake lily 214 Talipot or fan palm 209 Tanners bark (Cassia) 58 Tapicca 160 Scapnut tree 42 Tamers bark (Cassia) 58 Tapicca 168 Tapicca 168 Tapicca 168 Tapicca 168 Tapicca 168 Tapicca 168 Tapicca 164 Taketree 144 Tocasite 221 Thorn apple 127 Thorn apple 127 Thorn apple 127 Thorn apple 129 Thorn apple 129 Spearmint 149 Tipic refewer 176 Tod fax 129		•••			• • •	
Sisal hemp 199 Sispara creeper 130 Slipper of Venus 190 Slipper of Venus 190 Slipperwort 131 Snake gourd 77 Snake lily 214 Tallow tree (Chinese) 170 Tamarind tree 59 Tamarind tree 50 Tam		•••				_
Sispara creeper 130 Slipper of Venus 190 Slipperwort 131 Snake gourd 77 Snake lily 214 Snapdragon 129 Soapnut Acacia 62 Soapnut tree 42 Foapwort 14 Soja bean 51 Sorrel (wood) 30 Soursop 4 Sow-bread 105 Sow-bread 105 Spanish broom 45 Spearmint 149 Spiked millet 203 Spiked millet 223 Spinach (New Zealand) 83 Spinach (New Zealand) 83 Star of Bethlehem 204 Star gooseberry 167 St. Bruno's lily 203 Stock 7 Strumpet flower 128 Stock 7 Sturcory 100 Tulpe 203 Trincomalee wood 26 Trumpet lil		•••			•••	
Slipper of Venus 190 Slipperwort 131 Snake gourd 77 Snake gourd 214 Talipot or fan palm 209 Tamarind tree 59 Snapdragon 62 Tamarind tree 59 Tamarind tree 168 Tamarind tree 170 Tamarind tree 17	· ·	•••		Sword bean	•••	02
Slipperwort 131 Snake gourd 77 Talipot or fan palm 209 Snake lily 214 Tallow tree (Chinese) 170 Tamarınd tree 59 Tamarınd tree 59 Tamarınd tree 59 Tamarınd tree 59 Tamarınd tree 51 Tamarınd tree 59 Tamarınd tree 168 Tamarınd tree 168 Tamarınd tree 17 Tamarınd tree 181 Tamarın		•••		!	n	
Snake gourd 77 Talipot or fan palm 209 Snake lily 214 Tallow tree (Chinese) 170 Snapdragon 129 Tamarind tree 59 Soapnut tree 42 Tamers bark (Cassia) 58 Soapwort 14 Tapioca 168 Soapwort 14 Tamarind tree 58 Soapwort 14 Tapioca 168 Tapioca 168 Tapioca 168 Tapioca 181 Tapioca 168 Tapioca		•••		,	ŗ.	
Snake lily 214 Tallow tree (Chinese) 170 Snapdragon 129 Tamarind tree 59 Soapnut Acacia 62 Tamers bark (Cassia) 58 Soapnut tree 42 Tapioca 168 Soapwort 14 Tasmanian pine 181 Soja bean 51 Tasmanian pine 181 Sorrel (wood) 30 Teak tree 141 Soursop 4 Teas hrub 17 Sow-bread 105 Toesinte 221 Sow-bread 105 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger flower 196 Spearmint 149 Tinan pine 178 Toedwell 130,94 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato 127 Spicenwort		•••		T.1 C.	. 1	000
Snapdragon 129		•••				
Soapnut Acacia 62 Tanners bark (Cassia) 58 Soapwort 42 Tapioca 168 Soapwort 14 Tasmanian pine 181 Soja bean 51 Teak tree 144 Sorrel (wood) 30 Teashrub 17 Soursop 4 Teashrub 17 Soursop 4 Teosinte 227 Southernwood 98 105 Thorn apple 127 Sow-bread 105 Thyme 149 149 Spearsish broom 45 Tiger flower 196 196 Spearmint 149 Tiger flower 196 196 Spearmint 130,94 Toad fax 129 17 Spiderwort 207 Tobacco 128 126 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato 127 Spurge 166 Traveller's tree 126 Star of Bethlehem 2	Snake lily	•••			mese)	
Soapnut tree 42 Tapioca 168 Soapwort 14 Tasmanian pine 181 Soja bean 51 Teak tree 144 Sorrel (wood) 30 Teak tree 144 Soursop 4 Teosinte 221 Southernwood 98 17 thorn apple 127 Sow-bread 105 Thorn apple 127 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger flower 196 Spearmint 149 Tiger flower 196 Spearmint 130,94 Todd fax 129 Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spurge 166 Traveller's tree 126 Star of Bethlehem 204 Tree cotton 23 Stock		•••			•••	
Soapwort 14 Tasmanian pine 181 Soja bean 51 Teak tree 144 Sorrel (wood) 30 Teak tree 144 Soursop 4 Teosinte 221 Southernwood 98 Thorn apple 127 Sow-bread 105 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger lily 203 Spearmint 149 Timian pine 178 Speedwell 130,94 Toad fax 129 Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 23 Stock 7 <td>Soapnut Acacia</td> <td>•••</td> <td></td> <td></td> <td>Cassia)</td> <td></td>	Soapnut Acacia	•••			Cassia)	
Soja bean 51 Teak tree 144 Sorrel (wood) 30 Tea shrub 17 Soursop 4 Tea shrub 17 Soursop 4 Teashrub 17 Soursop 45 Thorn apple 127 Sow-bread 105 Thyme 149 Tiger flower 196 Tiger lily 203 Tiger lily 203 Tomato 128 128 <td>Soapnut tree</td> <td>***</td> <td></td> <td></td> <td>•••</td> <td></td>	Soapnut tree	***			•••	
Sorrel (wood) 30 Tea shrub 17 Soursop 4 Teosinte 221 Southernwood 98 Thorn apple 127 Sow-bread 105 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger flower 196 Spanish broom 45 Tiger flower 196 Spearmint 149 Tiger flower 196 Spearmint 130,94 Tiger flower 196 Spiedwell 207 Toda f'ax 129 Spiderwort 207 Todad f'ax 129 Spinach 207 Todacco 128 Spinach 203 Tomato 127 Spinach 232 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree fern 231 St. Bruno's lily <t< td=""><td>Soapwort</td><td>•••</td><td></td><td></td><td>•••</td><td></td></t<>	Soapwort	•••			•••	
Soursop 4 Teosinte 221 Southernwood 98 Thorn apple 127 Sow-bread 105 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger lily 203 Spearmint 149 Tinian pine 178 Speedwell 130,94 Toad fax 129 Spiked millet 207 Todacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree fern 231		•••		l	•••	
Southernwood 98 Thorn apple 127 Sow-bread 100 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger lily 203 Spearmint 149 Tinian pine 178 Speadwell 207 Tobacco 128 Spinach 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach 156 Tomato 127 Spinach 232 Torch tree 90 Spleenwort 232 Torch tree 126 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree fern 231 Stock	Sorrel (wood)	• • •			•••	
Sow-bread 105 Thyme 149 Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger lily 203 Spearmint 149 Tolacro 178 Spearwint 130,94 Tood fax 129 Spileerwort 207 Tobacco 128 Spinach 156 Tomato 209 Spinach 156 Tomato 127 Spinach 232 Tomato 127 Spinach 232 Torch tree 90 Spleenwort 232 Tree cotton 23 Star of Bethlehem 204 Tree fern 231 St. Bruno's lily 203 Trincomalee wood Strawberry </td <td>Soursop</td> <td>•••</td> <td>_</td> <td></td> <td>•••</td> <td></td>	Soursop	•••	_		•••	
Sow-thistle 100 Tiger flower 196 Spanish broom 45 Tiger lily 203 Spearmint 149 Tinian pine 178 Speadwell 130,94 Toad fax 129 Spiderwort 207 Tobacco 128 Spinach 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach 232 Tomato 126 Spinach 232 Tomato 126 Spinach 232 Tomato tree 126 Spinach 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tulip 203 Sugar-cane 223 <td>Southernwood .</td> <td></td> <td></td> <td></td> <td>•••</td> <td></td>	Southernwood .				•••	
Spanish broom 45 Tiger lily 203 Spearmint 149 Tinian pine 178 Spearmint 130,94 Toad fax 129 Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 St. Bruno's lily 203 Trimoemalee wood Stock 7 Trumpet flower 128 Sturt's pea 55 Tuberose 203 Sugar-cane	Sow-bread	•••			•••	
Spearmint 149 Tinian pine 178 Speedwell 130,94 Toad fax 129 Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Touth tree 90 Traveller's tree 195 Star of Bethlehem (204 204 Tree cotton 23 23 St. Bruno's lily (200 203 Trumpet flower 23	Sow-thistle	••		1	•••	717
Speedwell 130,94 Toad fax 129 Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato 127 Spinach (New Zealand) 83 Tomato 126 Spinach (New Zealand) 83 Tomato tree 126 Spinach (New Zealand) 83 Tomato tree 126 Tomato tree 126 90 Traveller's tree 195 205 Star of Bethlehem 204 Tree cotton 23 St. Bruno's lily 203 Trimoomalee wood 26 Stock 7 Trumpet flower 128 Stock 7 <td>Spanish broom</td> <td>•••</td> <td></td> <td></td> <td>•••</td> <td></td>	Spanish broom	•••			•••	
Spiderwort 207 Tobacco 128 Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 198		***			•••	
Spiked millet 223 Toddy palm 209 Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Sreedwell	•••	• .		•••	
Spinach 156 Tomato 127 Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 198	Spiderwort	***			•••	
Spinach (New Zealand) 83 Tomato tree 126 Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Spiked millet	•••	223		•••	
Spleenwort 232 Torch tree 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tulerose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Spinach	•••		l	•••	
Spleenwort 232 Torch free 90 Spurge 166 Traveller's tree 195 Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 198	Spinach (New Ze	aland)	83		•••	126
Star of Bethlehem 204 Tree cotton 23 Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193			2 32	Torch tree	•••	90
Star gooseberry 167 Tree fern 231 St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Spurge	•••	166	Traveller's tree	•••	195
St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 198	Star of Bethlehe	m	204	Tree cotton	•••	23
St. Bruno's lily 203 Trincomalee wood 26 Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Star gooseberry	•••	167	Tree fern	•••	231
Stock 7 Trumpet flower 128 Strawberry 64 Trumpet lily (white) 202 Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193		•••	203	Trincomalee wo	od	26
Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193		•••	7			128
Sturt's pea 55 Tuberose 203 Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193	Strawberry	•••	64	Trumpet lily (v	vhite)	202
Succory 100 Tulip 203 Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193			55		-	203
Sugar-cane 223 Turkscap 82 Sugar palm 208 Turmeric 193		•••	100	Tulip	•••	203
Sugar palm 208 Turmeric 198			223	Turkscap	•••	82
			208		•••	198
			43	Turnip	•••	8

	Page.		Page.
υ.		Wattle	62
•		Wheat	221
Unibrella tree	86	White large thatching grass	224
		White pepper '	160
₹.		Wild date	2 Q9
		Willow tree (Indian)	179
Vervain	144	Willow (weeping)	179
Vervain (bastard)	144	Wood apple	34
Vetch	50	Woodbine	88
Victorian Myall	63	Wormwood	98
Violet	11	Woundwort	150
Virginian creeper	41		
Virginian stock	8	Y.	
Virgin's bower	1		
		Yam (common)	201
\mathbf{w} .		Yarrow or milfoil	98
		Yate tree	70
Wall flower	8		
Wampee	33	Z.	
Water chesnut	76	-	
Water cress	8	Zedoary	193
Water lily	6	Zephyr flower	198
Water melon	79	Zinghara nut	76
Water soldier	217	ł	

VERNACULAR INDEX.

	Page.		Page.
•		ಆರಳ (ಅಂಜಿ) ಗಿಡ	22
		,, ಕಾಯಿ ಮರ	69
ಅಕ್ಕೆ ಜೋಗಿ ಗಿಡ	72	" (ರಾಗಿ, ಅಕ್ಪತ್ಥ) ಮರ	174
అక్తి గుబ్బు	167	ಅರಿಸಿನ ಗಿಡ	193
ಅ್ಕ್ಲಿ ಹರಿವೆ ಸೊಪ್ಪು	155	,, ಜೀನಂಗಿ ಮರ	48
ಅಂಕೋಲೆ ವುರ	87	,, ಬೂರುಗ ಮೆರ	11
ಅಗನೆ ಪುರ	48	ಅಲಸಂದಿ ಬಳ್ಳ	52
ಅಂಗಾರಕನ ಗಿಡ	32	ಅವರೆ ಗಿಡ	5 3
ಅಟ್ಟಾರಿ ಗಿಡ	123	ಅವರೆ	45
ಅಚ್ಚೆ (ನೆನೇಅಕ್ಕಿ) ಸೊಫ್ಪು	166	ಅಕ್ಕೋಕದ ಮರ	59
ಅಜ್ಜ್ (ಸೆನೇಲಕ್ಕಿ) ಸೂಪ್ರು	166		
ಅಂಜ್ ರಿ ಗಿಡ	175	ਰ	
ಅಂ ಟುಗರಿಕೆ ಹುಲ್ಲು	$\boldsymbol{222}$	ಆಚಲುಮರ	co
" ತೊಗರಿ ಗಿಡ	20		60
" ಪುರುಳೆ ಗಿಡ	154	ಆಡಅಟಕುವೂವಿಡಿಆಕು(ತೆಲು	•
ಆಡ್ಡ ಸರ್ವ ಗಿಡ	112	ಆಡು ಮುಟ್ಟದ ಗಿಡ	116
ಆಡಿಕೆ ಮರ	208	್,, ಸೋಗೆಗಿಡ	142
ಅಣಿಪೆ ಬ೪ೖ	51	ಆನೆಗಜ್ಜೆ ಗಿಡ	176
ಅಣ್ಣೆ ಸೊಪ್ಪು	153	,, ಜಾಜಿಮಲ್ಲಿಗೆ ಗಿಡ	109
ಅಂತರಗಂಗೆ ಗಿಡ	217	್,, ನೆಗ್ಗಲು ಗಿಡ	158
ಅತ್ತ್ರೀ ಮೆರ	175	ಆಲದ ಮರ	173
ಆದರಗಂಚೆ ಹಂಬು	2 8	ಆಲ ಮೆರ	174
ಆನಂತಗೊಂಡೆ ಹುಲ್ಲು	220	'' '' '' ''	
ಅನನಾಸ್ ಗಿಡ	200	ಇಂಗಲೀಕ ವುರ	34
ಅಮಟೆ ಮರ	44	ಇಪ್ಪೆ ಮರೆ	107
ಅವ್ರುದ ಸೊಪ್ಪು	122	ಇರುವಂತಿಗೆ ಮಲ್ಲಿಗೆ ಗಿಡ	109

	Page.		Page.
` = =		ట	
ಈಚಲು ಮರ	209	ಒಂದೆಲಗೆ ಸೊಪ್ಪು	84
ಈರು೪ೖ	204	ಬಳ್ಳೆ ತಂಗಡಿ ಗಿಡ	58
ಈಕ್ವರೀ ವೇರು	160	,, ತುಂಬೆ ಗಿಡ	150
		" ತುಳಗಿ ಗಿಡ	147
ಉ ಉಗನಿಹಂಬು	123	" ತೂಪ್ರ ಮೆರ	108
ಉತ್ತರಾಣಿ ಗಿಡ	155	,, ೯(ವಿನ ಮರ	36
ಉಡಿಫೆ ಗಿಡ	26	,, ಯೆಳ್ಳು ಗಿಡ .	· 137
ಉದಿ (ಸಿಂಟೆ) ಮರ	43	ಒಳ್ಳೆಳ್ಳು ಮರ	12
ಉನ್ನಿ ವುರ	18	ట	
ಉಬ್ಬು, ಮರೆ	12	ಓಮು ಗಿಡ	84
ಉರಲ್ ಗಷ್ಟಿ	126	#	
•••		_	58
ೂಗುಹುಲ್ಲು	219	ಕಕ್ಕ್ ಮರ ಕಗ್ಗಿ ಮರ	62
	210	ಕಂಗೊಂದಿ ಬ೪ೖ	39
۵		ಕುಚಿವಾಳದ ಮರ	60
ಎಕ್ಕ್ ದೆ ಗಿಡೆ	115	ಕರ್ಜರ	209
ಎಡಮುರಿ ಗಿಡ	24	ಕಡಗದ ಮೆರ	88
ಎಣ್ಣೆ ಬುಡಿಗೆ ಗಿಡ	121	ಕಡಲೆ ಗಿಡ	50
<u>ಎ</u> ತ್ತ ಕದವುರ	89	ಕಡ್ಡಿ ಯೆರಕಿನ ಗಿಡೆ	141
ು ದ್ದ ರಾಣಿಕೆಗಿಡ	90	ಕಣ್ಕುಟ್ಟರ್ ಮರ	16
ಎಲ್ಲಗ ವುರ	162	ಕ್ಷತ್ತು ೪ ಕ್ಷಾಗ್ಗೆ	198
ಎಲಚಿ ವ:ರ	39	ಕತ್ತಿ ಬಾಳೆ	194
ಎಲೆಬಾಳೆ	194	ಕತ್ತಿರಿ ಗಿಡ	10
ಎಳೇಜಂಬು ಹುಲ್ಲು	219	ಕತ್ತೆ ಮಲ್ಲಿಗೆ ಗಿಡ	109
\$		ಕತ್ತೆಲಾಡಿ ಹುಲ್ಲಾ	220
ಏಲಕ್ಷ್ಮಿಗಿಡ	193	ಕನ್ನೆ ಸೊಪ್ಪು	207
,, ಬಾಳ	194	ಕರ್ನೂರದ ಗಿಡ	149

VE	R INDEX.	zlvii	
	Page.	4	Page.
ಕಬ್ಬಸು ರಿ ಮ ರ	175	ಕಾಗೆಪುರಳೆ ಗಿಡ	83
ಕಬ್ಬು	223	,, ಮಾರೆ ಖ೪ೖ	77
ಕರ್ಬುಚ ಬೆ	79	ಕಾಟಕುಂಬಳ ಮರ	169
ಕ ಮ್ಮಗಗ್ಗರೆ ಗಿಡ	147	ಕಾಡು ಅತ್ತಿ ಮರ	175
ಕಮಲ	6	್,, ಅವರೆ ಗಿಡ	51
ಕರಡಿಕಣ್ಣಿ ನ ಗಡ್ಡೆ	203	್,, ಇಸ್ಪೆ ಮರ	107
ಕ್ ಅರಳ (ಅಂಜಿ) ಗಿಡ	23	್,, ಈರುಳ್ಳಿಗಡ್ಡೆ	197
್ಯ, ಉಮ್ಮತ್ತ್ರಿಗಿಡ	128	" ಓಮ ಗಿಡ	84
,, ಕಮ್ಮಗಗ್ಗರೆ ಗಿಡೆ	147	್,, ಕಡಲೆ ಗಿಡ	53
,, ಕಾಚೆ ಗಿಡ	126	,, ಕಣಿಗಲ(ಕೋಲ್ತೇಗ)	ಮರ 2
,, ಕೊರ್ದ್ಲೆ ಹುಲ್ಲು	222	,, ಕರ್ಣಕುಂಡಲ ಗಿಡ	31
,, ಜಾಲಿ (ಗೋಬ್ಬಿ) ಮರ	62	,, ಕಂಬು ಹುಲ್ಲು	227
್,, ಜೀನಂಗಿ ಮರ	48	" ಕರಿದಪ್ಪ ಸಜ್ಜೆ ಹುಲ್ಲು	225
,, ತುರುಕ ಹರಳು ಗಿಡ	168	,, ಕರಿಬೆ ಗಿಡ	33
" ತುಳಸಿ ಗಿಡ	147	,, శాదీదీంలో బ్యా	7 8
,, ದಪ್ಪ ಹಂಚಿ ಹುಲ್ಲಾ	224	,, ಕುಂಬಳ ಬಳ್ಳಿ	41
" ನ ೆಕ್ಕ್ ಲು ಗಿಡ	145	,, ಕೆಂಪುಜೀರಿಗೆ ಗಿಡ	118
,, ಬಸುರಿ ಮರೆ	175	್,, ಗಂಡುತುತ್ತಿಗಿಡೆ	21
,, ಜೇವು ಮರ	33	,, ಗಣುಗಲು ಗಿಡ	112
,, ವುನಗದ ಹುಲ್ಲು	225	,, ಗರುಗಲು ಗಿಡ	75
,, ಸಂಣಜಂಬು ಹುಲ್ಲು	219	" ಗೆಸಗಸೆ ಹುಲ್ಲು	227
,, ಸಣ್ಣ ಹಂಚಿ ಹುಲ್ಲು	225	,, ಗುಂಡು ಹುಲ್ಲು	219
್ಯ ಸಾಸಿವೆ ಗಿಡ	8	,, ಗೊಬ್ಬಿ ಗಿಡ	99
్లో ఓండి గేతిప్ప	94	,, ಜಡೆನವಣೆ ಹುಲ್ಲು	227
,, ಹೆಸಕೆ ಮರ	4	,, ಜೋಳ	143
ಕ ಲ್ಲತ್ತಿ ಮರ	176	,, ತಮ್ಮೆ ಬಳ್ಳ	52
ಕಲ್ಲಾಲದ ಮರ	174	,, ತುಂಗೆ ಗಿಡ	150
ಕಸ್ತೂ ರಕಮ್ಮ ಗಗ್ಗರೆ ಗಿಡ	147	,, ತುಂಪೆ ಗಿಡ	150
,, ಜಾಲಿ ಮರ	62	,, ತೊಗೆರಿಗಿಡ	54
ಕಳ್ಳ ಮರ	166	್ಗೆ, ದಬ್ಬೆಹುಲ್ಲು	226

		Page.		Page.
7	ಡು ನವಣೆ ಹುಲ್ಲು	227	ಕಾರೆ ಗಿಡ	90
,		ತ)ಮರ 33	ಕಾವಕೂಲ ಗಿಡ	75
91		47	ಕಾಗಿನಪತ್ತ (ಹಿಂದುಸ್ಥಾನಿ)	100
33		225	ಕಿತ್ತಳ ಮರ	34
27	• ~ ~	49	ಕಿರುನೆಲ್ಲಿ ಗಿಡ	167
27		222	" ಮೆರೆ	167
2		227	ಕುಂಕುಮದ ಮರ	169
27		222	ಕುರ್ಟಗೆ ಗಿಡ	9
2		4 6	ಕುದರೆ ಮೆಸಾಲೆ ಸೊಫ್ಪು	47
27	ವೆಂಡೆ ಗಿಡ	21	ಕುಪ್ಪಿ ಗಿಡ	169
22	ಪೆಣ್ಣೆ ಬಿದಿರು ಸೊಪ್ಪು	207	क्राज्यम् राष्ट्र	79
27	(ವುರ) ಗೆಣಸು ಗಡ್ಡೆ 1	68-201	ಕುರಿಡಿ ಗಿಡ	40
"	ಮಲ್ಲಿಗೆ ಗಿಡ	109	ಕುರುಡುಗಜ್ಜಿಗೆ ಗಿಡ	56
, ,,	ಮೆಣಸು ಗಿಡ	32	ಜ ಕುಸುಂಬಗಿಡ	99
"	ವು ದ್ದು ಗಿಡ	52	ಕುಸುಂಬೆ ಸೊಪ್ಪು	99
27	ವುಸುಮಾನಿ ಹುಲ್ಲು	220	ಕೂಗಟ ಮರ	42
77	ಸಣ್ಣ ಕರಿಸಜ್ಜೆ ಹುಲ್ಲು	226	ಕೂಡಲಿ ಸೊಪ್ಪು	139
"	" ಪತ್ರಿ ಗಿಡ	147	ಕೂಲಿ (ಕಾಸ್ಟ್ರೀರಿ) ಮರ	145
"	,, ಸಾಮೆ ಹುಲ್ಲು	25	ಕೂವೆ (ಬೊಬ್ಬಿ) ಮರ	17
27	,, ಹಾರಕ ಹುಲ್ಲು	226	ಕೆಕ್ಕರಿಕೆ ಬಳ್ಳಿ	78
"	ಸಬ್ಬಸಿಗೆ ಸೊಪ್ಪು	7	ಕೆಂಜೆಗೆ ಮರ	56
22	,, ಹುಲ್ಲು	219	ಕೆಂಪು ಕಾಚಿಗಿಡ	126
"	ಸಾಸಿವೆ ಗಿಡ	8	" ಕಾಸಿಗಣುಗಲು ಗಿಡ	111
"	ಹಾ ರ ಕ ಹುಲ್ಲು	222	" ************************************	126
"	ಹುರ೪ ಗಿಡ	53	್ರೀಕ್ಷೆಪ್ ಪ್ರಾಕ್ತಾಗಿತ	105
"	ಹೊಗೆ ಸೊಫ್ಪು	129	9201 ST T AT	
"	ಹೊಂಗೆ ವುರ	136	Stroll Stroll	154
ಕ್ರಾಭಿ	ಗಿಡ	91	だんけっ	219
ಕಾರಣ	ರಕಾಗಿ ಹುಲ್ಲ	223	ಗಾವ ೆ	154
	ುಚಿ ವು ರ	59	गा । गाउँ विकास	. 6
•		5 5)	"	. 24

VERNACULAR INDEX.			xlix
	Page.		Page.
ಕೆಂಪು ಪುಂಡ್ರಿಕೆ ಗಿಡ	21	ಗಣಗಲು ಗಿಡ	112
" ಬೂರುಗ ಮರ	23	ಗಡ್ಡೆ ಗುಂಡು ಹುಲ್ಲು	219
.,, ಸೀಗೇ ಗಿಡ	62	್,, ವಡವಿನ ಹುಲ್ಲು	222
ಕರೆ ಬೆಂಡು ಗಿಡ 7	5-158	ຸ່ພິ້ວ	95
" ಹಿನ್ಪಲಿ ಸೊಪ್ಪು	144	ಗರಕೆ ಹುಲ್ಲು	225
ಕೇಸರಿಕೆ ಮರ	178	ಗರುಗಲು ಸೂಪ್ಪು	97
ಕೇಸವೆ ದಂಟು	213	ಗಸಗಸೆ ಗಿಡ	, 6
ಕೊಂಡಮಾಮಿಡಿಮಾನು (ತೆಲು	70) 56	ಗಾಜಿನ ಗಡ್ಡೆ	85
ಕೊತ್ತುಂಬರಿ ಸೊಫ್ಪು	85	ಗಾಂಧಾರೀ ಗಿಡ	95
ಕೊ ವುರ ಕ ್ ಮರ	31	ಗಿಡಕರ್ನಿಕೆ ಬಳ್ಳ	52
ಕೊಮ್ಮ ಸೊಪ್ಪು	83	ಗಿಲ್ಲೆ ಮರ	176
ಕೊರಿಂಡ ಗಿಡ	111	ಗುಜ್ಜ ಬಾಳೆ	195
ಕೊಳವೆಂಕೆ ಗಿಡ	138	ಗುಂಡುತಗೆಸಿ ಗಿಡ	58
ಕೋಣನಕೊಂಬು ಮರ	136	,, ಮಲ್ಲಿಗೆ ಗಿಡ	109
" ತಲೆ ಹುಲ್ಲು	226	ಗುಬಿಚಿ ಗಿಡ	140
ಕೋ ರ್ದ್ಲೆ ಹುಲ್ಲು	223	ಗುರಿಗೆ ಮೆರ	166
ಕೋಲಿ ತಗಸಿ ಗಿಡ	58	ಗುರುಗಂಜೆ ಬಳ್ಳ	50
ಕೋಲಿತಿಗೆ (ಕಾಡು ಕಣಿಗಲು :	ನುರ) 2	ಗುಲಾಬಿ ಗಿಡ	64
ಕೋ೪ಜುಟ್ಟು ಸೊಪ್ಪು	73	ಗೊಳೂರ ಬಾಳೆ	194
ಗ		ಗೆಣ್ಣು ನೆಲ್ಲವರೆ ಗಿಡ	53
	175	ಗೇದಿಗೆ ಗಿಡ	211
ಗರೃತ್ತಿ ಮರ ಗಜನಿಂಬೆ ಗಿಡ	175 3 3	ಗೇರು ಮರ	44
ಗಂಜಲು ಗರಿಕೆ ಹುಲ್ಲು	223	ಗೊಡ್ಡು ಈಚಲು ಮೆರ	182
ಗಜಿಗೆ ಗಿಡ	56	" ಗೇರು ಮರ	44
ಜ	2 28	,, ಮಿಟ್ಲ ಮರ	173
ಗಂಟುಕಾಚಿ (ನಾಲೆ) ಹುಲ್ಲು ಗಂಟು ಕಾಳು ಗಡ್ಡೆ	141	ಗೊರಿಕ್ಸ್ನು ಮರ	172
ಗಂಡು ಅಕ್ಕ ಬು ಹುಲ್ಲು	222	ಗೊರಿವಿ ಮರ	90
ಗಂಪಲ್ಪು ಗರಿಕ ಹತ್ತಿಬ	223	ಗೋಣಿ ವುರ	173
" ಬಿದರು	229	ಧ್ಯೂಧ	221

•	Page.		Page.
ಗೋರಂಟ ಗಿಡ		ಜಂಬು ಹುಲ್ಲು	212
ಗೋರಿ ಗಿಡ	47	කර සාදා	227
ಗೌಜು ಮರ	71	ಜಾಜಿಕಾಯಿ ವುರ	161
ಗೇ೦ೀ ಬಳ್ಳಿ	124	ಜಾಣೆ ಮರ	26
		ಜಾಖಾಳದ ಮರ	168
ಚ		ಜಾಲಃರಿ ಮರ	18
ಚಂಡುಮಲ್ಲಿಗೆ ಗಿಡ	101	ಜೇರಿಗೆ ಗಿಡ	85
	195	జుక్కువే బళ్ళ	115
್ರ ಚನ್ನ ಂಗಿ ಮರ	74	ಜುಬುರುಕೋರ್ಗ್ಗೆ ಹುಲ್ಲು	227
ಚಪ್ಪರದ ಬದನೆ ಗಿಡ	127	ರ್ಜೆಬಾಳೆ	195
ಎ ಚನ್ರೆರಿ ಹುಲ್ಲು	2 20	ಜೋಳ	221
ಚಿಟ್ಟ, ಹರಳು ಗಿ ತ	170	3	
ಚಿಟ್ಟುಂಡಿ ಗಿಡ	37		
,, ತಾಂಡ್ರಿ ಮೆರ	162	ತಗ್ಗಿ ಮರ	146
ಚಿತ್ರಮೂಲ ಗಿಡ	105	್ಗ ತಡಸಲು ಮರ	26
ಚಿನ್ನ ದಾವರೆ ಗಿಡ	16	ತಂಡ್ರಸಿ ಗಿಡ	39
ಚಿರಿವೇರು ಗಿಡ	89	ತಪಸಿ ಮರ	121
ಚಿಲ್ಲರಿವೆ ಸೊಪ್ಪು	154	ತಮಟೆ ಗಿಷ	52
ಚಿಳ್ಳು ವುರ	118	ತಾರೆ ಮೆರ	68
ಚುರಚುರಕನ ಗಿಡ	176	ತಾಳೆ ಮರ	208
ಚೆಂಡುಚೇಣಿ ಹುಲ್ಲು	219	ತುಂಗೆ ಹುಲ್ಲು	219
ಚೇಸೆ ಮರ	71	ತುತ್ತಿ ಗಿಡ	20
~		ತುಪ್ಪದ ಹೀರೆ ಬಳ್ಳಿ	78
ස		ತುರುಕ (ಕಾಡು) ಹರಳು ಗಿಡ	168
ಜಗಳಗಂಟ ಮರ	108	,, ಗೇರು ಮರ	43
ಜಂಡು ಹುಲ್ಲು	229	ತುರುಕು ತೊಗರಿ ಗಿಡ	53
ಚಡೆತೆನೆ ಹುಲ್ಲು	229	ತುಳಿಸಿ ಗಿಡ	147
ಜಡೇಕಂಕರ ಹುಲ್ಲು (ತನೆ ಹುಲ್ಲು)	226	ತೂಪ್ರ ಮರ	108
ಜಂತಲ ವುರ	112	ತೆಂಗಿನ ಮರ	209

	Page.		Page.
ತೇಗದ ಮರ	144	ದೊಡ್ಡ ಬಿಂದಿಗೇ ಗಿಡ	19
ತೊಟ್ಲ ಗಿಡ	10	,, "ಬಿ7 ಕಾಚಿ ಹುಲ್ಲು	226
ತೂಂಡೆ ಬ೪ೖ	7 9	,, ವನಮುಗ೪ ಗಿಡ	97
ತೂರ ₍ ಬಿ೪) ಮತ್ತ್ರಿ ಮರ	69	್ಯ, ಹಂಚಿ ಹುಲ್ಲು	225
		" ಹಾಲ್ಮೆ ಕ್ಕೆ ಬ್ಬಿ	78
ದ			
ದಗ್ರಿ ಸೊಪ್ಪು	154	ನ	
ದಂಟು ಸೊಪ್ಪು	154	ನಗ ೆ ಗಿಡೆ	89
ದತ್ತೂರೆ ಗಿಡ	7	ನಚ್ಚು ಕಡ್ಡಿ	141
ದಬ್ಬೆ ಜಂಬು ಹುಲ್ಲು (ವುಸುಮಾನಿ)	219	ನಂಜೀಕೂರ ಡು (ಮುಸ್ಕ್ರಿ) ಮ ೇ	³ 118
ದರ್ಭೆ (ಹೊಡಕೆ) ಹುಲ್ಲು	2 23	ನಂದಿಬಟ್ಲ ಗಿಡ	112
ದವನದ ಗಿಡ	98	್ಗ, ಮರ	74
ದಾಸಾಳದ ಗಿಡ	21	ನರಂಜೆ ಬ೪ೖ	124
ದಾಳಿಂಬರೇ ಗಿಡ	74	ನರಿಬಾಲದ ಗಂಡು ಹುಲ್ಲು	227
ದ್ರಾಕ್ಷಿ ಗಿಡ	40	,, ಹುಲ್ಲು	226
ದಿಂಡಿಗ ಮರ	69	ನವಣೆ	222
ದುಂಡು (ಏಳುಸುತ್ತಿನ)ಮಲ್ಲಿಗೆ ಗಿನ	*10 9	ನವ್ಲಾ ದಿ ಮರ	145
ದುಂಪರಾಶ್ಮೆ ಗಿಡ	192	ನವಿಲುದೊಂದಿ ಹುಲ್ಲು	226
ದುರಂಜಿ ಮರ	4	,, ಬಣ್ಣಧ ಹುಲ್ಲು	225
ದೂಪದ ಮರ	18	ನಸುಗುನ್ನ ಬ ೈ	51
ದೇವಗಣುಗಲು ಮರ	112	ನಾಗರೀ ಗಿಡ	38
ದೇವಗಂಗೆ ಮರ	16	ನಾಗಸಂಪಗೆ ಮರ	17
ದೇವದಾರು ಮರ	27	ನಾತಹೂ ಗಿಡ	144
ದೊಡ್ಡ ಅಂಟುಪುರಲೆ ಹುಲ್ಲು	226	ನಾಮಸಕ್ಕೊತ್ತಿ ಸೊಪ್ಪು	156
್ಲ ಗೋಣಿ ಸೊಪ್ಪು	15	ನಾಯಿಕಲನು ಗಿಡ	111
್ಲಿ ತಪ್ರಿ ಹುಲ್ಲು	223	" ತುಳಸಿ ಗಿಡ	147
,, ಪಟಕೆ ಗಿಡ	142	" ನೇರ ಳ ಮ ರ	71
" ಪತ್ರಿ ಗಿಡ	148	ನಾರಂಬೇಳೆ ಸೊಪ್ಪು	10
,, ಪುರುಳ ಹುಲ್ಲು	227	ನಾರವೆ (ಈಜೆ) ಮರ	145

	Page.		Page.
ನಿಂಪೆ ಗಿಡ	- 33	್ರ ಪ	
ನಿರವಂಜಿ ವುರ	179		107
ನೀರುಗಣಗಲು ಗಿಡ	158	ಪಗಡೆ ಮರ	107
,, ಗೋ ಣಿ ಸೊಪ್ಪು	130	ಪಚ್ಚ ಬಾಳೆ	195
,, ಬರಗು ಹುಲ್ಲು	228	್,, ಹೆಸೆ ಗಿಡ	148
,, ಬ್ರಾಂಹಿ ಸೊಪ್ಪು	129	ಶಚ್ದೇ ಮರ	•
,, ವುಸುಮಾನಿ ಹುಲ್ಲು	220	, -	z, ;; 7.7
, ಸಜ್ಜೆ ಹುಲ್ಲು	$\boldsymbol{222}$	ಪತಂಗದ ಮರ	· 56
,, ಸಬ್ಬಿಸಿಗೆ ಹು ್ಲು	219	ಪನ್ನೇರಳ ಮರ	71
ನೀಲಿ ಗಿಡ	47	ಪರೇಗಿ ಅಕ್ಕಿ ಹುಲ್ಲು	226
స్ట్రాల బక్ట్	47	ಪರ್ರಗಿ ಮರ	77
ನುಗ್ಗೆ ಮರ	44	,, ಮೆಣಸಿನ ಗಿಡ	127
ನುಣಾ ಮರಂ (ಟ್ಯಾಮಲ್)	91	ಪರ್ಭಾಟಕ ಸೊಪ್ಪು	83
ಸುನ್ನು ನ್ನಿ ಗಿಡ	66	ಸುದರಿ ಮರೆ	136
ನೆಕ್ಕ್ಲಿಲು ಗಿಡ	145	ಸಾಪಟ ಗಿಡ	89
ನೆಲಚೆಳು ಸೊಪ್ಪು	207	ವಾವಾನಿ ಕತ್ತಾ?	81
್, ತಗಸಿ ಗಿಡ	58	ಸಾಪುಲಿ ಗಿಡ ?	39
,, ಬಿದರು ಹುಲ್ಲು	2 2 6	ಪಾರ್ಪುಲಿ ಗಿಡ	40
,, (ಜೇರು) ಕಡಲೆ ಗಿಡ	50	ಪಾರಿಜಾತ ಗಿಡ	110
್ಲಿ ಪೇವಿನ ಗಿಡ	141	ಪಾವಟೆ ಮರ	90
ನೆಲ್ಲವರೆ ಗಿಡ	53	ಪಿ ಲಾ ಲದ ಮರ	174
ನೆಲಸಂಪಗೆ ಗಿಡ	192	ಪುಟ್ಟುಬಾಳೆ	195
ನೆಲಾವರಿಕೆ ಗಿಡ	5 8	ಪುಟ್ಟು ಅಂಟು ಪುರುಳ ಹುಲ್ಲು	225
ನೆಲ್ಲಿ ಮರ	167	ಪುತ್ರಜೀವಿ ಮರ	4
నేల్లు	221	ಪುದೀನ (ಹಿಂದುಸ್ತ್ರಾನಿ)	149
್ಲ , ಜೆಳ್ಳು ಸೊಪ್ಪು	49	ಪುರುಷರತ್ನ ಸೊಪ್ಪು	11
್ಗೆ ಫಾಮೆ (ತೆಲುಗು)	222	ಪುಕ್ರಂಪುರಿಸಿ ಸೊಪ್ಪು	30
ನೆಗೆ (ಲವಂಚಿ) ಹುಲ್ಲು	224	ಪೆಟ್ಲು ಗೋರಿ ಹುಲ್ಲು	2 20
ೇಗಲಕನ್ನೆ ಸೊವುದ	207	ಪೆನ್ನ ಜಟ್ಟುವೆ ಗಿಡ	147
ಗೊಸೆ ಹುಲ್ಲು	228		
• •	•		

VERNA	CULAR	INDEX.
- AUL-107-17	~~~~~	

Ук	rnacul	ar Index.	liii
	Page.		Page.
e)		ಬಿಲ್ನಪತ್ರೆ ಮರ	34
		ಬಿಲ್ಸಾರದ ಮರ	63
ಬಗನಿ ಮರ	208	ಬಿಲಿಂಬಿ ಮರ	31
<u>ಬರಿಗಿ</u> ಸೊಪ್ಪು ಗಿಡ	172	ಬಿಳಿಆಕ್ಕ್ನಬು ಹುಲ್ಲು	222
ಬಜೆ ಗಿಡ	213	,, ಉತ್ತರಾಣಿ ಗಿಡ	155
ಬರ್ಟುಕ ಗಿಡ	50	್ಗೆ ಉವ್ಯುತ್ತಿ ಗಿಡ	128
ಒಟ್ಟೇಹು! ವ ಗಿಡಿ.	48	, ಎಕ್ಕದಗಿಡ , ಎಕ್ಕದಗಿಡ	115
<u>ಬವನಿಳೆ</u>	164	" ಕಮ್ಮಗಗ್ಗರೆ ಗಿಡ	147
<u>ಬ</u> ಧನೆ ಗಿಡ	126	, ಕಂಚಿವಾಳದ ಮರ	59
ಬಂದರೆ ಗಿಡ	42	,, ಕಾಸಿಗಣುಗಲು ಗಿಡೆ	111
ಬನ್ನಿ ಮರ	62	,, ಕೋರ್ಲಿ ಹುಲ್ಲ	223
ಬರ್ ಗು	22 2	,, ಗುರುಗಂಜಿ ಬಳ್ಳ	50
<u>ಎ</u> ಲ್ಲಗಿ ವ:ರ	17	,, ಚಿತ್ರಮೂಲ ಗಿಡೆ	105
ఒక్కి ఉంబు	124	, " ಚೆಲ್ತರವೆ ಸೂಪು	154
ಬಸಲೆ ಸೊಪ್ಪು	156	్లో జంక్లు జుక్టు	219
ಬಸವನಭಾದದ ಮರ	6 0	್ಲ್ ಜಾಲಿ ಮರ	62
ಬ್ರಹ್ಮದಂಡೆ ಗಿಡ	99	್, ಜೋಳ	224
ಬಾಗೆ ವ್ಯರ	63	,, ಪುಳಸಿ ಗಿಡ	147
ಬಾಚೀಣಿಗೆ (ಪತ್ತ್ರೇಗ) ಮರ	88	,, ರಂಟು	154
ಬಾಡಬಕ್ಕ ಬಳ್ಳಿ	57	್, ದುಳ ಮರ	24
ಬಾಣವುಲ್ಲಿಗೆ ಗಿಡ	109	್ಯ ದುವರೆ	6
ಬಾದಾಮಿ ಮರ	68	र का स्थापित कार्य	224
ಬಾಯಿಬಸಲಿ ಒಳ್ಳಿ	157		
ಬಾಳ ಗಿಡ	194	್ಗೆ ನೆಕ್ಕ್ತಿಲು ಗಿಡ	145
ವುರ	108	್ಗೆ ಬಸುರಿ ಮರ	174 86
ಬಾಸ್ತಿ ಮಲ್ಲಿಗೆ ಗಿಡ	109	್ಗೆ ಬೂತಾಳ ಮು	
ಬಿಕ್ಕೆ ಗಿಡ	90	್ಗೆ ಬೂರುಗ ಮರ	23
<u>್ಲಿಕ್</u> ಬಿದ್ದರು	229	್ಲ್ರ್ ಪೆಂಡು ಗಿಡ	148
ಖಿರಟು ಮರ	135	,, ಹಾರ್ಜಿಬಿ ದುರ	51
ಚಿರದಿ ಮರ	54	ा क्या गर्म	110

	Page.		Page.
. ಬಿಳಿ ಸಣ್ಣ ಜಂಬು ಹುಲ್ಲು	-	ೆಂಡು ಗಿಡ	48
" ಸಾವು ಹುಲ್ಲು	222	್ಂಡು ಮರ	172
,,· ಸಾಸಿವೆ ಗಿಡ	9	ಪೆಂಡೆ ಗಿಡ	21
" " ಸೂಲಿಗಿಡ	167	ಪೆಂಡೆನಾರು ಮರ	23
77 కిండి వేశన్న	155	ಜೆ ಸ್ಪುಲೆ ಮ ರ	112
,, ಬರಡ ಗೊಳ್ಳು ಬೀಟ ಮರ		ಪ್ರಕೃತ್ಭಿ	204
ಬುಗಡಿ ಗಿಡ	112	ಪೇಲದ ಮ ರ	34
ಬುಡ್ಡ ಕಾಕರ ತೀಗೆ (ತೆಲುಗು)	42	ಪೇಳೇಕಾಳು ಸೊ ಪ್ಪು	45
ಖುಡ್ಡೆ (ಬಂಡೋಲ) ಗಿಡ	127	ಬೊಂತೆಕ್ಳ್ಳ್ ಮರ	166
, ಸೂಪ್ರ	153	ಪೋಗಿ (ಕರಲಿಪೋಗಿ) ಮರ	18
		ಲೋದಿನ ಗಿಡ	106
,, ಹಣ್ಣು ಗಿಡ ಬೂತಾಳೆ ಮರ	26		
ಬೂಡು ಕುಂಬಳ ಬ೪ೖ	79	યુરુ	
ಬೂಸಿ ಗಿಡ		ಭದ್ರೆಹುಲ್ಲು	219
	152	ಭಾತಾಳ (೭ೇನಾರಿ) ಮರ	24
ಪೆಕ್ಕಿನ ಅಜ್ಜೆ ಬ೪ೖ ====================================	46	ಭೀದುನಕಡ್ಡಿ	19
" ತರಡು ಗಿಡ		್ಕ ಸೂಪ್ಪು	139
. ತಲೆಗಿಡ	19	"	
ಪಟ್ಟಗುಂ ಡು ಗಿಡ	218	ಮ	
ಪಟ್ಟ ತಂಗಡಿ ಗಿಡ	58	3 3-3- a ad a a	450
ಶಟ್ಟದ ಅಕ್ಕ ಬು ಹುಲ್ಲು	227	ವುಂಗಮಾರಿ ಗೊಪ್ಪು	150
್ಲ " ಈಣಿಗಲು ಮರೆ	2	ವುದಗರುವಳ್ಳಿ ಬಳ್ಳಿ	40
" ಕನ್ನೆ ಸೊಪ್ಪು	206	ವುಂಗಾರಿ ವುರ	89
" ಕಮ್ಮಗಗ್ಗರೆ ಗಡ	89	ವುಂಚದ ಕಾಲು ಹುಲ್ಲಾ	225
" ಕು ^{ನ್ಪ್ರ} ೆಗಿಡ	95	ವುಂಜತ್ತ್ತಿ (ವುಂಜಡಿ) ಮರ	61
" ಕುರಿವೇಲಾ ಗಿಡ	148	ವುಜ್ಞೆ ಗೆ ಗಡ್ಡೆ	204
್ಗ ಗಣಗಲು ಮರ	2	್ರ ಪೇರು ಗಿಡ	155
್, ,, ತುತ್ತಿ ಮರ	25	್ಣ ಸೂಘ್ರ	14
್, ದವನ ಗಿಡ	95	ಮಂಜಿನ ನಾರು	204
್ಲಿ ಪಂಡುಗಿ ಡೆ	20	್ಯ ಪತ್ರೆಗಿಡ	. 98
" ಲಾಳೆ ಹುಲ್ಲು	224	ಪುದ್ರಂಗಳು ೪	194

•		• 4	
	Page.		Page.
್ದಮನೋರಂಜ೯ ಬಳ್ಳ	4	ವುಂತ್ಯದ ಸೊವು _ಎ	47
ವುರ ಆಕ್ಕ ಬು ಹುಲ್ಲು	226	ವೊಗಅಟಕು ವಾಮಿಡಿಆಕು ತ	ಲುಗು83
ವುರಗಾಡೆ ಗಿಡ	10	ವೊಗಬೀರ ಚೆಟ್ಟು	150
ವು ರಳು ಉಮ್ಮೃತ್ತಿಗಿಡ	97	ವೊಬ್ಬು ಗಂಜಲಗರಿಕೆ ಹುಲ್ಲು	228
ವುರುವಾಚಲ ಮರ	74	ಯ ಯಿಂಪಳಿ ಚೆಟ್ಟು	40
ಮಾವವಾಳ ಗಿಡ	33	www.s www	48
ಮ್ಎ ಮರ	25	ਂ ਰ	
ಮಾ ವಿನ ಮಠ	43		
ಮಿಟ್ಡ ವುರ	172	ರಕ್ತ ಚಂದನ ಮರ	54
ಮಿರಡಿ ಗಿಡ	12	ರಂಗಮಾಲೆ ಗಿಡ	12
ಮುರ್ಕಾ≀ ಮರ	43	ರ ಸಬಾಳೆ	194
ಮುಗ? ಮೆರ	62	ದಾಗಿ	228
ವ.ುಡುಗುವಾವರೆ ಗಿಡ	61	ರಾಜಬಾಳ	195
ಮುತ್ತು ಕಾರಾಸಿ ಗಿಡ	94	ಗಾಮಗುಳ್ಳ ಗಿಡ	I 26
ಮುತ್ತುಗ ಮರ	5 1	ರಾವುನಡಿಕೆ ಮರ	161
ಮುದಿಗೆಣಸು ಗ ಸ್ತೆ	201	ರಾಮಫಲ ಮರ	4
ಮುದ್ದೇಕೋಗು	8	ರುದ್ರಾಹ್ಷೆ ಮರ	25
ದು ಮುಲ್ಲಂಗಿ ಗಡ್ಡೆ	9	್ಯ ಹೂಗಿಡ	155
ສນຊົ ພາ	124	ೇವೈ (ಕಂಬ೪) ಗಿಡ	173
ಮುಳ್ಳುಗೆಣಸು ಗಡ್ಡೆ	201	ย	
,, ಜೀನಂಗಿಗಿಡ	48		
,, ್ಥದಂಟು	153	ಲಕ್ಕೋಟೆ ವುರ	6 5
,,ಬಸ್ಟೆ ಸೊಪ್ಪು	83	ಲವಂಗ ಪ ಟ್ಟಿ ಮರ	162
,, ರಾಮಫಲ ಮರ	4	ಲಿಂಗತೋಡೆ ಬಳ್ಳಿ	79
ಮೂಕರಿವೆ ಮರ	39	ಲೋಳಿಗರ ಗಿಡ	205
ಮೂಡ ಮರ	35	ವ	
ಮೂಡುಗಟ್ಟ್ರನ (ಬೋಡುಕಡಲೆ)			
ಸೂಪ್ರು	96	ವಜ್ರದನೀಲಿ ಗಿಡ	48
ಮಣಸಿನ ಗಿಡ	127	ವಡುವಾರದ ಮರ	61
ವೇಣಸು ಬಳ್ಳಿ	160	ವನಸಂಪಗೆ ಗಿಡ	59

	Page.		Page.
ವ್ಯಜ್ಞೀನೆ ಮರ	51	ಸಣ್ಣ ಸಣ್ಣ ಬಿಂದಿಗೆ ಗಿಡ	19
ವಿಭೂತಿ (ನಾಲ್ಕು ಭಂಟೆ ಹೂ) ಗಿಡ	152	" ಮಳ್ಳ ಗಿಡ	109
ವಿಷಮಧಾರ್ಮಿಡ	145	" ವನಮುಗಳ ಗಿಡ	97
ವಿಶ್ಣು ಕ್ರಾಂತಿ ಸೂಪ್ಪ	125	,, ಸಂಕುದಾಳಿ ಗಿಡ	196
ನೀಳ್ಯದಲೆ ಬಳ್ಳ	160	ಸನ್ನಿ ಗಿಡ	100
ವುಡಿದೆ ಗಿಡ	26	ಸಂಪಗೆ ಮರ	3
ವುದ್ಭು ಗಿಡ	52	ಸಬ್ಬಸಿಗೆ ಸೊಪ್ಪು	85
ವುಸುವಾನಿ ಹುಲ್ಲು	219	ಸಮುದ್ರವಾಲ ಬ್ಳ	123
ಕ		ಸರದಾಳೆ ಗಡ್ಡೆ	141
		ಸಲಾದಿ	100
ಕೆವಲಿಂಗ ಮರ	61	ಸಾಯ್ರಾಣಿ ಮರ	35
ಕ್ರೀಗಂಧ ಮರ	165	ಸ್ನಾಮಿ ಮರ	37
		ಸಾವೆು	223
ಸ		ಸಾನಿವೆ ಗಿಡ	8
್ ಸಕೊ ತ್ತಿ ಮರ	34	ಸಿಗರೆ ಬದನಿಕೆ	164
, ಸೂಪ್ಪ	156	ಸಿರಂಟು ಗಿಷ	144
್"	223	ಸಿರವೊಟ್ನ ಗಿಡ	151
್ ಜ ಸಣಬು ಗಿಡ	46	ಸೀಗಟ ಗಿಡ	50
ಸಣ್ಣ ಅಂಟ್ಟು ಫ್ರರಳ ಹುಲ್ಲು	223	ಸೀಗೆ ಗಿಡ	62
್ಗೆ, ಈಚಲ್ ಮರ	209	ಸೀಪೆ ಗಿಡ	142
,, ಊಗು ಹುಲ್ಲು	227	ಸೀವೆ) ಆಗಸೆ ಗಿಡ	58
,, ಕರಿಕಾಚಿ ಹುಲ್ಲು	224	" ತಂಗಡಿ ಮ ರೆ	58
" ಗಜ್ಜಿಗೆ ಗಿಡ	56	,, ಹುಣಿಸೆ ಮರ	63
,, ಗುಂಡು ಹುಲ್ಲು	207	ಸೀರನಿಗೆ ಹಂಬು	115
" ಗೆರ್ಸ್ಗೆ ಹಂಬು	115	" ಸೂಪುನ	158
" ಆಣಜಿ ಮಲ್ಲಿಗೆ ಗಿಡ	109	ಸೀವಂತಿಗೆ ಗಿಡ	98
,, ತಸ್ರೆ ಬಳ್ಳ	221	ಸುಂಕತ್ತ್ತಿ ಮೆರ	57
, ರ _{್ಬ್} ಹಲ್ಲ	228	ಸುಂಕು ತೆನೆ ಹುಲ್ಲು	223
,, నేగ్గలు గిడ	· 29	,, ದ್ಬ್ ಹುಲ್ಲು	228
,, ಪುರಳ ಹುಲ್ಲು	227		158

Ÿ:	ernacul.	AR INDEX.	lvi
	Page.		Page
ಸುಗೆದಿ ಗಿಡ		ಹಾರಕ	223
ಸುಗಂಧಿ ಬ೪ೖ	114	ಹಾಲಿ್ಸ್ (ಕಪ್ಪುರ ₎ ಮರ	121
ಸುರ್ಗಿ ವುರ	17	ಹಾಲ್ಮುಲ್ಲಂಗಿ ಸೊಪ್ಪು	100
ಸಜ್ಜಲು ಮರ	63	ಹಾಲ್ಮೆಕ್ಕೆ ಬಳ್ಳಿ	78
ಸುರ ಪೊನ್ನೆ ವುರ	17	ಹಾವು ನಂಜಿನ ಗಿಡ	32
ಸೂಜಿ ಮಲ್ಲಿಗೆ ಗಿತ	109	ಹಾವುಬಾಳೆ	195
ಸೂರ್ಯಕಾಂತಿ ಸೊಪ್ಪು	105	డిప్పలి బ ్ క్తి,	160
ಸೇವು ಗಿಡ	65	ಹಿರವುದ್ದಿ ನ ಗಿಡ	127
ಸೇಳುವಾರದ ಮರ	176	ಹೀರೆಬಳ್ಳಿ	78
ಸೊಗಡು ತಗಸಿ ಗಿಡ	58	ಪಚ್ಚು ಕೋರ್ಲ್ಲೆ ಹುಲ್ಲು	226
ಸೊಂಟ ಗಿಡ	192	" ಜೋಳ	224
" ಹುಲ್ಲು	222	" ತು:ಬೆ ಗಿಡ	150
ಸೊಳ್ಳೆ (ಕೆಂಡಲ್) ವ.ರ	120	,, తొండే బర్బ	78
ಸೋಪು ಗಿಡ	84	" ನಾರಿ ಗಿಡ	140
ಸೋರೆ ಬಳ್ಳಿ	77	" ನಿಂಪ ಮರ	33
ನಾಡಂಗಿ ಗಿಡ	126	,, ಬೇವಿನ ಮರ	30
ಸಾತೆ ಬ?್ಳ	7 8	" ಸಕೊತ್ತಿ ಸೊಪ್ಪು	156
·		ಹುಚ್ಚ್ವಿಳು ಗಿಡ	97
ಹ		ಹುಣಿಸೆ ಮರ	59
		ಹುರಗಲು ಮರ	37
ಹಕ್ಕಿ ವಾರ್ಜಿ ಹುಲ್ಲು	228	ಹುರ೪ಕಾಯಿ ಗಿಡೆ	52
ಹಡಗೆ ಮರೆ	87	ಹುರಳೆ ಗಿಡ	5
ಹಂಬು ಕ೪ೖ	115	ಹುಲಿಮಾಸೆ ಹುಲ್ಲು	224
, ಹಾರ ಕ ಹುಲ್ಲು	222	1	68
ಹರಳು ಗಿಡ	169	ಹೂವರೆಸಿ ಮರ	2
ಹರಿವೆ ಸೊಪ್ಪು	154	ಹೆಜ್ಜಾ ಲವ ಮರ	164
ಹಲಸಿನ ಮರ	176	ಹೆಣ್ಣು ಗೋವಿ ಗಿಡ	35
ಹಸರುಗನ್ನ್ನಿ ಮರ	54	ಹತ್ತುತ್ತುತ್ತಿ ಗಿಡ	19
,, ಜಾಜಿ ಮಲ್ಲಿಗೆ ಗಿಡ	. 109	ಹೆಬಿಹಲಸಿನ ಮರ	176
ಹಾಗಲಬಳ್ಳಿ,	7 8	್ಷ ಹುಲುವೆ ಮೆರ	69

•	Page.		Page.
ಹೆಪ್ಬೇವಿನ ಪ್ರಶ	36	ಹೊನಗೊನೆ ಸೊಪ್ಪು	155
ಹೆಸರು ಗಿಡ	52	ಹೊನ್ನೆ ವರಿಕೆ ಸೊಫ್ಪು	96
ಹೇರಳೆ ಗಿಡ	33	ಹೊನ್ನೆ ಮರ	54
ಹೊಂಗೆ ಮರ	55	ಹೊನ್ನೆ ಹೂ ಹುಲ್ಲ	219
ಹೊಗೆ ಸೊಪ್ಪು	128	ಹೊಮ್ಮುಗ? ಸೊಪ್ಪು	220
ಹೊಟ್ಟ್ರೇಬಾಗೆ ವುರ	63	ಹೋದ ತೊಗರಿ ಗಿಡ	53
ಹೊತ್ತು ತಿರುಗನ (ಸೂನೈಕ	కెంతి)	,, ಪುಂಡ್ರಿಕೆ ಗಿಡ	21
ಗಿಡ	102	,, ಮೆಣಸಿನ ಗಿಡ	127
ಹೊಡಿಕೆ ಹುಲ್ಲ	222	ಹೌಲಿಗೆ ಮರ	62

Vernacular in English Characters.

		Page.		,	Page.
A			Atche (Nenéakki)		166
A'chalu mara	•••	60	Atti mara	* * * * * * * * * * * * * * * * * * * *	175
A'da ataku mámidi ál	cu		Avare gida		53
(Telugu)	•••	152	Avare	•••	45
Adaraganchi hambu	•••	2 8	В		
Addasarpa gida	•••	112			
Adike mara	•••	208	Báchanige (Hetté	ga)	
A dumuttada gida	•••	116	mara		88
A'dusóge gida	•••	142	Bádabakka balli	•••	57
Agase mara	•••	4 8	Bádámi mara	•••	68
Ajje soppu	•••	166	Badane g da	•••	126
Akka jògi gida	•••	72	Badanike	•••	164
Akki harivi soppu	•••	155	Bagani mara	•••	208
Akki soppu	•••	167	Báge mara	•••	63
A'la mara	•••	174	Baje gida	• • •	213
A'lada mara	•••	173	Bále gida	•••	194
Alasandi balli	•••	52	", mara	•••	108
Amate mara	•••	44	Ballagi mara	•••	17
Amrada soppu	•••	122	Balle hambu	•••	124
Ananás gida	•••	200	Bána mallige g.da	•••	109
Ananta gonde hullu	•••	220	Bandare gida	•••	42
A'ne gajje gida	• • •	176	Bangi soppu gila	•••	172
A ne jáji mallige gida	•••	109	Banni mara		62
A'ne neggilu gida	•••	158	Baragu	•••	222
Angàrakana gida	•••	32	Basale soppu		156
Anipe balli		51	Basavanapádada mar	ъ	60
Anjúr gida	• • •	175	Básti mallige gida	• • •	109
Ankóle mara	• • •	87	Batáni gida		50
Annasúli gida	•••	167	Batteharikina gida	•••	4 8
Anne soppu	•••	153	Báyi basali balli	•••	157
Antaragange gida	• • •	217	Bekkina ajje balli	•••	152
Antu garike hullu	• • •	222	" tale gida	•••	19
" purule gida	•••	154	, taradu gida		46
,, togari gida	•••	20	Bélada mara		34
Arale (Anji) gida	•••	22	Bélekálu soppu	• • •	45
Aralekáyi mara	•••	69	Bellulli	•••	204
Arali rágí (Aswatha))	!	Bendé gida	• • • •	21
mara	•••	174	" náru mara		23
Arisina búruga mara		11	Bendu gida		48
Arisina gida	•••	193	" mara	•••	172
,, jinangi mara	•••	48	Beppále mara	•••	112
Asókada mara	•••	59	Betta gundu gida	•••	218
Atchári gida	•••	123	"tangadi",	•••	58
		ļ	- **		

		Pag	7e,		1	Page.
Bett	ada akkabu hullu .	22		Bili yekkada gida		115
,,	bendu gida	2	10	Bilimbi mara		31
,	darrana aida	9	5	Bilvapatre mara		34
91	manage il mana	••	2	Bilvárada mara		63
2	kammagaggara		- 1	Biratu mara		135
•		8	39 {	Biridi mara		54
91	kaniwala mara		2	Bíti mara	• • •	54
21	Ironno connu	20	6	Bódina gida		106
,	leunna aida	9	5	Bóghi (Kiral bóghi) n	1 8 -	
2	lennizáln cida	14	18 I	ra.		18
31	lála hullu	22	24	Bonte kalli mara		166
2	tutti mana	2	25	Bramhadande gida		99
	7 1 11	21	ا 19	Buddakákaratíge (Te	1.).	42
Bhá	tála (Pénári) mara .	2	24	TO 11 /TO 1/1 \ 1		127
		1	19	" hannu gida		127
91	, soppu .	18	39	" soppu		153
Bidi		22	29	Búdu kumbala balli		79
Bikl	ke gida .		90	Bugadi gida		112
	-1 î 1 - 1 - 11-	29	22	Búsi gida		141
22	basuri mara .	1	74	Bútále mara		26
"	bendu gida	14	48			
"	11 ///1	8	36	l c		
"	7.0		23			
"	, ,,,		54	Chandra bále		195
3,) 5	Channangi mara	•••	74
3,	1/1		24	Chapparadabadane gid		127
"	7 /		54	Chavuri hullu		220
))	dodda káchi hullu .		24	Chendu chéni hullu		219
"	** 1 112		50	., mallige gida	•••	101
"	T * 15		55	Chépe mara	•••	71
,,	* / 1 !	(62	Chillu mara	•••	118
"	9 1 111		19	Chilkarive soppu	•••	154
"			24	Chinnadávare gida	•••	16
9)	kammagaggare gid	a 14	47	Chirivéru gida	•••	89
23	kanchiyalada mara.		59	Chitramúla gida	•••	105
37 33 -	kásiganigalu gida		11	Chittu haralu gida	•••	170
"	1 1 11		23	Chittundi gida	•••	37
"	1 1 11 13.		45	Chittutándri mara	•••	162
"	, , 11	-	22	Churachurakana gida	•••	176
37	sanna jambu hullu		20	Cíge gida	•••	62
	alaima mida	•••	9	1 - 8 - 8	•••	
37 37	-/1· · · Ī -		67	D		
	+1		6	1		
"	1.1		4 7	Dabbe jambu hullu (V	וואוו	_
99			28	máni?)		219
**			55	Dagli soppu	•••	154
**	!!		51	Dálimbare gida	•••	74
"	. 7. 3		10	Dantu soppu	•••	154
77	Lt- 9			-ame soppu	•••	

VERNACULAR IN ENGLISH CHARACTERS.

	Page	•	;	Page.
Darbhe (Hodake) hull u.	223	Garugalu soppu	•••	97
Dásálada gida .	21	Gasagase gida	•••	6
Dattúra gida .	7	Gédige gida	•••	211
Davana gida .	98	Gejjige gida	•••	56
Dévadáru mara .	27	Gennu nellavare gida	•••	53
	112	Géru mara	•••	44
	16	Gida karnike balli	***	52
	69	Gilke mara	•••	176
Doddaantu purule hulli	u. 226	Goddu géru mara	•••	44
" bili káchi hullu .		,, íchalu mara	•••	182
	19	,, mitli mara	•••	173
"góni soppu .	15	Gódhi	•••	221
	78	Góni mara	•••	173
" hanchi hullu .	225	Góranti gida	•••	73
" patike gida .	142	Góri gida	•••	47
	148	Gorivi mara	•••	90
	227	Górklu mara	•••	172
"tapri hullu	223	Gouju mara	•••	71
_ ,, vana mugali gida		Gourí balli	•••	124
	40	Gubichi gida	•••	140
	192	Gujja bále	•••	195
Dundu (ælu suttina) mal	-	Gulábi gida		64
lige gida	109	Gúlúr bále	•••	194
Dúpada mara	18	Gundu mallige gida	• • •	109
Duranji mara	. 4	,, tagaci gida	•••	- 58
		Gurige mara	•••	166
${f E}$		Gurugangi balli	•••	50
Eruvantige mallige gids	. 109	н		
G		Hadaga mara		87
		Hágalu balli	•••	78
Gabbu soppu	. 95	Hakki varji hullu	•••	228
Gadde gundu hullu	. 219	Halasina mara		176
" vadavina hullu	. 222	Hálippe (Kappúra) m	ara.	121
Gaja nimbe gida 💎	. 33	Hálmekke balli	•••	78
Gájina gadde	. 85	Hálmullangi soppu	•••	100
Ganagalu gida	. 112	Hambu háraka hullu	•••	222
Gándhári gida	. 95	, kalli	•••	115
Gandu akkabu hullu 🗼	. 222	Háraka	•••	223
" bidiru	000	Haralu gida	•••	169
", ganjala garike hul		Harive soppu	•••	154
Ganjalu garike hullu	000	Hasaruganni mara	•••	54
Gantu káchi (Nále) hul		Hasaru jáji mallige gi	da.	109
lu	. 228	Hávu bále	•••	195
" kálu gida	7 / 7	Hávunanjina gida	•••	32
Gargatti mara	100	Heb balasina mara	•••	176
Garike hullu	225	" bévina mara		36

•	Page.		1		age.
TT 1. 1 .1!		69	·J		
Heb hulive mara	•••	164	J		
Hejjálada gida	•••	35	Jadé shankara (tene) h	ul-	
Hennu gorivi gida	•••	33	lu	•••	226
Hérile gida	•••	52	tone bulla	•••	229
Hesaru gida	•••	19	Jagalaganti mara	•••	108
Hettu tutti gida	•••	160	Jain bále	•••	195
Hippali balli	•••	78	Jájikáyi mara		161
Hire balli	•••	127	Jálári mara	•••	18
Hirimaddina gida	•••	222	Jandu hullu	•••	229
Hodike hullu	•••	128	Jáne mara	•••	26
Hoge soppu	•••	127	Jantala mara	•••	112
Holada menasina gida	•••	21		•••	168
" pundrike gida	•••	53	Jápálada gida Jari hullu		227
,, togari gida	•••	220		•••	85
Hommugali hullu	•••	155	Jirige gida	•	221
Honagone soppu	•••	55	Jóla Juburu kórle hullu	•••	227
Honge mara	•••				212
Honnavarike gida	•••	96	Jumbu hullu Juttuve balli	•••	115
Honne hú hullu	• • •	219	5 dicaye pain	•••	110
,, mara	•••	54	ĸ		
Hotté báge mara	•••	63	P		
Hottutirugana (Sú	rya-		W-11		175
kánti) gida	•••	102	Kabbasuri mara	•••	223
Howlige mara	•••	62	Kabbu	•••	100
Hule mise hullu	•••	224	Kácinapatta (Hind)	•••	88
Hulive mara	•••	68	Kadagada mara	•••	50
Hunise mara	•••	59	Kadale gida	•••	141
Huragalu mara	•••	37	Kaddi yerakina gida	•••	175
Hurali gida	•••	53	Kádu atti mara	•••	51
Huralikayi gida	•••	52	" avare gida	•••	222
Hutchu bévina mara	•••	36	" baragu hullu	•••	21
"jóla	•••	224	,, bendé gida	•••	005
" kórle hullu	•••	226	" benne bidiru sop		207 227
" náre gida	•••	146	,, bili sajjabu hull	u	222
,. nimbe mara	•••	33	,, " sáme hullu	•••	46
" sakkotti sopp	u	156	" budde gida	•••	226
"tonde balli	•••	78	" dabbe hullu	•••	220
"tumbe gida	•••	150	,, gandu tutti gida	·	
"yellu gida	•••	97	,, ganugalu gida	•••	112
Húvarasi mara	***	22	" garugalu gida	•••	
			,, gasagase hullu	•••	
I			" góbli gida	•••	
			" gundu hullu	•••	-00
I 'chalu .mara	•••	209	., háraka hullu	•••	
lngalíka mara	•••	34	" hoge soppu	•••	
Ippe mara	•••	107	" honge mara	•••	
I'rulli		204	" hurali gida	•••	. 53
I'swari béru	•••	160	" ippe mara	•••	107
			1 "		

VERNACULAR IN ENGLISH CHARACTERS. lxiii

		I	Page.				Page.
Kèd	n íruli gadde	•••	197	Kanc	hivalada mara	•••	60
"	jadé navane hull		227		ondi balli	•••	39
	jóla gida	•••	143		utgal mara		16
"	kadale gida	•••	53	Kann	e soppu	•••	207
"	káhi híre balli		78	Kápi	gida.	•••	91
"	kambu hullu		227	Kárác	hi mara	•••	59
"	kanigala (kóltég			kárad	i káci hullu	•••	223
"	mara		2	,,	kannina gadde	•••	203
	karebe gida	•••	33	Karb	új balli	•••	79
"	kari dappa saj			Káre	gida.	•••	
"	hullu		225	Kari	arale (anji) gid		90 23
	karna kundala g		31	,,	basuri mara		175
"	kempu jírige gid		118	"	bévu mara	•••	33
"			41	77	dunna hanaki k	11	224
"	mallige gida		109	,,	dappa hanchi h hesare mara		
"		•••	100	"	hindi comme	•••	4
"	(mara) genas gadde	u 169 🏞	901	"	hindi soppu	•••	94
			32	"	jáli (gobli) man		62
"	menasu gida	•••	227	"	jinangi mara	•••	48
"	navane hullu	•••	47	"	káchi gida	. ;	126
"	nili balli		71		kammagaggare		147
"	nimbe (Náye béla		33	**	korle hullu	•••	225
	mara	•••		"	Korle hullu nekkilu gida sanna hanchi h		145
,,	nose hullu	•••	225	"		uiiu.	225
"	ómu gida		84	"	, jambu hu	llu	219
"	pullampursi sopp		49	"	sá ive gida	•••	8
"	sabbasige soppu		7	"	tulasi gida		147
"	" hullu		219	"	turukaharalu gi	da	168
"	sanna háraka hr	ıllu.	226	,.	ummatti gida	•••	128
"	" kari sajje	hul-	222		yunagada hullu	•••	228
		lu	226	Karji		•••	209
,,	" patri gida		147		úrada mara	•••	149
,,	" same hullr	ı	225	Kasti	ıri jáli mara	•••	62
,,	sásive gida	•••	8	"	kammagagga	ıre	
"	tamme balli	•••	52		gida	•••	147
,,	togari gida	•••	54		cumbla mara	•••	169
"	tumbe gida	•••	150	Katta	·	•••	198
79	tunge gida	•••	150	Katte		•••	194
"	vuddu gida	•••	52	,,	ládi hullu	•••	220
"	vusumáni hullu	•••	220	,,	mallige gida	•••	109
Kág	e máre balli		77		ri gida	•••	10
,,	purule gida	•••	83	Káva	kúla gida	•••	75
K'ao	gali mara	•••	62	Kekk	arike ba lli	•••	78
	ke mara	• • •	58	Kem	pu búruga mars		23
	lálada mara	•••	174	,,	chilkarive so	ppu.	154
	latti mara	•••	$17\overline{6}$,,	chitramula gi	da	105
	li mara	•••	166	,,	cige gida	•••	62
Kar	_	•••	6	,,	dále mara	•••	24
	amagaggare gida	•••	147	,,	dantu	•••	154
		•••		l "		• • •	

lxiv Vernacular in English Characters.

		Page.	•		Page.
Kempu gulla gida	•••	126	M		•
		219			
`` { / 1 / 1	•••	126	Mádavála gida	•••	33
" kási ganugalu			Mádi mara	•••	35
gida.		111	M. J 1.41.	•••	194
1 n	• • •	21	Maddan kina mida	•••	155
1/	•••	6		•••	204
77		56	", soppu	•••	14
Kere bendu gida7		158	M L 1 - 1 - 1 - 1 - 1 - 1 - 1 -	• • •	225
, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•••	144	Mamanamahii aaman	•••	150
77/ 11	•••	178	Manusana 1	• • • •	89
177/	•••	213	Manager 11: 1-11:		40
77' 11' '1.	• • •	167	Manjatti (Manjadi) mar		61
1 Andrews		167	Mr	• • • •	204
77.11.11		34	Manager and the second of the	•••	98
Talaman lan mida	• • •	138	Mamananium h. Ili	•••	4
77 (1): : 11		73	34 1-1 1 1 11		$22\overline{6}$
77.414		58	Marin - 2.1 2.1 -	•••	10
Kóltéga (kadu kanigalu	•••	JO	Moule man de aid.	•••	97
mara)		2	Manuréahala masa	•••	74
Tomonoly more	•••		Mássassassas	•••	
Vamma assess	•••	31	Managina mid-	• • •	43
77.4	•••	83	Monoon ball:	•••	127
	•••	136		•••	167
	•••	226	Mentyada soppu	•••	47
Kondamamidi mánu		00		• • •	12
	•••	36	Mitli mara	•••	172
	• • •	111	Mobbu ganjala garike		
Kórle hullu		223	hullu	•••	228
	• • •	85	Moga ataku mámidi che	et-	
Kudali soppu	•••	139		•••	83
		47	Mogabira chettu (Tel.)	•••	150
Kugati mara	•••	42		•••	35
		145		•••	201
Kumbala balli	•••	79	Mudde kosu	•••	8
Kunkumada mara		169	Múdugattina (Bódu-		~
Kuppi gida		169	kadale) soppu	•••	96
Kuridi gida		40	Mudugudavare gida	•••	61
Kurtige gida	•••	9	Mugali mara	•••	62
Kurudu kajjiga gida	•••	56		•••	39
Kusumbe soppu		99	Mullangi gadde		9
Kusumba gida		99	Maili balli	•••	124
Kijve (Bohhi) mana	•••	17	Menlle bossle sesses	•••	83
	•••			•••	153
${f L}$			"	•••	201
Lakkóte mara		65	M	•••	48
Lavanganatta mama	•••	162	" rámaphala mara		4
linge tonde belli	•••	79	Maralanti mana	•••	$4\overline{3}$
Táligama gida	•••	205	Mandalan are and a	•••	51
	•••	200		•••	

VERNACULAR IN ENGLISH CHARACTERS.

	Į	Page.		3	Page.
Muttu kárási gida		94	Nìru góni soppu	•••	130
		1	" sabbasige hullu	•••	219
${f N}$			" sajje hullu	•••	222
		90	" vusumáni hullu	•••	220
Nágare gida	•••	38	Nose hullu	•••	228
Nagaré gida	•••	89	Nugge mara	•••	44
Nágasampage mara	•••	17	Nunamaram (Tamil)	•••	91
Náma sakkotti soppu	•••	156	Nunnuni gida	•••	66
Nandibatlu gida	•••	112	_	•	
Nandi mara	•••	74	. О		
Nanjinakoradu (Mush	-		Obblu mara	•••	12
ti) mara	•••	118	Olle bévina mara	•••	36
Nárambéle soppu	•••	10	Olle tangadi gida	•••	58
Naranji balli	•••	124	,, tulasi gida	• • •	147
Nárave (I'ji) mara	• • •	145	"tumbe gida	•••	150
Naribálada gandu hu	llu.	227	"tùpra mara	•••	108
" hullu	•••	226	"yellu gida	•••	137
Nasugunni balli		51	O mu gida		84
Náta hú gida	• • •	144	Ondelaga soppu	•••	84
Natchu kaddi	•••	141	Oogani hambu	•••	123
Navane (kan)		222	Oogu hullu	•••	219
Navilu bannada hullu	•••	225	Oonni mara		18
" dondi hullu		226	Р		
Navládi mara		145	F		
Náyi kalame gida		111	Pache bále	•••	195
" nérale mara		71	Pacheri mara	•••	54
" tulasi gida		147	Pádari mara	•••	136
Négalu kanne soppu		207	Padavalu balli		77
Nekkilu gida		145	Pagade mara	•••	107
Nela bévina gida	•••	141	Pannérile mara	•••	71
" bidaru hullu	•••	226	Pápás kuttàli	• • •	81
" chelu soppu		207	Pápati gida	•••	89
" (Biru) kadale gi		50	Pápuli gida	•••	39
~~~~~~~~~~~d~	•••	192	Parangi akki hullu		226
	•••	58	,, mara		77
Nela varike gida	•••	58	menasina gida	<b>1</b>	127
Nella sháma (Telugu)	•••	222	Párijáta gida	•••	110
Nellavare gida	•••	53	Parpátaka soppu		83
Nelli mara	•	167	Párpuli gida	•••	40
Nellu	•••	221	Patangada mara	•••	56
	•••	49	Patche tene gida		148
" jellu soppu Nese (Lavanchi) hulli	•••	224	Pávate mara	•••	90
Níli balli		47	Pennajuttuve gida	•••	147
	•••	47	Petlugori hullu		220
,, gida	•••	33	Pilálada mara	•••	174
Nimbe gida	•••		Pudína (Hind.)	•••	149
Niravanji mara	•••	179	l — · · · ·	•••	30
Niru baragu hullu	•••	228	Pullampurasi soppu	•••	30 11
"brámhi soppu	•••	129	Purusharatna soppu	•••	
"ganagalu gida	•••	158	Putta bále	•••	195

	Page.			Page.
Puttrajivi mara	4	Savadangi gida		126
Puttu antu purule hullu.	225	Savute balli	•••	78
• .		Séluvárada mara	•••	176
${f R}$		Sevuntige gida		98
		Sévu gida	•••	65
Rági	<b>22</b> 8	Sibe gida		142
Rája bále	195	Sigare badnike		164
Raktachandana mara	54	Sigati gida	•••	50
Ráma gulla gida	126	Sime agase gida	•••	58
Rámanadike mara	161	" hunise mara	•••	63
Rámaphála mara	4	,, tangadi mara		58
Rangumále gida	12	Siranige hambu	•••	115
Rasa bále	194	soppu	•••	158
Réshme (Kambali) gida.	173	Sirantu gida	•••	144
Rudrákshi hú gida	155	Sirapotli gida	•••	151
,, mara	25	Sivalinga mara	• • •	61
_		Sogadu tagaci gida	•••	58
S		Solle (kendal) mara	•••	120
		Sonti gida	•••	192
Sabbasige soppu	85	, hullu	•••	222
Sajje	223	Sopu gida	•••	84
Sakkótti mara	34	Sore balli	•••	77
" (gida) soppu	156	Srigandha mara	• • •	165
Saládi	100	Sugadi gida	•••	5
Sambráni mara	35	Sugandhi balli	• • •	114
Sáme	223	Sujjalu mara	•••	63
Sampage mara	3	Súji mallige gida	•••	109
Samudrapála balli	123	Sukke soppu	•••	158
Sanabu gida	46	Sunkatti mara	•••	57
Sanna antu purule hullu.	223	Sunku dabbe hullu	•••	228
" bindige gida …	19	,, tene hullu	•••	223
" dabbe hullu …	<b>228</b>	Surahonne mara	•••	17
", gajjiga gida	56	Surgi mara	•••	17
" gerse hambu …	115	Suryakánti soppu	•••	105
" gundu hullu …	207	Swami mara	•••	37
"húgu hullu	227			
" ichalu mara	209	T		
" jáji mallige gida …	109			
., kari káchi hullu	224	Tadasalu mara	•••	26
" malle gida	109	Taggi mara	•••	146
" neggilu gida	29 227	Tale mara	•••	208
" purule hullu	196	Tamate gida	•••	52
" sankudali gida	221	Tandrasi gida		39
" tapri balli	97	Tapasi mara	•••	121
,, vana mugali gida.		Tare mara	•••	68
Sanni gida	100 141	Tégada mara	•••	144
Saradále gadde	8	Tengina mara	•••	209
Sásive	0			
		ı		

VERNACULAR	IN E	NGLI	SH CHARACTERS.	1	<b>x</b> vii
	P	age.	•	Page.	
mara Totla gida Tulasi gida Tulasi gida Tunge hullu Tuppada híre balli Tupra mara Turukagéru ma ra " (kadu) hara gida " togari gida Tutti gida  U Udi (sinti) mara Urala gadde Uttarani gida V Vana sampage gida Vibhúti (Nálkughan	matti) lu	79 69 10 147 219 78 108 43 168 53 20 43 126 155	Vishmadhári gida Vishnukránti soppu Vuddu gida Vusumáni hullu  W  Wadu wárada mara Wajarada níli gida Wárjipe mara Wudipe gida Yalé jambu hullu Yedamuri gida Yeddaránike gida Yekkada gida Yekkada gida Yelakhi bále "gida Yele bále Yellaga mara Yempali chettu		145 125 52 219 61 48 51 26 219 24 90 115 39 194 193 194 193 194
hu) gida Vílyadele balli	•••	152 160	Yennebudige gida Yettacada mara	•••	121 89